

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended


## NEXLER BITFLEX 1K

Creation date	07th February 2020	Version	2.0
Revision date	09th December 2022		

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**  
Substance / mixture NEXLER BITFLEX 1K  
mixture  
UFI A3X1-70UJ-W00S-VJGY
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Bitumen mass for waterproofing underground parts of buildings.  
**Main intended use**  
PC-CON-5 Construction chemicals  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Supplier**  
Name or trade name IZOHAN sp. z o.o.  
Address Łużycka 2, Gdynia, 81-963  
Poland  
Identification number (CRN) 191528483  
VAT Reg No PL5862073821  
Phone +48 58 781 45 85  
E-mail info@izohan.eu  
Web address www.izohan.eu  
**Competent person responsible for the safety data sheet**  
Name IZOHAN sp. z o.o.  
E-mail info@izohan.eu
- 1.4. Emergency telephone number**  
National Health Service (NHS) 111  
National poisoning information centre Scotland, NHS 24: 111

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.  
  
Skin Sens. 1, H317  
  
Full text of all classifications and hazard statements is given in the section 16.  
**Most serious adverse effects on human health and the environment**  
May cause an allergic skin reaction.
- 2.2. Label elements**  
**Hazard pictogram**  

- Signal word**  
Warning
- Hazardous substances**  
octhilineone (ISO)
- Hazard statements**  
H317 May cause an allergic skin reaction.
- Precautionary statements**  
P101 If medical advice is needed, have product container or label at hand.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX 1K

Creation date 07th February 2020  
Revision date 09th December 2022 Version 2.0

P102 Keep out of reach of children.  
P264 Wash hands and exposed parts of the body thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P501 Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 Registration number: 01-2119487136-33	potassium hydroxide	0,18-0,25	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: 0,5 % ≤ C < 2 % Skin Corr. 1A, H314: C ≥ 5 % Skin Corr. 1B, H314: 2 % ≤ C < 5 % Eye Irrit. 2, H319: 0,5 % ≤ C < 2 %	1
Index: 613-112-00-5 CAS: 26530-20-1 EC: 247-761-7 Registration number: - [REACH art. 15 (2)]	octhilinone (ISO)	0,0001-0,0024	Acute Tox. 3, H301+H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Skin Sens. 1A, H317: C ≥ 0,0015 % ATE Inhalation (dust/mist) = 0,27 mg/l ATE Dermal = 311 mg/kg bw ATE Oral = 125 mg/kg bw	

#### Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX 1K

Creation date	07th February 2020	Version	2.0
Revision date	09th December 2022		

### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

### If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Not expected.

#### If on skin

May cause an allergic skin reaction.

#### If in eyes

Not expected.

#### If swallowed

Irritation, nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature above + 5 ° C required.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX 1K

Creation date 07th February 2020  
Revision date 09th December 2022 Version 2.0

**7.3. Specific end use(s)**  
not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### United Kingdom EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value
potassium hydroxide (CAS: 1310-58-3)	WEL 15min	2 mg/m <sup>3</sup>

#### DNEL

potassium hydroxide

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	1 mg/m <sup>3</sup>	Local chronic effects		
Consumers	Inhalation	1 mg/m <sup>3</sup>	Local chronic effects		

#### PNEC

octhilinone (ISO)

Route of exposure	Value	Value determination	Source
Drinking water	2.2 µg/l		
Water (intermittent release)	1.22 µg/l		
Seawater	0.22 µg/l		
Freshwater sediment	0.0475 mg/kg of dry substance of sediment		
Sea sediments	0.00475 mg/kg of dry substance of sediment		
Soil (agricultural)	0.0082 mg/kg of dry substance of soil		

#### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

##### Eye/face protection

Protective goggles.

##### Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly. Other protection: protective workwear.

##### Respiratory protection

It is not needed.

##### Thermal hazard

Data not available.

##### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	brown
Odour	characteristic
Melting point/freezing point	0 °C
Boiling point or initial boiling point and boiling range	100 °C

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX 1K

Creation date 07th February 2020  
Revision date 09th December 2022 Version 2.0

Flammability	non-inflammable
Lower and upper explosion limit	not applicable
Flash point	not applicable
Auto-ignition temperature	not applicable
Decomposition temperature	not applicable
pH	10-11 (undiluted)
Kinematic viscosity	not determined
Viscosity	thixotropic behaviour
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	does not apply to mixtures
Vapour pressure	not determined
water (CAS: 7732-18-5)	23,4 hPa at 20 °C
Density and/or relative density	
Density	1,02 g/cm <sup>3</sup> at 20 °C
Relative vapour density	<1
Particle characteristics	applies to solids

### 9.2. Other information

not available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The mixture is not reactive.

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

octhilinone (ISO)

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 401	125 mg/kg bw		Rat (Rattus norvegicus)	
Inhalation	LC <sub>50</sub>	OECD 403	270 mg/m <sup>3</sup>	4 hour		
Dermal	LD <sub>50</sub>	OECD 402	311 mg/kg bw			
Inhalation (dust/mist)	ATE		0,27 mg/l			
Dermal	ATE		311 mg/kg bw			
Oral	ATE		125 mg/kg bw			

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX 1K

Creation date 07th February 2020  
Revision date 09th December 2022 Version 2.0

potassium hydroxide

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 425	333 mg/kg bw		Rat ( <i>Rattus norvegicus</i> )	M

### Skin corrosion/irritation

Based on available data the classification criteria are not met.

octhilinone (ISO)

Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive	OECD 404		Rabbit

potassium hydroxide

Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive	OECD 404		Rabbit

### Serious eye damage/irritation

Based on available data the classification criteria are not met.

octhilinone (ISO)

Route of exposure	Result	Method	Exposure time	Species
Eye	Serious eye damage	OECD 405		Rabbit

potassium hydroxide

Route of exposure	Result	Method	Exposure time	Species
Eye	Corrosive	OECD 405		Rabbit

### Sensitization

octhilinone (ISO)

Route of exposure	Result	Exposure time	Species	Sex
Dermal	Sensitizing			

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Aspiration hazard

Based on available data the classification criteria are not met.

## 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute toxicity

octhilinone (ISO)

Parameter	Value	Exposure time	Species	Environment
LC <sub>50</sub>	0.122 mg/l	96 hour	Fishes	

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX 1K

Creation date 07th February 2020  
Revision date 09th December 2022 Version 2.0

octhilineone (ISO)

Parameter	Value	Exposure time	Species	Environment
LC <sub>50</sub>	0.181 mg/l	48 hour	Aquatic invertebrates	
EC <sub>50</sub>	0.15 mg/l	96 hour	Algae	

potassium hydroxide

Parameter	Value	Exposure time	Species	Environment
LC <sub>50</sub>	50-165 mg/l		Fishes	

### Chronic toxicity

octhilineone (ISO)

Parameter	Value	Exposure time	Species	Environment
NOEC	0.022 mg/l	60 day	Fishes	
NOEC	0.035 mg/l	21 day	Aquatic invertebrates	
NOEC	0.068 mg/l	96 hour	Algae	

### 12.2. Persistence and degradability

The product is not biodegradable to the extent significant for the natural environment.

### 12.3. Bioaccumulative potential

Bioaccumulation is not expected.

### 12.4. Mobility in soil

Before drying, the product is dilutable with water. It is immobile in soil, and asphalt is adsorbed on its surface.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Data not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

#### Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## SECTION 14: Transport information

### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

No.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX 1K

Creation date	07th February 2020	Version	2.0
Revision date	09th December 2022		

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Public health act 1961. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H301+H311	Toxic if swallowed or in contact with skin.

### Guidelines for safe handling used in the safety data sheet

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P501	Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.
P264	Wash hands and exposed parts of the body thoroughly after handling.

### A list of additional standard phrases used in the safety data sheet

EUH071	Corrosive to the respiratory tract.
--------	-------------------------------------

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CE <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan



# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX 1K

Creation date	07th February 2020	Version	2.0
Revision date	09th December 2022		

EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
LZO	Volatile organic compounds
MARPOL	International Convention for the Prevention of Pollution from Ships
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UE	European Union
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
vPvB	Very Persistent and very Bioaccumulative
WE	Identification code for each substance listed in EINECS
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

This safety data sheet replaces version 1.0 dated 07.02.2020.

Updated sections: 1,2,3,4,8,9,10,11,12,13,14,15,16.

### More information

Classification procedure - calculation method.

---

### Statement

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX 1K

Creation date	07th February 2020	Version	2.0
Revision date	09th December 2022		

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.