		SAFETY [DATA SHEET	Gexler
	ac	cording to Regulation (EC) N	No 1907/2006 (REACH) as a	
			BITFLEX 1KP	
		10th February 2020		
Revisi	on date (08th January 2024	Version	2.1
SECT	ION 1: Identification of	the substance/mixture a	nd of the company/unde	rtaking
1.1.	Product identifier		NEXLER BITFLEX 1K	-
	Substance / mixture		mixture	
	UFI		JMX1-80YX-R00R-U	мос
1.2.		ses of the substance or mi		
	Mixture's intended us			
	Bitumen mass for water	proofing underground parts	of buildinas.	
	Main intended use		J.	
	PC-CON-5	Construction chemic	cals	
	Mixture uses advised			
		be used in ways other than t	those referred in Section 1	
1.3.	•	r of the safety data sheet		
	Supplier			
	Name or trade na	me	NEXLER sp. z o.o.	
	Address	e	Łużycka 6, Gdynia, 8	81-537
	Address		Poland	51 557
	Identification num	ber (CRN)	191528483	
	VAT Reg No		PL5862073821	
	Phone		+48 58 781 45 85	
	E-mail		info@nexler.com	
	Web address		www.nexler.com	
		sponsible for the safety d		
	Name	sponsible for the safety d	NEXLER sp. z o.o.	
	E-mail		info@nexler.com	
1.4.	Emergency telephone	number		
	National Health Service			
		mation centre Scotland, NHS	5 24: 111	
	ION 2: Hazards identific			
2.1.	Classification of the s			2 / 2000
		nixture in accordance wit	n Regulation (EC) No 122	/2/2008
	The mixture is classified	as dangerous.		
	Skin Sens. 1, H317	<i>.</i>		
		effects on human health	and the environment	
	May cause an allergic sk	in reaction.		
2.2.	Label elements			
	Hazard pictogram			
	$\mathbf{\wedge}$			
	•			
	Signal word			
	-			
	Warning Hazardous substance	c .		
		3		
	octhilinone (ISO)			
	Hazard statements	May cause an all-	ic duin reaction	
	H317	May cause an allerg	ic skin reaction.	
	Precautionary statem		needed being min 1 1 1	ineu eu lebel et bered
	P101		needed, have product conta	ainer or label at hand.
	P102	Keep out of reach of		roughly offer headling
	P264		posed parts of the body tho	
	P280	wear protective glov	ves/protective clothing/eye	protection/race protection.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KPCreation date10th February 2020Revision date08th January 2024Version2.1

P501

Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 Registration number: 01-2119487136-33	potassium hydroxide	0.18-0.25	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: $0.5 \% \le C < 2 \%$ Skin Corr. 1A, H314: $C \ge 5 \%$ Skin Corr. 1B, H314: $2 \% \le C < 5 \%$ Eye Irrit. 2, H319: $0.5 \% \le C < 2 \%$	1
Index: 613-112-00-5 CAS: 26530-20-1 EC: 247-761-7 Registration number: - [REACH art. 15 (2)]	octhilinone (ISO)	<0.0022	Acute Tox. 3, H301+H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Skin Sens. 1A, H317: $C \ge 0.0015$ % ATE Inhalation (dust/mist) = 0,27 mg/l ATE Dermal = 311 mg/kg bw ATE Oral = 125 mg/kg bw	

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

		SAFETY	DATA SHEET	Mexle
		according to Regulation (EC)	No 1907/2006 (REACH) as	amended V
		NEXLER	BITFLEX 1KP	
Creat	on date	10th February 2020		
Revisi	on date	08th January 2024	Version	2.1
	If swallowed			
		outh with clean water. In the even	t of issues, find medical hel	n.
4.2.		symptoms and effects, both a	•	F -
	If inhaled	-,		
	Not expected.			
	If on skin			
	May cause an all	ergic skin reaction.		
	If in eyes	-		
	Not expected.			
	If swallowed			
	Irritation, nausea	a.		
4.3.	Indication of a	ny immediate medical attentio	n and special treatment i	needed
	Symptomatic tre	atment.		

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature above + 5 ° C required.

7.3. Specific end use(s) not available



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

Creation date Revision date 10th February 2020 08th January 2024

Version

2.1

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

United Kingdom

The mixture contains substances for which occupational exposure limits are set.

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Туре	Value
potassium hydroxide (CAS: 1310–58–3)	WEL 15min	2 mg/m ³

DNEL

potassium hydroxide					
Workers / consumers	Route of exposure	Value	Effect		
Workers	Inhalation	1 mg/m ³	Chronic effects local		
Consumers	Inhalation	1 mg/m³	Chronic effects local		

PNEC

octhilinone (ISO)				
Route of exposure	Value			
Drinking water	2.2 μg/l			
Water (intermittent release)	1.22 μg/l			
Marine water	0.22 µg/l			
Freshwater sediment	0.0475 mg/kg of dry substance of sediment			
Sea sediments	0.00475 mg/kg of dry substance of sediment			
Soil (agricultural)	0.0082 mg/kg of dry substance of soil			

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly. Other protection: protective workwear.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chem

1.	Information on basic physical and chemical properties					
	Physical state	liquid				
	Colour	brown				
	Odour	characteristic				
	Melting point/freezing point	0 °C				
	Boiling point or initial boiling point and boiling range	100 °C				
	Flammability	non-inflammable				
	Lower and upper explosion limit	not applicable				
	Flash point	not applicable				
	Auto-ignition temperature	not applicable				



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

Curatian data				
Creation date	10th February 2020			
Revision date	08th January 2024	Version	2.1	
Decomposition	temperature	not applicable		
pН		10-11 (undiluted))	
Kinematic visc	osity	not determined		
Viscosity		thixotropic behav	iour	
Solubility in wa	ater	miscible with wat	er	
Partition coeffi	cient n-octanol/water (log value)	does not apply to	mixtures	
Vapour pressu	re	23.4 hPa (water)	at 20 °C	
Density and/or	r relative density			
Density		≥0.7 g/cm ³ at 20	0°C	
Relative vapou	ır density	<1		
Particle charac	teristics	applies to solids		
9.2. Other inform	ation			
Not available.				

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is not reactive.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products Not developed under normal uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	125 mg/kg bw		Rat (Rattus norvegicus)	
Inhalation	LC50	OECD 403	270 mg/m ³	4 hours		
Dermal	LD50	OECD 402	311 mg/kg bw			
Inhalation (dust/mist)	ATE		0.27 mg/l			
Dermal	ATE		311 mg/kg bw			
Oral	ATE		125 mg/kg bw			

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD₅o	OECD 425	333 mg/kg bw		Rat (Rattus norvegicus)	М



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

Creation date Revision date 10th February 2020 08th January 2024

Version

2.1

Skin corrosion/irritation

Based on available data the classification criteria are not met.

octhilinone (ISO)							
Route of exposure	Result	Method	Exposure time	Species			
Dermal	Corrosive	OECD 404		Rabbit			
potassium hydrox	potassium hydroxide						
Route of exposure	Result	Method	Exposure time	Species			
Dermal	Corrosive	OECD 404		Rabbit			

Serious eye damage/irritation

Based on available data the classification criteria are not met.

octhilinone (ISO)						
Route of exposure	Result	Method	Exposure time	Species		
Eye	Serious eye damage	OECD 405		Rabbit		
potassium hydrox	ide					
Route of exposure Result Method Exposure time Species						
Eye	Corrosive	OECD 405		Rabbit		

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Sensitization

octhilinone (ISO)				
Route of exposure	Result	Exposure time	Species	Sex
Dermal	Sensitizing			

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

Creation date Revision date _ _ _

Version

2.1

11.2. Information on other hazards

Endocrine disrupting properties

10th February 2020

08th January 2024

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Not available.

SECTION 12: Ecological information

12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Acute toxicity

octhilinone (ISO)				
Parameter	Value	Exposure time	Species	Environment
LC50	0.122 mg/l	96 hours	Fish	
LC50	0.181 mg/l	48 hours	Aquatic invertebrates	
EC50	0.15 mg/l	96 hours	Algae	

potassium hydroxide				
Parameter	Value	Exposure time	Species	Environment
LC ⁵⁰	50-165 mg/l		Fish	

Chronic toxicity

octhilinone (ISO)				
Parameter	Value	Exposure time	Species	Environment
NOEC	0.022 mg/l	60 days	Fish	
NOEC	0.035 mg/l	21 days	Aquatic invertebrates	
NOEC	0.068 mg/l	96 hours	Algae	

12.2. Persistence and degradability

The product is not biodegradable to the extent significant for the natural environment.

12.3. Bioaccumulative potential

Bioaccumulation is not expected.

12.4. Mobility in soil

Before drying, the product is dilutable with water. It is immobile in soil, and asphalt is adsorbed on its surface.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects Data not available.

SECTION 13: Disposal considerations



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 1KP

Creation date	
Revision date	

Version

2.1

13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

Waste management legislation

10th February 2020 08th January 2024

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

- 14.1. UN number or ID number
 - not subject to transport regulations
- **14.2.** UN proper shipping name not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group not relevant
- **14.5. Environmental hazards** No.
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- **14.7.** Maritime transport in bulk according to IMO instruments not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Clean Air Act 1993 as amended. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Public health act 1961. Environmental Protection Act 1990 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrase	es used in the safety data sheet
EUH071	Corrosive to the respiratory tract.
H290	May be corrosive to metals.
H301+H311	Toxic if swallowed or in contact with skin.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.



according to Regulation (EC) No 1907/2006 (REACH) as amended

	NEXLER	BITFLEX 1KP	
Creation date	10th February 2020		
Revision date	08th January 2024	Version	2.1
H400	Very toxic to aquat	c life.	
H410	, , ,	c life with long lasting e	effects.
Guidelines for s	safe handling used in the safety		
P101			container or label at hand.
P102	Keep out of reach o		
P264	•		y thoroughly after handling.
P280			/eye protection/face protection.
P501	Dispose of contents		to the instructions of the manufacturer
Other importan	t information about human hea	Ith protection	
The product mus		ved by the manufactur	er/importer - used for purposes other the alth protection regulations.
	ations and acronyms used in the		
Acute Tox.	Acute toxicity		
ADR	,	nt concerning the intern	national carriage of dangerous goods by
Aquatic Acute	Hazardous to the a	quatic environment	
Aquatic Chronic	Hazardous to the a	quatic environment (chr	ronic)
BCF	Bioconcentration Fa	ctor	
CAS	Chemical Abstracts	Service	
CLP	Regulation (EC) No substance and mixt		ation, labelling and packaging of
EC	Identification code	for each substance liste	d in EINECS
EC50	Concentration of a	substance when it is aff	ected 50 % of the population
EINECS	European Inventory	of Existing Commercia	I Chemical Substances
EmS	Emergency plan	5	
EU	European Union		
EuPCS	European Product C	Categorisation System	
Eye Dam.	Serious eye damag		
Eye Irrit.	Eye irritation		
IATA	International Air Tr	ansport Association	
IBC		For The Construction Ar	nd Equipment of Ships Carrying
ICAO	International Civil A	viation Organization	
IMDG	International Mariti	me Dangerous Goods	
IMO	International Mariti	me Organization	
INCI	International Nome	nclature of Cosmetic In	gredients
ISO	International Organ	ization for Standardizat	tion
IUPAC	International Union	of Pure and Applied Ch	emistry
LC50	Lethal concentration population	n of a substance in whic	ch it can be expected death of 50% of th
LD50	Lethal dose of a sul population	ostance in which it can l	be expected death of 50% of the
log Kow	Octanol-water parti		
Met. Corr.	Corrosive to metals		
NOEC	No observed effect		
OEL	Occupational Expos		
PBT	Persistent, bioaccur		
PMT	Persistent, mobile a	and toxic	
ppm	Parts per million		
REACH	Registration, Evalua	ation, Authorisation and	Restriction of Chemicals
RID	Agreement on the t	ransport of dangerous	goods by rail
Skin Corr.	Skin corrosion		
Skin Irrit.	Skin irritation		
Skin Sens.	Skin sensitization		



according to Regulation (EC) No 1907/2006 (REACH) as amended

		DITCLEY 41/2				
	NEXLER	BITFLEX 1KP				
Creation date	10th February 2020					
Revision date	08th January 2024	Version	2.1			
UN	Four-figure identif Model Regulations		stance or article taken from	n the UN		
UVCB		Substances of unknown or variable composition, complex reaction products or biological materials				
VOC	Volatile organic co	ompounds				
vPvB	Very persistent an	d very bioaccumulative				
vPvM	Very persistent an	id very mobile				
Training guid						
	rsonnel about the recommended wa ng the product.	ys of use, mandatory pro	tective equipment, first aid	and prohibited		
Recommende	Recommended restrictions of use					
not available						
Information	about data sources used to com	oile the Safety Data Sh	eet			
REGULATION	(EC) No. 1907/2006 OF THE EURC (EC) No. 1272/2008 OF THE EURO rer of the substance / mixture, if av	PEAN PARLIAMENT AND	OF THE COUNCIL as amend	,		
The changes	The changes (which information has been added, deleted or modified)					
,	a sheet replaces version 2.0 dated ons: 1,3,9,13,15.	08.12.2022.				
More informa	More information					

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.