

according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2K składnik A

Creation date 10th February 2020

Revision date 28th August 2023 Version 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1. Product identifier NEXLER BITFLEX 2K składnik A

Substance / mixture mixture

UFI 8CX1-R0WR-U008-UK85

Other mixture names

NEXLER BITFLEX 2K component A

1.2. Relevant identified uses of the substance or mixture and uses advised against Mixture's intended use

Two-component bituminous compound for waterproofing underground parts of buildings.

Main intended use

PC-CON-5 Construction chemicals

Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name NEXLER sp. z o.o.

Address Łużycka 2, Gdynia, 81-537

Poland

Identification number (CRN)191528483VAT Reg NoPL5862073821Phone+48 58 781 45 85E-mailinfo@nexler.comWeb addresswww.nexler.com

Competent person responsible for the safety data sheet

Name NEXLER sp. z o.o. E-mail info@nexler.com

1.4. Emergency telephone number

National Health Service (NHS) 111

National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Sens. 1, H317

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

May cause an allergic skin reaction.

2.2. Label elements

Hazard pictogram



Signal word

Warning

Hazardous substances

octhilinone (ISO)

Hazard statements

H317

May cause an allergic skin reaction.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2K składnik A

Creation date 10th February 2020

Revision date 28th August 2023 Version 2.1

Precautionary statements

If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands and exposed parts of the body thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P501 Dispose of contents/container to according to the instructions of the manufacturer

or person authorized to dispose of waste.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 Registration number: 01-2119487136-33	potassium hydroxide	0,2-0,3	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: $0.5\% \le C < 2\%$ Skin Corr. 1A, H314: $C \ge 5\%$ Skin Corr. 1B, H314: $2\% \le C < 5\%$ Eye Irrit. 2, H319: $0.5\% \le C < 2\%$	1
Index: 613-112-00-5 CAS: 26530-20-1 EC: 247-761-7 Registration number: - [REACH art. 15 (2)]	octhilinone (ISO)	0,0001- 0,0023	Acute Tox. 3, H301+H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Skin Sens. 1A, H317: $C \ge 0.0015$ % ATE Inhalation (dust/mist) = 0,27 mg/l ATE Dermal = 311 mg/kg bw ATE Oral = 125 mg/kg bw	

Notes

A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2K składnik A

Creation date 10th February 2020

Revision date 28th August 2023 Version 2.1

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

May cause an allergic skin reaction.

If in eyes

Not expected.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature above + 5 ° C required.

vexler

according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2K składnik A

Creation date 10th February 2020

Revision date 28th August 2023 Version 2.1

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

 •	 	
Substance name (component)	Туре	Value
potassium hydroxide (CAS: 1310-58-3)	WEL 15min	2 mg/m ³

DNEL

potassium hydroxide							
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source		
Workers	Inhalation	1 mg/m³	Chronic effects local				
Consumers	Inhalation	1 mg/m³	Chronic effects local				

PNEC

octhilinone (ISO)					
Route of exposure	Value	Value determination	Source		
Drinking water	2.2 μg/l				
Water (intermittent release)	1.22 μg/l				
Marine water	0.22 μg/l				
Freshwater sediment	0.0475 mg/kg of dry substance of sediment				
Sea sediments	0.00475 mg/kg of dry substance of sediment				
Soil (agricultural)	0.0082 mg/kg of dry substance of soil				

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly. Other protection: protective workwear.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	brown



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2K składnik A

Creation date 10th February 2020

Revision date 2.1 28th August 2023 Version

Odour characteristic

Melting point/freezing point Boiling point or initial boiling point and boiling range 100 °C

Flammability

Lower and upper explosion limit

Flash point Auto-ignition temperature

Decomposition temperature

pН Kinematic viscosity

Viscosity

Solubility in water

Partition coefficient n-octanol/water (log value)

Vapour pressure

water (CAS: 7732-18-5) Density and/or relative density

Density

Relative vapour density Particle characteristics

Other information

not available

0 °C

non-inflammable not applicable not applicable not applicable not applicable

10.5-<11.5 (undiluted)

not determined thixotropic behaviour miscible with water

does not apply to mixtures

not determined 23.4 hPa at 20 °C

1.02 g/cm3 at 20 °C

applies to solids

SECTION 10: Stability and reactivity

10.1. Reactivity

9.2.

The mixture is not reactive.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

octhilinone (ISO)							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	
Oral	LD50	OECD 401	125 mg/kg bw		Rat (Rattus norvegicus)		
Inhalation	LC50	OECD 403	270 mg/m ³	4 hours			
Dermal	LD50	OECD 402	311 mg/kg bw				
Inhalation (dust/mist)	ATE		0.27 mg/l				
Dermal	ATE		311 mg/kg bw				
Oral	ATE		125 mg/kg bw				



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2K składnik A

Creation date 10th February 2020

Revision date 28th August 2023 Version 2.1

potassium hydroxide						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 425	333 mg/kg bw		Rat (Rattus norvegicus)	М

Skin corrosion/irritation

Based on available data the classification criteria are not met.

octhilinone (ISO)						
Route of exposure	Result	Method	Exposure time	Species		
Dermal	Corrosive	OECD 404		Rabbit		

potassium hydroxide						
Route of exposure	Result	Method	Exposure time	Species		
Dermal	Corrosive	OECD 404		Rabbit		

Serious eye damage/irritation

Based on available data the classification criteria are not met.

octhilinone (ISO)						
Route of exposure	Result	Method	Exposure time	Species		
Eye	Serious eye damage	OECD 405		Rabbit		

potassium hydroxide						
Route of exposure	Result	Method	Exposure time	Species		
Eye	Corrosive	OECD 405		Rabbit		

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Sensitization

octhilinone (ISO)						
Route of exposure	Result	Exposure time	Species	Sex		
Dermal	Sensitizing					

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2K składnik A

Creation date 10th February 2020

Revision date 28th August 2023 Version 2.1

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

not available

Acute toxicity

octhilinone (ISO)				
Parameter	Value	Exposure time	Species	Environment
LC50	0.122 mg/l	96 hours	Fish	
LC50	0.181 mg/l	48 hours	Aquatic invertebrates	
EC50	0.15 mg/l	96 hours	Algae	

potassium hydroxide				
Parameter	Value	Exposure time	Species	Environment
LC50	50-165 mg/l		Fish	

Chronic toxicity

octhilinone (ISO)				
Parameter	Value	Exposure time	Species	Environment
NOEC	0.022 mg/l	60 days	Fish	
NOEC	0.035 mg/l	21 days	Aquatic invertebrates	
NOEC	0.068 mg/l	96 hours	Algae	

12.2. Persistence and degradability

The product is not biodegradable to the extent significant for the natural environment.

12.3. Bioaccumulative potential

Bioaccumulation is not expected.

12.4. Mobility in soil

Before drying, the product is dilutable with water. It is immobile in soil, and asphalt is adsorbed on its surface.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2K składnik A

Creation date 10th February 2020

Revision date 28th August 2023 Version 2.1

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Public health act 1961. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

H301+H311

A list of standard risk phrases used in the safety data sheet

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P102	Keep out of reach of children.

P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Toxic if swallowed or in contact with skin.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2K składnik A

Creation date 10th February 2020 Revision date 28th August 2023

P501

ugust 2023 Version 2.1

Dispose of contents/container to according to the instructions of the manufacturer

or person authorized to dispose of waste.

A list of additional standard phrases used in the safety data sheet

EUH071 Corrosive to the respiratory tract.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log KowOctanol-water partition coefficientNOECNo observed effect concentrationOELOccupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Acute Hazardous to the aquatic environment

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Dam. Serious eye damage
Met. Corr. Corrosive to metals
Skin Corr. Skin corrosion
Skin Sens. Skin sensitization

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2K składnik A

Creation date 10th February 2020

Revision date 28th August 2023 Version 2.1

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

This safety data sheet replaces version 2.0 dated 09.12.2022.

Updated sections: 1,9.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.