		SAFETY	DATA SHEET	vex	ler
	a	ccording to Regulation (EC)	No 1907/2006 (REACH) as	amended 🛛 💙	
		NEXLER BITFL	.EX 2KP składnil	(A	
Creat	ion date	10th February 2020			
Revis	ion date	28th August 2023	Version	2.1	
SECT	ION 1: Identification o	f the substance/mixture a	and of the company/und	lertaking	
1.1.	Product identifier	-	NEXLER BITFLEX 2	-	
	Substance / mixture		mixture		
	UFI		1VX1-T024-P007-	ſMRJ	
	Other mixture names				
	NEXLER BITFLEX	2KP component A			
1.2.	Relevant identified u	ses of the substance or n	nixture and uses advised	l against	
	Mixture's intended u	se			
	Two-component bitum	nous compound for waterpre	oofing underground parts o	of buildings.	
	Main intended use				
	PC-CON-5	Construction chem	icals		
	Mixture uses advised	l against			
	The product should not	be used in ways other then	those referred in Section	1.	
1.3.	Details of the supplie	er of the safety data shee	t		
	Supplier				
	Name or trade na	ame	NEXLER sp. z o.o.		
	Address		Łużycka 2, Gdynia	, 81-537	
			Poland		
	Identification nur	mber (CRN)	191528483		
	VAT Reg No		PL5862073821		
	Phone		+48 58 781 45 85		
	E-mail		info@nexler.com		
	Web address		www.nexler.com		
	Competent person re	esponsible for the safety o			
	Name		NEXLER sp. z o.o.		
	E-mail	_	info@nexler.com		
1.4.	Emergency telephon				
	National Health Service		0.24.111		
	National poisoning info	rmation centre Scotland, NH	S 24: 111		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Skin Sens. 1, H317

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment May cause an allergic skin reaction.

2.2. Label elements





Signal word Warning

Hazardous substances octhilinone (ISO) Hazard statements H317

May cause an allergic skin reaction.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2KP składnik A

Creation date	10th February 2020			
Revision date	28th August 2023	Version	2.1	

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P501	Dispose of contents/container to according to the instructions of the manufacturer
	or person authorized to dispose of waste.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 Registration number: 01-2119487136-33	potassium hydroxide	0,2-0,3	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: $0.5 \% \le C < 2 \%$ Skin Corr. 1A, H314: $C \ge 5 \%$ Skin Corr. 1B, H314: $2 \% \le C < 5 \%$ Eye Irrit. 2, H319: $0.5 \% \le C < 2 \%$	1
Index: 613-112-00-5 CAS: 26530-20-1 EC: 247-761-7 Registration number: - [REACH art. 15 (2)]	octhilinone (ISO)	0,0001- 0,0023	Acute Tox. 3, H301+H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Skin Sens. 1A, H317: $C \ge 0.0015$ % ATE Inhalation (dust/mist) = 0,27 mg/l ATE Dermal = 311 mg/kg bw ATE Oral = 125 mg/kg bw	

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2KP składnik A

Creation date	10th February 2020		
Revision date	28th August 2023	Version	2.1

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. **If swallowed**

Rinse out the mouth with clean water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected. **If on skin** May cause an allergic skin reaction. **If in eyes** Not expected. **If swallowed** Writebian process

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature above + 5 ° C required.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2KP składnik A

Creation date Revision date 10th February 2020 28th August 2023

Version

2.1

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom	EH40/2005 Workplace	e exposure limits (F	ourth Edition 2020)
Substance name (component)	1	Туре	Value
potassium hydroxide (CAS: 1310-58-3)	١	WEL 15min	2 mg/m ³

DNEL

potassium hydroxide							
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source		
Workers	Inhalation	1 mg/m ³	Chronic effects local				
Consumers	Inhalation	1 mg/m ³	Chronic effects local				

PNEC

octhilinone (ISO)		octhilinone (ISO)						
Route of exposure	Value	Value determination	Source					
Drinking water	2.2 µg/l							
Water (intermittent release)	1.22 µg/l							
Marine water	0.22 µg/l							
Freshwater sediment	0.0475 mg/kg of dry substance of sediment							
Sea sediments	0.00475 mg/kg of dry substance of sediment							
Soil (agricultural)	0.0082 mg/kg of dry substance of soil							

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly. Other protection: protective workwear.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	brown



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2KP składnik A

Creatio	on date	10th February 2020		
Revisio	on date	28th August 2023	Version	2.1
	Odour		characteristic	
	Melting point/fre	eezing point	0 °C	
	Boiling point or	initial boiling point and boiling range	100 °C	
	Flammability		non-inflammable	
	Lower and uppe	r explosion limit	not applicable	
	Flash point		not applicable	
	Auto-ignition ter	nperature	not applicable	
	Decomposition t	emperature	not applicable	
	рН		10.5-<11.5 (und	liluted)
	Kinematic viscos	sity	not determined	
	Viscosity		thixotropic behav	viour
	Solubility in wat	er	miscible with wa	ter
	Partition coeffici	ent n-octanol/water (log value)	does not apply to	o mixtures
	Vapour pressure	2	not determined	
	water (CAS:	7732-18-5)	23.4 hPa at 20 °	C
	Density and/or i	elative density		
	Density		≥0.7 g/cm ³ at 20	0 °C
	Relative vapour	density	<1	
	Particle characte	eristics	applies to solids	
9.2.	Other informa	tion		
	not available			
SECTI 10.1.	ON 10: Stability Reactivity The mixture is r	-		
10.2.	Chemical stabi			
		table under normal conditions.		
10.3.	•	azardous reactions		
	Unknown.			
10.4.	Conditions to a	avoid		
			r normal use. Protec	t against flames, sparks, overheating an
10.5.	Incompatible	naterials		
	Protect against	strong acids, bases and oxidizing agents	S.	
		composition products		
10.6.				

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

octhilinone (ISO)							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	
Oral	LD50	OECD 401	125 mg/kg bw		Rat (Rattus norvegicus)		
Inhalation	LC50	OECD 403	270 mg/m ³	4 hours			
Dermal	LD50	OECD 402	311 mg/kg bw				
Inhalation (dust/mist)	ATE		0.27 mg/l				
Dermal	ATE		311 mg/kg bw				
Oral	ATE		125 mg/kg bw				



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2KP składnik A

Creation date Revision date 10th February 2020 28th August 2023

Version

2.1

potassium hydroxide

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 425	333 mg/kg bw		Rat (Rattus norvegicus)	М

Skin corrosion/irritation

Based on available data the classification criteria are not met.

octhilinone (ISO)				
Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive	OECD 404		Rabbit
potassium hydroxide				
Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive	OECD 404		Rabbit

Serious eye damage/irritation

Based on available data the classification criteria are not met.

octhilinone (ISO)				
Route of exposure	Result	Method	Exposure time	Species
Eye	Serious eye damage	OECD 405		Rabbit
potassium hydrox	potassium hydroxide			
Route of exposure	Result	Method	Exposure time	Species
Eye	Corrosive	OECD 405		Rabbit

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Sensitization

octhilinone (ISO)	octhilinone (ISO)			
Route of exposure	Result	Exposure time	Species	Sex
Dermal	Sensitizing			

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2KP składnik A

Creation date Revision date 10th February 2020 28th August 2023

Version

2.1

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

not available

Acute toxicity

octhilinone (ISO)	thilinone (ISO)			
Parameter	Value	Exposure time	Species	Environment
LC50	0.122 mg/l	96 hours	Fish	
LC50	0.181 mg/l	48 hours	Aquatic invertebrates	
EC50	0.15 mg/l	96 hours	Algae	

potassium hydroxic	le			
Parameter	Value	Exposure time	Species	Environment
LC50	50-165 mg/l		Fish	

Chronic toxicity

octhilinone (ISO)	ilinone (ISO)			
Parameter	Value	Exposure time	Species	Environment
NOEC	0.022 mg/l	60 days	Fish	
NOEC	0.035 mg/l	21 days	Aquatic invertebrates	
NOEC	0.068 mg/l	96 hours	Algae	

12.2. Persistence and degradability

The product is not biodegradable to the extent significant for the natural environment.

12.3. Bioaccumulative potential

Bioaccumulation is not expected.

12.4. Mobility in soil

Before drying, the product is dilutable with water. It is immobile in soil, and asphalt is adsorbed on its surface.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2KP składnik A

Creation date Revision date Version

2.1

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

- not subject to transport regulations
- 14.2. UN proper shipping name
- not relevant 14.3. Transport hazard class(es)
- not relevant
- 14.4. Packing group not relevant
- 14.5. Environmental hazards No.
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- **14.7.** Maritime transport in bulk according to IMO instruments not relevant

10th February 2020

28th August 2023

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Public health act 1961. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H301+H311	Toxic if swallowed or in contact with skin.
Guidelines for safe handling	used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

SAFETY DATA SHEET 🛛 📊 🖬 🖬				
	according to Regulation (EC)	No 1907/2006 (REACH		
NEXLER BITFLEX 2KP składnik A				
reation date evision date	10th February 2020 28th August 2023	Version	2.1	
P501			ng to the instructions of the manufactu	
FJUI		ed to dispose of waste.		
A list of addit	ional standard phrases used in t	he safety data sheet	:	
EUH071	Corrosive to the re			
-	ant information about human he			
as per the Sec	tion 1. The user is responsible for ac	herence to all related	urer/importer - used for purposes othe health protection regulations.	
-	viations and acronyms used in th	-		
ADR		ent concerning the inter	rnational carriage of dangerous goods	
	road			
BCF	Bioconcentration F			
CAS	Chemical Abstracts			
CLP	Regulation (EC) No substance and mix		ication, labelling and packaging of	
EC		for each substance list	ted in FINECS	
EC50			iffected 50% of the population	
EINECS			ial Chemical Substances	
EmS	Emergency plan	y of Existing commerc	la chemica Substances	
EU	European Union			
EuPCS	•	Catagorization System		
	•	Categorisation System		
IATA		ransport Association	And Environment of Chine Commine	
IBC			And Equipment of Ships Carrying	
ICAO	Dangerous Chemic			
		Aviation Organization		
IMDG		ime Dangerous Goods		
IMO	International Marit	-	- I. I.	
INCI		enclature of Cosmetic I	5	
ISO		nization for Standardiz		
IUPAC		n of Pure and Applied C		
LC50		on of a substance in wh	nich it can be expected death of 50% o	
	population	ubstance in which it car	a be expected death of E004 of the	
LD50	population		n be expected death of 50% of the	
log Kow	Octanol-water part	tition coefficient		
NOEC	No observed effect			
OEL	Occupational Expo			
PBT		umulative and Toxic		
ppm	Parts per million			
REACH	-	uation. Authorisation ar	nd Restriction of Chemicals	
RID		transport of dangerous		
UN	-		substance or article taken from the UN	
0.11	Model Regulations			
UVCB			osition, complex reaction products or	
	biological material			
VOC	Volatile organic co	mpounds		
vPvB	Very Persistent and	d very Bioaccumulative	2	
Acute Tox.	Acute toxicity			
Aquatic Acute	Hazardous to the a	aquatic environment		
Aquatic Chroni		aquatic environment (cl	hronic)	
Eye Dam.	Serious eye damag		-	
, Met. Corr.	Corrosive to metal			
Skin Corr.	Skin corrosion			
Skin Sens.	Skin sensitization			
Training guid				
	sonnel about the recommended way			



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX 2KP składnik A

Creation date Revision date 10th February 2020 28th August 2023

Version

2.1

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

This safety data sheet replaces version 2.0 dated 09.12.2022. Updated sections: 1,9.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.