

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX Emulsja anionowa

Creation date	15th April 2020	Version	2.1
Revision date	08th January 2024		

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1. Product identifier** NEXLER BITFLEX Emulsja anionowa  
Substance / mixture mixture  
UFI N1X1-R055-M009-66WW

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Mixture's intended use**

Asphalt-latex anionic emulsion, used for priming substrates, for waterproofing and jointless insulation coatings.

**Main intended use**

PC-CON-5 Construction chemicals

**Mixture uses advised against**

The product should not be used in ways other than those referred in Section 1.

**1.3. Details of the supplier of the safety data sheet**

**Supplier**

Name or trade name	NEXLER sp. z o.o.
Address	Łużycka 6, Gdynia, 81-537 Poland
Identification number (CRN)	191528483
VAT Reg No	PL5862073821
Phone	+48 58 781 45 85
E-mail	info@nexler.com
Web address	www.nexler.com

**Competent person responsible for the safety data sheet**

Name	NEXLER sp. z o.o.
E-mail	info@nexler.com

**1.4. Emergency telephone number**

National Health Service (NHS) 111  
National poisoning information centre Scotland, NHS 24: 111

### SECTION 2: Hazards identification

**2.1. Classification of the substance or mixture**

**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Skin Sens. 1, H317  
Eye Irrit. 2, H319  
Aquatic Chronic 3, H412

**Most serious adverse effects on human health and the environment**

May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

**2.2. Label elements**

**Hazard pictogram**



**Signal word**

Warning

**Hazardous substances**

octhilinone (ISO)

**Hazard statements**

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
------	---

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020  
Revision date 08th January 2024 Version 2.1

P102 Keep out of reach of children.  
P264 Wash hands and exposed parts of the body thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P501 Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 97862-59-4 EC: 931-296-8 Registration number: 01-2119488533-30	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts	0,9-1,1	Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: C > 10 % Eye Irrit. 2, H319: 4 % < C ≤ 10 %	2
Index: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 Registration number: 01-2119487136-33	potassium hydroxide	0,2-0,3	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: 0.5 % ≤ C < 2 % Skin Corr. 1A, H314: C ≥ 5 % Skin Corr. 1B, H314: 2 % ≤ C < 5 % Eye Irrit. 2, H319: 0.5 % ≤ C < 2 %	1
Index: 613-112-00-5 CAS: 26530-20-1 EC: 247-761-7 Registration number: - [REACH art. 15 (2)]	octhilinone (ISO)	<0,024	Acute Tox. 3, H301+H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Skin Sens. 1A, H317: C ≥ 0.0015 % ATE Inhalation (dust/mist) = 0,27 mg/l ATE Dermal = 311 mg/kg bw ATE Oral = 125 mg/kg bw	

#### Notes

- 1 A substance for which exposure limits are set.
- 2 Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX Emulsja anionowa

Creation date	15th April 2020	Version	2.1
Revision date	08th January 2024		

### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

### If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

## 4.2. Most important symptoms and effects, both acute and delayed

### If inhaled

Not expected.

### If on skin

May cause an allergic skin reaction.

### If in eyes

Causes serious eye irritation.

### If swallowed

Irritation, nausea.

## 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX Emulsja anionowa

Creation date	15th April 2020	Version	2.1
Revision date	08th January 2024		

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature above + 5 ° C required.

#### 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### United Kingdom EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value
potassium hydroxide (CAS: 1310-58-3)	WEL 15min	2 mg/m <sup>3</sup>

#### DNEL

#### 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Oral	7.5 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	7.5 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	44 mg/m <sup>3</sup>	Chronic effects systemic		
Workers	Dermal	12.5 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	13.04 mg/m <sup>3</sup>	Chronic effects systemic		

#### potassium hydroxide

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	1 mg/m <sup>3</sup>	Chronic effects local		
Consumers	Inhalation	1 mg/m <sup>3</sup>	Chronic effects local		

#### PNEC

#### 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts

Route of exposure	Value	Value determination	Source
Drinking water	0.0135 mg/l		
Marine water	0.001 mg/l		
Microorganisms in sewage treatment	3000 mg/l		
Freshwater sediment	11.1 mg/kg of dry substance of sediment		

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020  
Revision date 08th January 2024 Version 2.1

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts			
Route of exposure	Value	Value determination	Source
Sea sediments	1.11 mg/kg of dry substance of sediment		
Soil (agricultural)	0.85 mg/kg of dry substance of soil		

octhilinone (ISO)			
Route of exposure	Value	Value determination	Source
Drinking water	2.2 µg/l		
Water (intermittent release)	1.22 µg/l		
Marine water	0.22 µg/l		
Freshwater sediment	0.0475 mg/kg of dry substance of sediment		
Sea sediments	0.00475 mg/kg of dry substance of sediment		
Soil (agricultural)	0.0082 mg/kg of dry substance of soil		

### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles.

#### Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly. Other protection: protective workwear.

#### Respiratory protection

It is not needed.

#### Thermal hazard

Data not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	brown
Odour	characteristic
Melting point/freezing point	0 °C
Boiling point or initial boiling point and boiling range	100 °C
Flammability	non-flammable
Lower and upper explosion limit	not applicable
Flash point	not applicable
Auto-ignition temperature	not applicable
Decomposition temperature	not applicable
pH	10.5-<11.5 (undiluted)
Kinematic viscosity	not determined
Viscosity	thixotropic behaviour

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020  
Revision date 08th January 2024 Version 2.1

Solubility in water miscible with water  
Partition coefficient n-octanol/water (log value) does not apply to mixtures  
Vapour pressure 23.4 hPa (water) at 20 °C  
Density and/or relative density  
Density 1.01 g/cm<sup>3</sup> at 20 °C  
Relative vapour density <1  
Particle characteristics applies to solids

### 9.2. Other information

not available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The mixture is not reactive.

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

#### 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 401	2335 mg/kg bw		Rat (Rattus norvegicus)	F/M

#### octhilinone (ISO)

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 401	125 mg/kg bw		Rat (Rattus norvegicus)	
Inhalation	LC <sub>50</sub>	OECD 403	270 mg/m <sup>3</sup>	4 hours		
Dermal	LD <sub>50</sub>	OECD 402	311 mg/kg bw			
Inhalation (dust/mist)	ATE		0.27 mg/l			
Dermal	ATE		311 mg/kg bw			
Oral	ATE		125 mg/kg bw			

#### potassium hydroxide

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 425	333 mg/kg bw		Rat (Rattus norvegicus)	M

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020  
Revision date 08th January 2024 Version 2.1

### Skin corrosion/irritation

Based on available data the classification criteria are not met.

octhilinone (ISO)				
Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive	OECD 404		Rabbit

potassium hydroxide				
Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive	OECD 404		Rabbit

### Serious eye damage/irritation

Causes serious eye irritation.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts				
Route of exposure	Result	Method	Exposure time	Species
Eye	Highly irritating, Serious eye damage	OECD 405	1 hour	Rabbit

octhilinone (ISO)				
Route of exposure	Result	Method	Exposure time	Species
Eye	Serious eye damage	OECD 405		Rabbit

potassium hydroxide				
Route of exposure	Result	Method	Exposure time	Species
Eye	Corrosive	OECD 405		Rabbit

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Sensitization

octhilinone (ISO)				
Route of exposure	Result	Exposure time	Species	Sex
Dermal	Sensitizing			

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX Emulsja anionowa

Creation date	15th April 2020	Version	2.1
Revision date	08th January 2024		

### Repeated dose toxicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts							
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 408	300 mg/kg bw/day	90 days	Rat ( <i>Rattus norvegicus</i> )	F/M

### Aspiration hazard

Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

#### Acute toxicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts					
Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>	OECD 203	1.11 mg/l	96 hours	Fish ( <i>Pimephales promelas</i> )	
LC <sub>50</sub>	OECD 202	1.9 mg/l	48 hours	Aquatic invertebrates ( <i>Daphnia magna</i> )	
ErC <sub>50</sub>		1.5 mg/l	72 hours	Algae ( <i>Desmodesmus subspicatus</i> )	
NOEC		≥846 mg/kg of dry substance of soil	14 days	Invertebrates ( <i>Eisenia fetida</i> )	

#### octhilinone (ISO)

Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		0.122 mg/l	96 hours	Fish	
LC <sub>50</sub>		0.181 mg/l	48 hours	Aquatic invertebrates	
EC <sub>50</sub>		0.15 mg/l	96 hours	Algae	

#### potassium hydroxide

Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		50-165 mg/l		Fish	

### Chronic toxicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts					
Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD 210	0.135 mg/l	100 days	Fish ( <i>Oncorhynchus mykiss</i> )	
NOEC	OECD 211	0.32 mg/l	21 days	Aquatic invertebrates ( <i>Daphnia magna</i> )	



# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020  
Revision date 08th January 2024 Version 2.1

octhilinone (ISO)					
Parameter	Method	Value	Exposure time	Species	Environment
NOEC		0.022 mg/l	60 days	Fish	
NOEC		0.035 mg/l	21 days	Aquatic invertebrates	
NOEC		0.068 mg/l	96 hours	Algae	

### 12.2. Persistence and degradability

The product is not biodegradable to the extent significant for the natural environment.

#### Biodegradability

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts				
Parameter	Value	Exposure time	Environment	Result
	76.3 %	28 days		Easily biodegradable

### 12.3. Bioaccumulative potential

Bioaccumulation is not expected.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts						
Parameter	Value	Exposure time	Species	Environment	Temperature [°C]	Value determination
Log Pow	1.79-7.17				20°C	QSAR
BCF	3-71					QSAR

### 12.4. Mobility in soil

Before drying, the product is dilutable with water. It is immobile in soil, and asphalt is adsorbed on its surface.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Data not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

#### Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## SECTION 14: Transport information

### 14.1. UN number or ID number

not subject to transport regulations

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX Emulsja anionowa

Creation date	15th April 2020	Version	2.1
Revision date	08th January 2024		

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

No.

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Clean Air Act 1993 as amended. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Public health act 1961. Environmental Protection Act 1990 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H301+H311	Toxic if swallowed or in contact with skin.

### Guidelines for safe handling used in the safety data sheet

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P501	Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

### A list of additional standard phrases used in the safety data sheet

EUH071	Corrosive to the respiratory tract.
--------	-------------------------------------

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX Emulsja anionowa

Creation date	15th April 2020	Version	2.1
Revision date	08th January 2024		

### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
log K <sub>ow</sub>	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER BITFLEX Emulsja anionowa

Creation date	15th April 2020	Version	2.1
Revision date	08th January 2024		

### **The changes (which information has been added, deleted or modified)**

This safety data sheet replaces version 2.0 dated 23.12.2022.

Updated sections: 1,3,9,13,15.

### **More information**

Classification procedure - calculation method.

### **Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.