

according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020
Revision date 23rd December 2022 Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier NEXLER BITFLEX Emulsja anionowa

Substance / mixture mixture

UFI N1X1-R055-M009-66WW

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Asphalt-latex anionic emulsion, used for priming substrates, for waterproofing and jointless insulation coatings.

Main intended use

PC-CON-5 Construction chemicals

Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name IZOHAN sp. z o.o.

Address Łużycka 2, Gdynia, 81-963

Poland

Identification number (CRN)191528483VAT Reg NoPL5862073821Phone+48 58 781 45 85E-mailinfo@izohan.euWeb addresswww.izohan.eu

Competent person responsible for the safety data sheet

Name IZOHAN sp. z o.o. E-mail info@izohan.eu

1.4. Emergency telephone number

National Health Service (NHS) 111

National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram



Signal word

Warning

Hazardous substances

octhilinone (ISO)

Hazard statements

H317 May cause an allergic skin reaction.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020
Revision date 23rd December 2022 Version 2.0

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands and exposed parts of the body thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P501 Dispose of contents/container to according to the instructions of the manufacturer

or person authorized to dispose of waste.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 97862-59-4 EC: 931-296-8 Registration number: 01-2119488533-30	1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts	0,9-1,1	Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: $C > 10 \%$ Eye Irrit. 2, H319: $4 \% < C \le 10 \%$	2
Index: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 Registration number: 01-2119487136-33	potassium hydroxide	0,2-0,3	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: 0,5 % ≤ C < 2 % Skin Corr. 1A, H314: $C \ge 5$ % Skin Corr. 1B, H314: $C \ge 5$ % Eye Irrit. 2, H319: 0,5 % ≤ C < 2 %	1
Index: 613-112-00-5 CAS: 26530-20-1 EC: 247-761-7 Registration number: - [REACH art. 15 (2)]	octhilinone (ISO)	0,0001- 0,024	Acute Tox. 3, H301+H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Skin Sens. 1A, H317: C ≥ 0,0015 % ATE Inhalation (dust/mist) = 0,27 mg/l ATE Dermal = 311 mg/kg bw ATE Oral = 125 mg/kg bw	

Notes

- 1 A substance for which exposure limits are set.
- 2 Substance of unknown or variable composition, complex reaction products or biological materials UVCB.

Full text of all classifications and hazard statements is given in the section 16.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020

Revision date 23rd December 2022 Version 2.0

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eves

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

May cause an allergic skin reaction.

If in eves

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020

Revision date 23rd December 2022 Version 2.0

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature above + 5 ° C required.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Туре	Value
potassium hydroxide (CAS: 1310-58-3)	WEL 15min	2 mg/m ³

DNEL

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Oral	7.5 mg/kg bw/day	Systemic chronic effects		
Consumers	Dermal	7.5 mg/kg bw/day	Systemic chronic effects		
Workers	Inhalation	44 mg/m ³	Systemic chronic effects		
Workers	Dermal	12.5 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	13.04 mg/m ³	Systemic chronic effects		

potassium hydroxide

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	1 mg/m³	Local chronic effects		
Consumers	Inhalation	1 mg/m ³	Local chronic effects		

PNEC

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts

Route of exposure	Value	Value determination	Source
Drinking water	0.0135 mg/l		
Seawater	0.001 mg/l		
Microorganisms in wastewater treatment plants	3000 mg/l		
Freshwater sediment	11.1 mg/kg of dry substance of sediment		



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020
Revision date 23rd December 2022 Version 2.0

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts

Route of exposure	Value	Value determination	Source
Sea sediments	1.11 mg/kg of dry substance of sediment		
Soil (agricultural)	0.85 mg/kg of dry substance of soil		

octhilinone (ISO)

Route of exposure	Value	Value determination	Source
Drinking water	2.2 μg/l		
Water (intermittent release)	1.22 μg/l		
Seawater	0.22 μg/l		
Freshwater sediment	0.0475 mg/kg of dry substance of sediment		
Sea sediments	0.00475 mg/kg of dry substance of sediment		
Soil (agricultural)	0.0082 mg/kg of dry substance of soil		

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly. Other protection: protective workwear.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid
Colour brown
Odour characteristic
Melting point/freezing point 0 °C
Boiling point or initial boiling point and boiling range 100 °C

Flammability non-inflammable
Lower and upper explosion limit not applicable
Flash point not applicable
Auto-ignition temperature not applicable
Decomposition temperature not applicable

pH 10,5-<11,5 (undiluted)

Kinematic viscosity not determined
Viscosity thixotropic behaviour

Solubility in water soluble

Partition coefficient n-octanol/water (log value) does not apply to mixtures

Vapour pressure not determined



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020

Revision date 23rd December 2022 Version 2.0

water (CAS: 7732-18-5) 23,4 hPa at 20 °C

Density and/or relative density

Density 1,01 g/cm³ at 20 °C

Relative vapour density

Particle characteristics applies to solids

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is not reactive.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	2335 mg/kg bw		Rat (Rattus norvegicus)	F/M

octhilinone (ISO)

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	125 mg/kg bw		Rat (Rattus norvegicus)	
Inhalation	LC50	OECD 403	270 mg/m ³	4 hour		
Dermal	LD ₅₀	OECD 402	311 mg/kg bw			
Inhalation (dust/mist)	ATE		0,27 mg/l			
Dermal	ATE		311 mg/kg bw			
Oral	ATE		125 mg/kg bw			

potassium hydroxide

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 425	333 mg/kg bw		Rat (Rattus norvegicus)	М



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020

Revision date 23rd December 2022 Version 2.0

Skin corrosion/irritation

Based on available data the classification criteria are not met. octhilinone (ISO)

Route of exposure	Result	Method	Exposure time	Species	
Dermal	Corrosive	OECD 404		Rabbit	
notaccium hydrovido					

potassium hydroxide

Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive	OECD 404		Rabbit

Serious eye damage/irritation

Causes serious eye irritation.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts

Route of exposure	Result	Method	Exposure time	Species
Eye	Highly irritating, Serious eye damage	OECD 405	1 hour	Rabbit

octhilinone (ISO)

Route of exposure	Result	Method	Exposure time	Species
Eye	Serious eye damage	OECD 405		Rabbit

potassium hydroxide

Route of exposure	Result	Method	Exposure time	Species
Eye	Corrosive	OECD 405		Rabbit

Sensitization

octhilinone (ISO)

Route of exposure	Result	Exposure time	Species	Sex
Dermal	Sensitizing			

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Repeated dose toxicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 408	300 mg/kg bw/day	90 day	Rat (Rattus norvegicus)	F/M

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020

Revision date 23rd December 2022 Version 2.0

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Harmful to aquatic life with long lasting effects.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts

Parameter	Method	Value	Exposure time	Species	Environmen t
LC50	OECD 203	1.11 mg/l	96 hour	Fishes (Pimephales promelas)	
LC50	OECD 202	1.9 mg/l	48 hour	Aquatic invertebrates (Daphnia magna)	
ErC50		1.5 mg/l	72 hour	Algae (Desmodesmus subspicatus)	
NOEC		≥846 mg/kg of dry substance of soil	14 day	Invertebrates (Eisenia fetida)	

octhilinone (ISO)

Parameter	Method	Value	Exposure time	Species	Environmen t
LC50		0.122 mg/l	96 hour	Fishes	
LC50		0.181 mg/l	48 hour	Aquatic invertebrates	
EC50		0.15 mg/l	96 hour	Algae	

potassium hydroxide

Parameter	Method	Value	Exposure time	Species	Environmen t
LC50		50-165 mg/l		Fishes	

Chronic toxicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts

Parameter	Method	Value	Exposure time	Species	Environmen t
NOEC	OECD 210	0.135 mg/l	100 day	Fishes (Oncorhynchus mykiss)	
NOEC	OECD 211	0.32 mg/l	21 day	Aquatic invertebrates (Daphnia magna)	

octhilinone (ISO)

Parameter	Method	Value	Exposure time	Species	Environmen t
NOEC		0.022 mg/l	60 day	Fishes	
NOEC		0.035 mg/l	21 day	Aquatic invertebrates	
NOEC		0.068 mg/l	96 hour	Algae	

12.2. Persistence and degradability

Biodegradability

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts

Parameter	Value	Exposure time	Environment	Result
	76.3 %	28 day		Easily biodegradable

The product is not biodegradable to the extent significant for the natural environment.

12.3. Bioaccumulative potential

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivatives, hydroxides, inner salts

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]	Value determinatio n
Log Pow	1.79-7.17				20°C	QSAR
BCF	3-71					QSAR

Bioaccumulation is not expected.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020

Revision date 23rd December 2022 Version 2.0

12.4. Mobility in soil

Before drying, the product is dilutable with water. It is immobile in soil, and asphalt is adsorbed on its surface.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

17 03 02 bituminous mixtures other than those mentioned in 17 03 01

Packaging waste type code

15 01 02 plastic packaging

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

No.

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Public health act 1961. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020
Revision date 23rd December 2022 Version 2.0

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 H301+H311 Toxic if swallowed or in contact with skin.

Guidelines for safe handling used in the safety data sheet

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands and exposed parts of the body thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P501 Dispose of contents/container to according to the instructions of the manufacturer

or person authorized to dispose of waste.

A list of additional standard phrases used in the safety data sheet

EUH071 Corrosive to the respiratory tract.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

DNEL Derived no-effect level

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER BITFLEX Emulsja anionowa

Creation date 15th April 2020
Revision date 23rd December 2022 Version 2.0

MARPOL International Convention for the Prevention of Pollution from Ships

NOAEL
NO observed adverse effect level
NOEC
No observed effect concentration
OEL
Occupational Exposure Limits
PBT
Persistent, Bioaccumulative and Toxic
PNEC
Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Acute Hazardous to the aquatic environment

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Dam. Serious eye damage

Eye Irrit. Eye irritation

Met. Corr.Corrosive to metalsSkin Corr.Skin corrosionSkin Irrit.Skin irritationSkin Sens.Skin sensitization

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

This safety data sheet replaces version 1.0 dated 15.04.2020. Updated sections: 1,2,3,4,7,8,9,10,11,12,13,14,15,16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.