		SAFETY I	DATA SHEET	Mexler	
		according to Regulation (EC) I	No 1907/2006 (REACH) a	as amended	
		Nexler EPOLIS			
Creat	on date	17th December 2020			
Revisi	evision date 24th May 2024		Version	2.3	
SECT	ION 1: Identificatio	n of the substance/mixture a	nd of the company/ur	Idertaking	
1.1.	Product identifier		Nexler EPOLIS EF	2-300 składnik B	
	Substance / mixture	2	mixture		
	UFI		V7TJ-E071-J00F-	HAPS	
	Other mixture name	es			
	Nexler EPOLIS	5 EP-300 component B			
1.2.	Relevant identifie	d uses of the substance or m	ixture and uses advise	ed against	
	Mixture's intende				
		o-component, epoxy-mineral, co arious flooring systems.	lored floor compound, us	sed as the base and top layer of industria	
	Main intended use				
	PC-CON-5	Construction chemi	cals		
	Mixture uses advi	sed against			
	The product should	not be used in ways other than	those referred in Section	1.	
1.3.	Details of the sup	plier of the safety data sheet			
	Supplier				
	Name or trade	e name	NEXLER sp. z o.o		
	Address		Łużycka 6, Gdynia, 81-537		
			Poland		
	Identification	number (CRN)	191528483		
	VAT Reg No		PL5862073821		
	Phone		+48 58 781 45 8	5	
	E-mail		info@nexler.com		
	Web address		www.nexler.com		
	Competent persor	n responsible for the safety d	ata sheet		
	Name		NEXLER sp. z o.o		
	E-mail		info@nexler.com		
1.4.	Emergency teleph				
	National Health Servine National poisoning i	vice (NHS) 111 nformation centre Scotland, NHS	5 24: 111		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Acute Tox. 4, H302+H332 Skin Corr. 1C, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Harmful if swallowed or if inhaled. Harmful to aquatic life with long lasting effects.

2.2. Label elements







according to Regulation (EC) No 1907/2006 (REACH) as amended

	according to regulation (Et		as amenaea				
Nexler EPOLIS EP-300 składnik B							
Creation date	17th December 2020						
Revision date	24th May 2024	Version	2.3				
Hazardous sub	stances						
benzyl alcohol							
•	3,5,5-trimethylcyclohexylamine						
		products with 1-chloro-2,3	-epoxypropane, reaction products with 3-				
, ,	,5-trimethylcyclohexylamine						
Hazard stateme							
H314	Causes severe sl	Causes severe skin burns and eye damage.					
H317	May cause an all	May cause an allergic skin reaction.					
H412	Harmful to aquat	Harmful to aquatic life with long lasting effects.					
H302+H332	Harmful if swallo	wed or if inhaled.					
Precautionary s	statements						
P101	If medical advice	is needed, have product c	ontainer or label at hand.				
P102	Keep out of reac	h of children.					
P261	Avoid breathing	mist/vapours/spray.					
P280	Wear protective	gloves/protective clothing/	eye protection/face protection.				
P301+P330+P33	1 IF SWALLOWED:	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.					
P303+P361+P35		IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.					
P305+P351+P33		e cautiously with water for t and easy to do. Continue	several minutes. Remove contact rinsing.				
P405	Store locked up.						
P501	•	nts/container to according ized to dispose of waste.	to the instructions of the manufacturer				

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening. **Other hazards**

2.3.

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-057-00-5 CAS: 100-51-6 EC: 202-859-9 Registration number: 01-2119492630-38	benzyl alcohol	25-<50	Acute Tox. 4, H302+H332 Eye Irrit. 2, H319	
Index: 612-067-00-9 CAS: 2855-13-2 EC: 220-666-8 Registration number: 01-2119514687-32	3-aminomethyl-3,5,5- trimethylcyclohexylamine	25-<50	Acute Tox. 4, H302 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Specific concentration limit: ATE Oral = 1030 mg/kg bw Skin Sens. 1A, H317: $C \ge 0.001$ %	
CAS: 38294-64-3 EC: 500-101-4 Registration number: 01-2119965165-33	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane, reaction products with 3- aminomethyl-3,5,5- trimethylcyclohexylamine	25-<50	Skin Corr. 1B, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Chronic 3, H412	1

Notes

Substance of unknown or variable composition, complex reaction products or biological materials - UVCB. 1



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS EP-300 składnik B

Creation date Revision date

17th December 2020 24th May 2024

Version

2.3

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse cautiously with water for several minutes. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed If inhaled

If innaled

Inhaling vapours can cause corrosion of the breathing system. Cough, headache.

If on skin

Causes severe skin burns. May cause an allergic skin reaction.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist. **Unsuitable extinguishing media**

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage. As a result of thermal decomposition or reactions with incompatible substances, compounds such as nitric acid, ammonia, nitrogen oxides, aldehydes may be formed. Nitrogen oxides can react with water vapor to form caustic nitric acid.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS EP-300 składnik B

Creation date Revision date

Version

2.3

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

17th December 2020

24th May 2024

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Keep container tightly closed. Storage temperature required between +10 ° C and +25 ° C.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set. $\ensuremath{\textbf{DNEL}}$

3-aminomethyl-3,5,5-trimethylcyclohexylamine							
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source		
Workers	Inhalation	0.073 mg/m ³	Chronic effects local				
Workers	Inhalation	0.073 mg/m ³	Acute effects local				
Consumers	Oral	0.526 mg/kg bw/day	Chronic effects systemic				



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS EP-300 składnik B

Creation date Revision date 17th December 2020 24th May 2024

Version

2.3

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers (0)	Inhalation	0.493 mg/m ³	Chronic effects systemic		
Workers (0)	Dermal	0.14 mg/kg bw/day	Chronic effects systemic		
Consumers (0)	Inhalation	0.074 mg/m ³	Chronic effects systemic		
Consumers (0) Dermal 0.050 mg/kg			Chronic effects systemic		
Consumers (0)	Oral	0.050 mg/kg bw/day	Chronic effects systemic		
benzyl alcohol					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	22 mg/m ³	Chronic effects systemic		
Workers	Inhalation	110 mg/m ³	Acute effects systemic		
Workers	Dermal	8 mg/kg bw/day	Chronic effects systemic		
Workers	Dermal	40 mg/kg bw/day	Acute effects systemic		
Consumers	Inhalation	5.4 mg/m ³	Chronic effects systemic		
Consumers	Inhalation	27 mg/m ³	Acute effects systemic		
Consumers	Dermal	4 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	20 mg/kg bw/day	Acute effects systemic		
Consumers	Oral	4 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	20 mg/kg bw/day	Acute effects systemic		

PNEC

3-aminomethyl-3,5,5-trim	nethylcyclohexylam	line	
Route of exposure	Value	Value determination	Source
Drinking water	0.06 mg/l		
Marine water	0.006 mg/l		
Water (intermittent release)	0.23 mg/l		
Microorganisms in sewage treatment	3.18 mg/l		
Freshwater sediment	5.784 mg/kg of dry substance of sediment		
Sea sediments	0.578 mg/kg of dry substance of sediment		
Soil (agricultural)	1.121 mg/kg of dry substance of soil		



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS EP-300 składnik B

Creation date Revision date 17th December 2020 24th May 2024

Version

2.3

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine

-			
Route of exposure	Value	Value determination	Source
Drinking water	0.011 mg/l		
Water (intermittent release)	0.111 mg/l		
Marine water	0.001 mg/l		
Microorganisms in sewage treatment	10 mg/l		
Freshwater sediment	4320 mg/kg of dry substance of sediment		
Sea sediments	432 mg/kg of dry substance of sediment		
Soil (agricultural)	864 mg/kg of dry substance of soil		
Food chain	1 mg/kg of food		

benzyl alcohol			
Route of exposure	Value	Value determination	Source
Drinking water	1 mg/l		
Marine water	0.1 mg/l		
Water (intermittent release)	2.3 mg/l		
Microorganisms in sewage treatment	39 mg/l		
Freshwater sediment	5.27 mg/kg of dry substance of sediment		
Sea sediments	0.527 mg/kg of dry substance of sediment		
Soil (agricultural)	0.456 mg/kg of dry substance of soil		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

It is not needed. In case of inadequate ventilation wear respiratory protection.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS EP-300 składnik B

		Soo Skiddiik I		
Creation date	17th December 2020			
Revision date	24th May 2024	Version	2.3	
Physical state		liquid		
Colour		colourless, yellow		
color intens	ity	light		
Odour		amine		
Melting point/fr	eezing point	<-25 °C		
Boiling point or	initial boiling point and boiling range	205 °C		
Flammability		the product is not flan	nmable	
Lower and uppe	er explosion limit	not applicable		
Flash point		96 °C		
Auto-ignition te	emperature	not determined		
benzyl alcoł	nol (CAS: 100-51-6)	436 °C		
Decomposition	temperature	not applicable		
pН		11 (10% solution)		
Kinematic visco	osity	500 mm ² /s at 20 °C		
Solubility in wa	ter	partially soluble		
Solubility in oth	ner solvents	dissolves in most orga	nic solvents	
Partition coeffic	cient n-octanol/water (log value)	does not apply to mix	tures	
Vapour pressur	e	<14 hPa at 21 °C		
benzyl alcoł	nol (CAS: 100-51-6)	0.07 hPa at 20 °C		
Density and/or	relative density			
Density		1 g/cm ³		
Relative vapour	r density	>1		
Particle charact	eristics	applies to solids		
9.2. Other informa	ation			
not available				

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with peroxides, aldehydes, ketones, epoxy resins.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Reactive metals (e.g. sodium, calcium, zinc, etc.). Substances which react with hydroxyl compounds. Organic acids (e.g. acetic acid, citric acid, etc.). Mineral acid. Sodium chlorate. The product slowly corrodes copper, aluminum, zinc and galvanized surfaces. Reaction with peroxides can rapidly decompose the peroxide and create an explosion hazard. Oxidizers.

10.6. Hazardous decomposition products

As a result of thermal decomposition or reactions with incompatible substances, compounds such as nitric acid, ammonia, nitrogen oxides, carbon oxides, aldehydes may be formed. Nitrogen oxides can react with water vapor to form caustic nitric acid.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS EP-300 składnik B

Creation date Revision date 17th December 2020 24th May 2024

Version

2.3

Acute toxicity

Harmful if swallowed or if inhaled.

3-aminomethyl-3,5,5-trimethylcyclohexylamine							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	
Oral	LD50	OECD 401	1030 mg/kg bw		Rat (Rattus norvegicus)	М	
Inhalation (aerosols)	LC50	EPA OPPTS 870.1300	>5.01 mg/l of air	4 hours	Rat (Rattus norvegicus)	F/M	
Dermal	LD50	OECD 402	>2000 mg/kg bw	24 hours	Rat (Rattus norvegicus)	F/M	
Oral	ATE		1030 mg/kg bw				

benzyl alcohol

benzyr arconor								
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex		
Oral	LD50		1620 mg/kg bw		Rat (Rattus norvegicus)	М		
Inhalation	LD50	OECD 403	>4.178 mg/l of air	4 hours	Rat (Rattus norvegicus)	F/M		
Dermal	LD50	EPA OTS 798.1100	>2000 mg/kg bw	24 hours	Rabbit	F/M		

Skin corrosion/irritation

Causes severe skin burns and eye damage.

3-aminometl	nyl-3,5,5-trimethylcy	clohexylamine			
Route of exposure	Result	Method	Exposure time	Species	Source
Dermal	Corrosive		24 hours	Rabbit	
	ylidenediphenol, olige h 3-aminomethyl-3,5			loro-2,3-epoxypro	opane, reaction
exposure	Result	Method	Exposure time	Species	Source
Dermal	Corrosive	OECD 431	1 hour	Human	in vitro, EpiDerm™
benzyl alcoh	ol				
Route of exposure	Result	Method	Exposure time	Species	Source
Dermal	Slightly irritating	OECD 404	4 hours	Rabbit	

Serious eye damage/irritation

Causes severe skin burns and eye damage.

3-aminomethyl-3,5,5-trimethylcyclohexylamine								
Route of exposure	Result	Method	Exposure time	Species				
Еуе	Corrosive, Serious eye damage	OECD 405		Rabbit				
	ediphenol, oligomeric minomethyl-3,5,5-trin		ts with 1-chloro-2,3-epo amine	xypropane, reaction				
Route of exposure	Result	Method	Exposure time	Species				
Eye	Corrosive, Serious eye damage							



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS EP-300 składnik B

Creation date Revision date 17th December 2020 24th May 2024

Version

2.3

benzyl alcoholRoute of exposureResultMethodExposure timeSpeciesEyeIrritatingOECD 40524 hoursRabbit

Respiratory or skin sensitisation

May cause an allergic skin reaction.

3-aminomethyl-3,5,5-trimethylcyclohexylamine									
Route of exposure	Result	Method	Exposure time	Species	Sex				
Dermal	Sensitizing	OECD 406	24 hours	Guinea-pig (Cavia aperea f. porcellus)	М				
	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine								

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing				

Germ cell mutagenicity

Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

Based on the available data, the criteria for classification of the mixture are not met.

Repeated dose toxicity

3-aminomethyl-3,5,5-trimethylcyclohexylamine								
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex	
Oral	NOAEL	Systemic effects	OECD 408	59 mg/kg bw/day	13 weeks	Rat (Rattus norvegicus)	F/M	
		effects	408			norvegicus)		

 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine

 Route of
 Parameter
 Result
 Method
 Value
 Exposure time
 Species
 Sex

exposure	Parameter	Result	Method	value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 408	10 mg/kg bw/day	90 days	Rat (Rattus norvegicus)	F/M
benzyl alcoh	ol						
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 451	400 mg/kg bw/day	103 weeks	Rat (Rattus norvegicus)	F/M



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS EP-300 składnik B

Creation date Revision date 17th December 2020 24th May 2024

Version

2.3

benzyl alcoho	benzyl alcohol								
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex		
Inhalation (aerosols)	NOAEC	Local effects, Systemic effects	OECD 412	1072 mg/m ³ of air	4 weeks	Rat (Rattus norvegicus)	F/M		

Aspiration hazard

Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Acute toxicity

3-aminometh	nyl-3,5,5-trimethylc	yclohexylamine			
Parameter	Method	Value	Exposure time	Species	Environmen t
LC50		110 mg/l	96 hours	Fish (Leuciscus idus)	
EC₅o	OECD 202	23 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	
ErC₅o	EU C.3 (87/302/EEC)	>50 mg/l	72 hours	Algae (Desmodesmus subspicatus)	
NOEC		1120 mg/l	18 hours	Aquatic microorganisms (Pseudomonas putida)	
NOEC	EU C.3 (87/302/EEC)	11.2 mg/l	72 hours	Algae (Desmodesmus subspicatus)	

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine

p		-,			
Parameter	Method	Value	Exposure time	Species	Environmen t
LL 50	OECD 203	70.7 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EL 50	OECD 202	11.1 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	
EL 50	OECD 201	79.4 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
NOELR	OECD 201	3.1 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
benzyl alcoho	ol				
Parameter	Method	Value	Exposure time	Species	Environmen t
LC50	EPA OPP 72-1	460 mg/l	96 hours	Fish (Pimephales promelas)	
EC50	OECD 202	230 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS EP-300 składnik B

Creation date Revision date 17th December 2020 24th May 2024

Version

2.3

benzyl alcoh	ol				
Parameter	Method	Value	Exposure time	Species	Environmen t
EC50	OECD 201	770 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
NOEC	OECD 201	310 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
IC50		390 mg/l	24 hours	Aquatic microorganisms (Nitrosomonas)	

Chronic toxicity

3-aminomethyl-3,5,5-trimethylcyclohexylamine						
Parameter	Method	Value	Exposure time	Species	Environmen t	
NOEC	OECD 202	3 mg/l	21 days	Aquatic invertebrates (Daphnia magna)		

benzyl alcohol

benzyr arconor								
Parameter	Method	Value	Exposure time	Species	Environmen t			
NOEC	OECD 211	51 mg/l	21 days	Aquatic invertebrates (Daphnia magna)				

12.2. Persistence and degradability

The product is not biodegradable to the extent significant for the natural environment. **Biodegradability**

3-aminomethyl-3,5,5-trimethylcyclohexylamine							
Parameter	Method	Value	Exposure time	Environment	Result		
		8 %	28 days	Activated sludge	Hardly biodegradable		

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	0 %	28 days		Not biodegradable

benzyl alcohol						
Parameter	Method	Value	Exposure time	Environment	Result	
	OECD 301A	95-97 %	21 days		Easily biodegradable	

12.3. Bioaccumulative potential

Bioaccumulation is not expected.

3-aminomethyl-3,5,5-trimethylcyclohexylamine							
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]	
Log Pow	OECD 107	0.99				23°C	



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS EP-300 składnik B

Creation date Revision date 17th December 2020 24th May 2024

Version

2.3

			c reaction products nethylcyclohexylam		-2,3-epoxypropane,	reaction
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow		3.6				25°C
benzyl alcoh	ol					
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow		1.05				20°C

12.4. Mobility in soil

The product is soluble and mobile in water and soil. Contamination of water courses may occur in the event of rain.

3-aminomethyl-3,5,5-trimethylcyclohexylamine						
Parameter	Method	Value	Environment	Temperature		
Кос		928		20°C		
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine						
Parameter	Method	Value	Environment	Temperature		
Log Koc	OECD 121	6.59		30°C		
benzyl alcohol	benzyl alcohol					
Parameter	Method	Value	Environment	Temperature		
Кос		15.7		20°C		

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

- 14.1. UN number or ID number
 - UN 2735
- 14.2. UN proper shipping name

AMINES, LIQUID, CORROSIVE, N.O.S. (contains: 3-aminomethyl-3,5,5-trimethylcyclohexylamine)

	S	SAFETY I	DATA SHEET	nexle			
	according to R	egulation (EC)	No 1907/2006 (REACH)				
Nexler EPOLIS EP-300 składnik B							
	on date 17th Decemb on date 24th May 20		Version	2.3			
		27	Version	2.5			
14.3.	Transport hazard class(es) 8 Corrosive substances						
14.4.							
14.5.							
_	No.						
L4.6.	Special precautions for user						
	Reference in the Sections 4 to 8.						
L4.7.	Maritime transport in bulk accore	ding to IMO in	struments				
	not relevant						
	Additional information	_					
	Hazard identification No.		80				
	UN number		2735				
	Classification code	(C7				
	Safety signs		8				
			Â				
		•					
			8				
			·				
	Road transport - ADR						
	Special provisions		274				
	Limited quantities		5 L E1				
	Excepted quantities Packaging	·					
	Packaging Packing instructions		P001, IBC03, LP01, R00	1			
	Mixed packing provisions		MP19	I			
	Portable tanks and bulk con		11 19				
	Guidelines		Г7				
	Special provisions		TP1, TP28				
	ADR tank		11 1, 11 20				
	Tank code	1	L4BN				
	Vehicles for tank carriage		AT				
	Transport category		3				
	Tunnel restriction code		(E)				
	Special provision for						
	packages	,	V12				
	Railway transport - RID						
	Special provisions	:	274				
	Excepted quantities	I	E1				
	Packaging						
	Packing instructions		P001, IBC03, LP01, R00	1			
	Mixed packing provisions		MP19				
	Portable tanks and bulk con						
	Guidelines		T7				
	Special provisions	-	TP1, TP28				
	RID Tanks						
	Tank code		L4BN				
	Transport category	(0				
	Special provision for		M10				
	packages		W12				



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS EP-300 składnik B Creation date 17th December 2020 24th May 2024 2.3 Revision date Version Air transport - ICAO/IATA Packaging instructions for limited amount Y841 Packaging instructions passenger 852 Cargo packaging instructions 856 Marine transport - IMDG EmS (emergency plan) F-A, S-B MFAG 320

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Clean Air Act 1993 as amended. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Public health act 1961. Environmental Protection Act 1990 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk p	phrases used in the safety data sheet
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
H302+H332	Harmful if swallowed or if inhaled.
Guidelines for safe han	Idling used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.
Other important inforn	nation about human health protection
•	- unless specifically approved by the manufacturer/importer - used for purposes other than user is responsible for adherence to all related health protection regulations.

Key to abbreviations and a	cronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS EP-300 składnik B

Creation date	17th December 2020						
Revision date	24th May 2024	Version	2.3				
EC50	Concentration of	a substance when it is affe	ected 50% of the population				
EINECS		ory of Existing Commercial					
EL50		for 50% of the tested org					
EmS	Emergency plan						
EU	European Union						
EuPCS	•	European Product Categorisation System					
IATA		International Air Transport Association					
IBC		e For The Construction An	d Equipment of Ships Carrying				
IC 50	5	using 50% blockade					
ICAO		Aviation Organization					
IMDG		itime Dangerous Goods					
IMO		itime Organization					
INCI		nenclature of Cosmetic Ing	gredients				
ISO		anization for Standardizat	-				
IUPAC	-	on of Pure and Applied Che					
LC50			h it can be expected death of 50% of the				
LD50		ubstance in which it can b	be expected death of 50% of the				
LL50	• •	r 50% of tested organisms	5				
log Kow	Octanol-water pa	-					
NOAEC	•	erse effect concentration					
NOAEL	No observed adve						
NOEC	No observed effect						
NOEL	No observed effect						
NOELR	No Observed Effe						
OEL	Occupational Exp	5					
PBT		umulative and Toxic					
ppm	Parts per million						
REACH	•	uation, Authorisation and	Restriction of Chemicals				
RID	-	e transport of dangerous g					
UN	_	fication number of the sub	ostance or article taken from the UN				
UVCB		known or variable compos	ition, complex reaction products or				
VOC	Volatile organic co						
vPvB	5	nd very Bioaccumulative					
Acute Tox.	Acute toxicity						
Aquatic Chronic		aquatic environment (chr	onic)				
Eye Dam.	Serious eye dama						
Skin Corr.	Skin corrosion	-					
Skin Sens.	Skin corrosion Skin sensitization						
Training guideli							
Inform the persor ways of handling	nnel about the recommended wa the product.	ays of use, mandatory pro	ptective equipment, first aid and prohibited				
	restrictions of use						
not available	aut data compositions of t	nila tha Eafath Data a'	aat				
	out data sources used to com	• •					
REGULATION (EC		PEAN PARLIAMENT AND	OF THE COUNCIL (REACH) as amended OF THE COUNCIL as amended. Data from a registration dossiers.				
	which information has been ad						
	sheet replaces version 2.2 dated	=	,				
Updated sections	: 1,2,3,5,8,13,15.	21.0J.2022.					
More informatio	on						

	SAFETY I	DATA SHEET		Texler
	according to Regulation (EC)	No 1907/2006 (REACH) a	as amended	
	Nexler EPOLIS	EP-300 składn	ik B	
Creation date	17th December 2020			
Revision date	24th May 2024	Version	2.3	

Classification procedure - calculation method and based on tests of physicochemical properties.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.