		SAFETY	DATA SHEET	<b>nexi</b>	<b>2°</b>
		according to Regulation (EC	) No 1907/2006 (REACH)	as amended	
		Nexler EPOLIS	EP-400 UV skład	lnik A	
	ion date	19th December 2020			
Revisi	on date	16th July 2024	Version	2.2	
SECT	ION 1: Identifica	tion of the substance/mixture	and of the company/u	ndertaking	
1.1.	Product identif	ier	Nexler EPOLIS E	P-400 UV składnik A	
	Substance / mix	ture	mixture		
	UFI		2VUJ-10AK-C00U	J-3TS0	
	Other mixture na	ames			
	Nexler EPC	DLIS EP-400 UV component A			
1.2.	Relevant identi	ified uses of the substance or	mixture and uses advise	ed against	
	Mixture's inten				
			ing systems laid on a conc	rete substrate. It can be used both	as a
		veling primer or topcoat.			
	Main intended				
	PC-CON-5	Construction cher	nicals		
	Mixture uses a		a the second second in Continu		
1.3.		uld not be used in ways other tha supplier of the safety data she		11.	
1.3.		supplier of the safety data she	el		
	Supplier Name or tr	rado namo			
			NEXLER sp. z o.c		
	Address		Łużycka 6, Gdynia, 81-537 Poland		
	Idontificati	ion number (CRN)	191528483		
	VAT Reg N	. ,	PL5862073821		
	Phone		+48 58 781 45 85		
	E-mail		info@nexler.com	-	
	Web addre		www.nexler.com		
		son responsible for the safety			
	Name		NEXLER sp. z o.c		
	E-mail		info@nexler.com		
1.4.		ephone number			
		• Service (NHS) 111			
		ng information centre Scotland, N	IHS 24: 111		

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411

#### Most serious adverse effects on human health and the environment

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

### 2.2. Label elements



Signal word Warning



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS EP-400 UV składnik A

Creation date	19th December 2020		
Revision date	16th July 2024	Version	2.2

#### Hazardous substances

bis[4-(2,3-epoxypropoxy)phenyl]propane oxirane, mono[(C12-14-alkyloxy)methyl] derivs. Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol					
Hazard statements					
H315	Causes skin irritation.				
H317	May cause an allergic skin reaction.				
H319	Causes serious eye irritation.				
H411	Toxic to aquatic life with long lasting effects.				
Precautionary statements					
P101	If medical advice is needed, have product container or label at hand.				
P102	Keep out of reach of children.				
P264	Wash hands and exposed parts of the body thoroughly after handling.				
P280	Wear protective gloves/protective clothing/eye protection/face protection.				
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P391	Collect spillage.				
P501	Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.				

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

# Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-073-00-2 CAS: 1675-54-3 EC: 216-823-5 Registration number: 01-2119456619-26	bis[4-(2,3-epoxypropoxy)phenyl]propane	75-85	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Specific concentration limit: Skin Irrit. 2, H315; Eye Irrit. 2, H319: $C \ge 5 \%$	
Index: 603-057-00-5 CAS: 100-51-6 EC: 202-859-9 Registration number: 01-2119492630-38	benzyl alcohol	8-11	Acute Tox. 4, H302+H332 Eye Irrit. 2, H319	
Index: 603-103-00-4 CAS: 68609-97-2 EC: 271-846-8 Registration number: 01-2119485289-22	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	3-6	Skin Irrit. 2, H315 Skin Sens. 1, H317	1
CAS: 9003-36-5 EC: 701-263-0 Registration number: 01-2119454392-40	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol		Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411	

#### Notes

1 Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.

Full text of all classifications and hazard statements is given in the section 16.



according to Regulation (EC) No 1907/2006 (REACH) as amended

### Nexler EPOLIS EP-400 UV składnik A

Creation date Revision date

Version

2.2

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

#### If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

#### 4.2. Most important symptoms and effects, both acute and delayed

19th December 2020

16th July 2024

If inhaled

#### Not expected.

If on skin

May cause an allergic skin reaction.

#### If in eyes

Causes serious eye irritation.

#### If swallowed

Irritation, nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.



according to Regulation (EC) No 1907/2006 (REACH) as amended

### Nexler EPOLIS EP-400 UV składnik A

Creation date Revision date 19th December 2020 16th July 2024

Version

2.2

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature required between +10 ° C and +25 ° C.

### 7.3. Specific end use(s)

not available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.  $\ensuremath{\textbf{DNEL}}$ 

benzyl alcohol					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	22 mg/m <sup>3</sup>	Chronic effects systemic		
Workers	Inhalation	110 mg/m <sup>3</sup>	Acute effects systemic		
Workers	Dermal	8 mg/kg bw/day	Chronic effects systemic		
Workers	Dermal	40 mg/kg bw/day	Acute effects systemic		
Consumers	Inhalation	5.4 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Inhalation	27 mg/m <sup>3</sup>	Acute effects systemic		
Consumers	Dermal	4 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	20 mg/kg bw/day	Acute effects systemic		
Consumers	Oral	4 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	20 mg/kg bw/day	Acute effects systemic		

bis[4-(2,3-epox	bis[4-(2,3-epoxypropoxy)phenyl]propane					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source	
Workers	Inhalation	4.93 mg/m <sup>3</sup>	Chronic effects systemic			
Workers	Dermal	0.75 mg/kg bw/day	Chronic effects systemic			
Consumers	Inhalation	0.87 mg/m <sup>3</sup>	Chronic effects systemic			
Consumers	Dermal	0.0893 mg/kg bw/day	Chronic effects systemic			
Consumers	Oral	0.5 mg/kg bw/day	Chronic effects systemic			



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS EP-400 UV składnik A

Creation date Revision date 19th December 2020 16th July 2024

Version

2.2

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Oral	6.25 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	62.5 mg/kg bw/day	Chronic effects systemic		
Workers	Dermal	104.15 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	8.7 mg/m <sup>3</sup>	Chronic effects systemic		
Workers	Inhalation	29.39 mg/m <sup>3</sup>	Chronic effects systemic		

oxirane, mono[(	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source	
Workers	Dermal	1 mg/kg bw/day	Chronic effects systemic			
Workers	Inhalation	3.6 mg/m <sup>3</sup>	Chronic effects systemic			
Consumers	Dermal	0.5 mg/kg bw/day	Chronic effects systemic			
Consumers	Inhalation	0.87 mg/m <sup>3</sup>	Chronic effects systemic			
Consumers	Oral	0.5 mg/kg bw/day	Chronic effects systemic			

#### DMEL

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	8.3 µg/cm <sup>2</sup>	Acute effects local		

### PNEC

benzyl alcohol					
Route of exposure	Value	Value determination	Source		
Drinking water	1 mg/l				
Marine water	0.1 mg/l				
Water (intermittent release)	2.3 mg/l				
Microorganisms in sewage treatment	39 mg/l				
Freshwater sediment	5.27 mg/kg of dry substance of sediment				
Sea sediments	0.527 mg/kg of dry substance of sediment				
Soil (agricultural)	0.456 mg/kg of dry substance of soil				
bis[4-(2,3-epoxypropoxy)	bis[4-(2,3-epoxypropoxy)phenyl]propane				
Route of exposure	Value	Value determination	Source		
Drinking water	0.006 mg/l				



according to Regulation (EC) No 1907/2006 (REACH) as amended

### Nexler EPOLIS EP-400 UV składnik A

Creation date Revision date 19th December 2020 16th July 2024

Version

2.2

Route of exposure	Value	Value determination	Source
•			Source
Water (intermittent release)			
Marine water	0.001 mg/l		
Microorganisms in sewage treatment	10 mg/l		
Freshwater sediment	0.341 mg/kg of dry substance of sediment		
Sea sediments	0.034 mg/kg of dry substance of sediment		
Soil (agricultural)	0.065 mg/kg of dry substance of soil		
Food chain	11 mg/kg of food		
Formaldehvde, oligomeric	reaction products	with 1-chloro-2,3-epoxypro	ppane and phenol
	- -	1	
Route of exposure	Value	Value determination	Source
Drinking water	0.003 mg/l		
Marine water	0 mg/l		
Freshwater sediment	0.294 mg/kg		
Sea sediments	0.029 mg/kg		
Soil (agricultural)	0.237 mg/kg of dry substance of soil		
Microorganisms in sewage treatment	10 mg/l		
Water (intermittent release)	0.025 mg/l		
oxirane, mono[(C12-14-a	lkyloxy)methyl] de	rivs.	
Route of exposure	Value	Value determination	Source
Drinking water	0.106 mg/l		
-	0.108 mg/l		
Marine water	5,		
Water (intermittent release)	0.072 mg/l		
Freshwater sediment	307.16 mg/kg of dry substance of sediment		
Sea sediments	30.72 mg/kg of dry substance of sediment		
Microorganisms in sewage treatment	10 mg/l		
Soil (agricultural)	1.234 mg/kg of dry		

#### 8.2. **Exposure controls**

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

substance of soil

### Eye/face protection

#### Protective goggles.

### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS EP-400 UV składnik A

Version

Creation date Revision date

2.2

**Respiratory protection** 

It is not needed. In case of inadequate ventilation wear respiratory protection. **Thermal hazard** Data not available. **Environmental exposure controls** Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

19th December 2020

16th July 2024

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	-17 °C
Boiling point or initial boiling point and boiling range	>200 °C
Flammability	the product is not flammable
Lower and upper explosion limit	not applicable
Flash point	>100 °C
Auto-ignition temperature	not determined
benzyl alcohol (CAS: 100-51-6)	436 °C
Decomposition temperature	not applicable
рН	non-soluble (in water)
Kinematic viscosity	1000 mm²/s at 22 °C
Solubility in water	almost insoluble
Solubility in other solvents	dissolves in most organic solvents
Partition coefficient n-octanol/water (log value)	does not apply to mixtures
Vapour pressure	not determined
benzyl alcohol (CAS: 100-51-6)	0.07 hPa at 20 °C
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (CAS: 68609-97-2)	0.00018 hPa at 20 °C
Density and/or relative density	
Density	1.14 g/cm <sup>3</sup>
Relative vapour density	>1
Particle characteristics	applies to solids
Other information	

not available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

9.2.

 Reacts with amines, amides.
10.2. Chemical stability The product is stable under normal conditions.
10.3. Possibility of hazardous reactions

Unknown. 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

**10.6. Hazardous decomposition products** Not developed under normal uses.



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS EP-400 UV składnik A

Creation date Revision date 19th December 2020

Version

2.2

#### **SECTION 11: Toxicological information**

#### **11.1.** Information on hazard classes as defined in Regulation (EC) No 1272/2008

16th July 2024

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

#### Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met.

benzyl alcohol								
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex		
Oral	LD50		1620 mg/kg bw		Rat (Rattus norvegicus)	М		
Inhalation	LD50	OECD 403	>4.178 mg/l of air	4 hours	Rat (Rattus norvegicus)	F/M		
Dermal	LD50	EPA OTS 798.1100	>2000 mg/kg bw	24 hours	Rabbit	F/M		

### bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50		>15000 mg/kg bw		Rat (Rattus norvegicus)	М
Dermal	LD50		>23000 mg/kg bw	24 hours	Rabbit	

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol								
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex		
Oral	LD₅o	OECD 401	>5000 mg/kg bw		Rat (Rattus norvegicus)	F/M		
Dermal	LD₅o	OECD 402	>2000 mg/kg bw		Rat (Rattus norvegicus)	F/M		

oxirane, mono[(0	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.									
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex				
Oral	LD50		26800 mg/kg bw		Rat (Rattus norvegicus)					
Inhalation	LC50		>0.15 mg/l of air	7 hours	Rat (Rattus norvegicus)					
Dermal	LD50		>4000 mg/kg bw		Rabbit					

#### Skin corrosion/irritation

Causes skin irritation.

benzyl alcohol								
Route of exposure	Result	Method	Exposure time	Species				
Dermal	Slightly irritating	OECD 404	4 hours	Rabbit				
bis[4-(2,3-epoxypropoxy)phenyl]propane								
	iopoxy/piicityi]piopa							
Route of exposure	Result	Method	Exposure time	Species				



according to Regulation (EC) No 1907/2006 (REACH) as amended

### Nexler EPOLIS EP-400 UV składnik A

Creation date Revision date 19th December 2020 16th July 2024

Version

2.2

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol								
Route of exposure	Result	Method	Exposure time	Species				
Dermal	Slightly irritating	OECD 404	4 hours	Rabbit				
oxirane, mono[(C	12-14-alkyloxy)meth	yl] derivs.						
Route of exposure	Result	Method	Exposure time	Species				
Dermal	Irritating							

#### Serious eye damage/irritation

Causes serious eye irritation.

benzyl alcohol								
Route of exposure	Result	Method	Exposure time	Species				
Eye	Irritating	OECD 405	24 hours	Rabbit				
bis[4-(2,3-epoxyp	propoxy)phenyl]propa	ine						
Route of exposure	Result	Method	Exposure time	Species				
Eye	Slightly irritating	OECD 405		Rabbit				

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

bis[4-(2,3-epoxypropoxy)phenyl]propane									
Route of exposure	Result	Method	Exposure time	Species	Sex				
Dermal	Sensitizing	OECD 429		Mouse	F				
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol									
Route of exposure	Result	Method	Exposure time	Species	Sex				
Dermal	Sensitizing	OECD 429		Mouse	F				
oxirane, mono[(C	12-14-alkyloxy)metl	hyl] derivs.							
Route of exposure	Result	Method	Exposure time	Species	Sex				
Dermal	Sensitizing								

#### Germ cell mutagenicity

Based on the available data, the criteria for classification of the mixture are not met.

#### Carcinogenicity

Based on the available data, the criteria for classification of the mixture are not met.

#### **Reproductive toxicity**

Based on the available data, the criteria for classification of the mixture are not met.

#### Toxicity for specific target organ - single exposure

Based on the available data, the criteria for classification of the mixture are not met.

#### Toxicity for specific target organ - repeated exposure

Based on the available data, the criteria for classification of the mixture are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS EP-400 UV składnik A

Creation date Revision date 19th December 2020 16th July 2024

Version

2.2

#### **Repeated dose toxicity**

benzyl alcol	benzyl alcohol									
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex			
Oral	NOAEL	Systemic effects	OECD 451	400 mg/kg bw/day	103 weeks	Rat (Rattus norvegicus)	F/M			
Inhalation (aerosols)	NOAEC	Local effects, Systemic effects	OECD 412	1072 mg/m <sup>3</sup> of air	4 weeks	Rat (Rattus norvegicus)	F/M			

bis[4-(2,3-ep	bis[4-(2,3-epoxypropoxy)phenyl]propane								
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex		
Oral	NOAEL	Systemic effects	OECD 408	50 mg/kg bw/day	14 weeks	Rat (Rattus norvegicus)	F/M		
Dermal	NOAEL	Systemic effects	OECD 411	100 mg/kg bw/day	13 weeks	Mouse	F/M		

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol									
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex		
Oral	NOAEL	Systemic effects	OECD 408	250 mg/kg bw/day	13 weeks	Rat (Rattus norvegicus)	F/M		

oxirane, mon	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.									
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex			
Oral	NOAEL	Systemic effects	OECD 408	100 mg/kg bw/day	13 weeks	Rat (Rattus norvegicus)	F/M			
Dermal	NOAEL	Systemic effects	OECD 411	100 mg/kg bw/day	13 weeks	Rat (Rattus norvegicus)	F/M			

#### Aspiration hazard

Based on the available data, the criteria for classification of the mixture are not met.

#### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects. **Acute toxicity** 

benzyl alcoho	ol				
Parameter	Method	Value	Exposure time	Species	Environmen t
LC50	EPA OPP 72-1	460 mg/l	96 hours	Fish (Pimephales promelas)	
EC50	OECD 202	230 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	
EC₅o	OECD 201	770 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
NOEC	OECD 201	310 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS EP-400 UV składnik A

Creation date Revision date

benzyl alcohol

19th December 2020 16th July 2024

Version

2.2

Parameter	Method	Value	Exposure time	Species	Environmer t
IC50		390 mg/l	24 hours	Aquatic microorganisms (Nitrosomonas)	
bis[4-(2,3-ep	oxypropoxy)pher	yl]propane			
Parameter	Method	Value	Exposure time	Species	Environmer t
LC50		2 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC50		1.8 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	
ErC₅₀		>11 mg/l	72 hours	Algae (Scenedesmus subspicatus)	
NOEC		4.2 mg/l	72 hours	Algae (Scenedesmus subspicatus)	
IC50		>100 mg/l	3 hours	Aquatic microorganisms	Activated sludge
Formaldehyd	e, oligomeric read	tion products with 1	-chloro-2,3-epoxypi	opane and phenol	
Parameter	Method	Value	Exposure time	Species	Environmer t
LC₅o		2.54 mg/l	96 hours	Fish	
EC50		2.55 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	
EC₅o		1.8 mg/l	72 hours	Algae (Selenastrum capricornutum)	
EC50	OECD 201	1.8 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
NOEC		100 mg/l	3 hours	Aquatic microorganisms	
oxirane, mon	o[(C12-14-alkylo	xy)methyl] derivs.			
Parameter	Method	Value	Exposure time	Species	Environmer t
LL 50		>100 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
IC50	OECD 201	843.75 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
EC₅o		>100 mg/l	180 minutes	Microorganisms (Photobacterium phosphoreum)	Activated sludge
EL 50		7.2 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	
NOEC	OECD 201	500 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

### **Chronic toxicity**

benzyl alcohol					
Parameter	Method	Value	Exposure time	Species	Environmen t
NOEC	OECD 211	51 mg/l	21 days	Aquatic invertebrates (Daphnia magna)	



according to Regulation (EC) No 1907/2006 (REACH) as amended

### Nexler EPOLIS EP-400 UV składnik A

Creation date Revision date 19th December 2020 16th July 2024

Version

21 days

2.2

Aquatic invertebrates (Daphnia magna)

bis[4-(2,3-ep	oxypropoxy)ph	enyl]propane			
Parameter	Method	Value	Exposure time	Species	Environmen t
NOEC		0.3 mg/l	21 days	Aquatic invertebrates (Daphnia magna)	5
Formaldehyd	e, oligomeric rea	action products with	n 1-chloro-2,3-epoxyp	ropane and phenol	
Parameter	Method	Value	Exposure time	Species	Environmen t

0.3 mg/l

#### 12.2. Persistence and degradability

The product is partially biodegradable.

OECD 211

### Biodegradability

NOEC

benzyl alcohol					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301A	95-97 %	21 days		Easily biodegradable

bis[4-(2,3-epox	kypropoxy)phenyl]	propane			
Parameter	Method	Value	Exposure time	Environment	Result
					Hardly biodegradable

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol					
Parameter	Method	Value	Exposure time	Environment	Result
					Hardly biodegradable

oxirane, mono[	(C12-14-alkyloxy)r	methyl] derivs.			
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	87 %	28 days		Easily biodegradable

### 12.3. Bioaccumulative potential

Bioaccumulation is not expected.

benzyl alcoho	bl					
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow		1.05				20°C
bis[4-(2,3-ep	oxypropoxy)ph	enyl]propane				
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 117	3.242				25°C
Formaldehyd	e, oligomeric re	action product	s with 1-chloro-2	2,3-epoxypropane a	and phenol	
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 117	3.6				20°C
oxirane, mon	o[(C12-14-alky	loxy)methyl] d	erivs.			
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
BCF		160		Fish		



according to Regulation (EC) No 1907/2006 (REACH) as amended

### Nexler EPOLIS EP-400 UV składnik A

Creation date Revision date 19th December 2020 16th July 2024

Version

2.2

oxirane, mono	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.					
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 107	3.77				20°C

#### 12.4. Mobility in soil

The product is insoluble in water and does not show mobility in soil.

benzyl alcohol				
Parameter	Method	Value	Environment	Temperature
Кос		15.7		20°C
bis[4-(2,3-epo	xypropoxy)phenyl]p	propane		
Parameter	Method	Value	Environment	Temperature
Кос		445		20°C
Formaldehyde,	oligomeric reaction	products with 1-chlo	ro-2,3-epoxypropane and	phenol
Parameter	Method	Value	Environment	Temperature
Кос	OECD 121	4460		
oxirane, mono	[(C12-14-alkyloxy)r	nethyl] derivs.		
Parameter	Method	Value	Environment	Temperature
Log Koc		>5.63		20°C

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### **12.6.** Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## 12.7. Other adverse effects

Data not available.

#### **SECTION 13: Disposal considerations**

#### **13.1.** Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

#### Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### **SECTION 14: Transport information**

- 14.1. UN number or ID number
- UN 3082

#### 14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains: 2,2-bis [4- (2,3-epoxypropoxy) phenyl] propane)

		_	Y DATA SHEET	vexi	El
			EC) No 1907/2006 (REACH) as a		
			S EP-400 UV składn	IK A	
	on date on date	19th December 2020 16th July 2024	Version	2.2	
				2.2	
14.3.	Transport hazard c				
1 4 4		ingerous substances and a	articles		
14.4.	Packing group				
14.5.		arde			
14.5.	Yes.	arus			
14.6.	Special precautions	s for user			
	Reference in the Sect				
14.7.		in bulk according to IM	10 instruments		
	not relevant				
	Additional information	tion			
	Hazard identifica	ition No.	90		
	UN number	-	3082		
	Classification co	do	M6		
	Safety signs		9+hazardous for the enviror	ment	
			9	>	
	Road transport - Al	DR			
	Special provision		274, 335, 375, 601		
	Limited quantitie		5 L		
	Excepted quanti		E1		
	Packaging				
	Packing instructi		P001, IBC03, LP01, R001		
	Special packing		PP1		
	Mixed packing p		MP19		
		and bulk containers			
	Guidelines		T4		
	Special provisior	IS	TP1, TP29		
	ADR tank				
	Tank code Vehicles for tank	carriado	LGBV AT		
	Transport catego	_	3		
	Tunnel restrictio		(-)		
	Special provisi				
	packages	v VI	V12		
	loading, unloadi		CV13		



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS EP-400 UV składnik A

Creation date	19th December 2020			
Revision date	16th July 2024	Version	2.2	
Railway tra	ansport - RID			
Special provisions		274, 335, 375, 601		
Except	ed quantities	E1		
Packa	ging			
Packing	g instructions	P001, IBC03, LP01, R001		
Special packing provisions		PP1		
Mixed packing provisions		MP19		
Portal	ole tanks and bulk containers			
Guideli	nes	T4		
Special provisions		TP1, TP29		
RID Tanks				
Tank c	ode	LGBV		
Transp	ort category	0		
Specia	al provision for			
packag	jes	W12		
loading	g, unloading and handling	CW13		
Air transpo	ort - ICAO/IATA			
Packaging instructions for limited amount		Y964		
Packag	ing instructions passenger	964		
Cargo	packaging instructions	964		
Marine tra	nsport - IMDG			
EmS (e	emergency plan)	F-A, S-F		

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Clean Air Act 1993 as amended. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Public health act 1961. Environmental Protection Act 1990 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

#### **SECTION 16: Other information**

A list of standard risk ph	rases used in the safety data sheet
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H302+H332	Harmful if swallowed or if inhaled.
Guidelines for safe hand	ling used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P391	Collect spillage.
P501	Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

	SAFETY	DATA SHEET	<b>nexler</b>	
	according to Regulation (EC)	No 1907/2006 (REACH) as		
		P-400 UV składr		
reation date	19th December 2020			
evision date	16th July 2024	Version	2.2	
-	nt information about human he	-		
as per the Section	on 1. The user is responsible for a	herence to all related healt	importer - used for purposes other the h protection regulations.	
	ations and acronyms used in th			
ADR	European agreement concerning the international carriage of dangerous goods by road			
BCF	Bioconcentration F			
CAS	Chemical Abstract			
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures			
EC	Identification code	for each substance listed in	n EINECS	
EC50	Concentration of a	substance when it is affect	ed 50% of the population	
EINECS	European Inventor	ry of Existing Commercial Cl	hemical Substances	
ELso	Effective Loading f	or 50% of the tested organ	isms	
EmS	Emergency plan			
EU	European Union			
EuPCS	European Product	Categorisation System		
ΙΑΤΑ	International Air Transport Association			
IBC		•	Equipment of Ships Carrying	
100	Dangerous Chemic			
IC50	0			
ICAO	Concentration causing 50% blockade International Civil Aviation Organization			
IMDG	-			
IMDG	International Maritime Dangerous Goods International Maritime Organization			
		-	diante	
INCI		enclature of Cosmetic Ingre		
ISO	International Organization for Standardization			
IUPAC	International Union of Pure and Applied Chemistry			
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population			
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population			
LL50	Lethal Loading for	50% of tested organisms		
log Kow	Octanol-water par	tition coefficient		
NOAEC	No observed adve	rse effect concentration		
NOAEL	No observed adverse effect level			
NOEC	No observed effect	concentration		
OEL	Occupational Expo	sure Limits		
PBT	Persistent, Bioaccumulative and Toxic			
ppm	Parts per million			
REACH	-	uation Authorisation and Re	estriction of Chemicals	
RID	Registration, Evaluation, Authorisation and Restriction of Chemicals Agreement on the transport of dangerous goods by rail			
UN		Four-figure identification number of the substance or article taken from the UN		
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials			
VOC	Volatile organic compounds			
vPvB		d very Bioaccumulative		
Acute Tox.	Acute toxicity			
Aquatic Chronic				
	Hazardous to the aquatic environment (chronic)			
Eye Irrit.	Eye irritation			
Skin Irrit.	Skin irritation			
Skin Sens.	Skin sensitization			
ways of handling	onnel about the recommended wa	ys of use, mandatory protec	ctive equipment, first aid and prohibi	



according to Regulation (EC) No 1907/2006 (REACH) as amended

### Nexler EPOLIS EP-400 UV składnik A

Creation date Revision date 19th December 2020 16th July 2024

Version

2.2

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### The changes (which information has been added, deleted or modified)

This safety data sheet replaces version 2.1 dated 07.04.2022.

Updated sections: 1,2,8,9,10,11,12,13,15.

#### More information

Classification procedure - calculation method.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.