

according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

Revision date 10th June 2024 Version 2.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Nexler EPOLIS WE-200 składnik B

Substance / mixture mixture

UFI GARJ-9019-T00J-YTVC

Other mixture names

Nexler EPOLIS WE-200 component B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Colored, solvent-free, two-component, water-dispersible epoxy composition intended for coating protection of mineral substrates.

Main intended use

PC-CON-5 Construction chemicals

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name NEXLER sp. z o.o.

Address Łużycka 6, Gdynia, 81-537

Poland

Identification number (CRN)191528483VAT Reg NoPL5862073821Phone+48 58 781 45 85E-mailinfo@nexler.comWeb addresswww.nexler.com

Competent person responsible for the safety data sheet

Name NEXLER sp. z o.o. E-mail info@nexler.com

1.4. Emergency telephone number

National Health Service (NHS) 111

National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411

Most serious adverse effects on human health and the environment

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram



Signal word Warning



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

Revision date 10th June 2024 Version 2.3

Hazardous substances

bis[4-(2,3-epoxypropoxy)phenyl]propane

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

If medical advice is needed, have product container or label at hand. P101

P102 Keep out of reach of children.

P264 Wash hands and exposed parts of the body thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P391 Collect spillage.

P501 Dispose of contents/container to according to the instructions of the manufacturer

or person authorized to dispose of waste.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

| Identification numbers | Substance name | Content in % weight | Classification according to Regulation (EC) No 1272/2008 | Note |
|---|--|---------------------|--|------|
| Index: 603-073-00-2 CAS: 1675-54-3 EC: 216-823-5 Registration number: 01-2119456619-26 | bis[4-(2,3-epoxypropoxy)phenyl]propane | 65-75 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Specific concentration limit: Skin Irrit. 2, H315; Eye Irrit. 2, H319: C ≥ 5 % | |
| CAS: 9003-36-5 EC: 701-263-0 Registration number: 01-2119454392-40 | Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411 | |
| Index: 603-103-00-4 CAS: 68609-97-2 EC: 271-846-8 Registration number: 01-2119485289-22 | oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | 10-20 | Skin Irrit. 2, H315 Skin Sens. 1, H317 | 1 |

Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

Revision date 10th June 2024 Version 2.3

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

Revision date 10th June 2024 Version 2.3

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature required between +10 ° C and +25 ° C. During storage, the product may crystallize, especially at temperatures below 20 °C; then, before use, heat the contents of the package to a temperature of 60-80 °C and mix it, which will allow it to liquefy and empty the package.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

DNEL

| bis[4-(2,3-epoxypropoxy)phenyl]propane | | | | | | |
|--|-------------------|---------------------------|--------------------------|------------------------|--------|--|
| Workers / consumers | Route of exposure | Value | Effect | Value determination | Source | |
| Workers | Inhalation | 4.93 mg/m ³ | Chronic effects systemic | | | |
| Workers | Dermal | 0.75 mg/kg bw/day | Chronic effects systemic | | | |
| Consumers | Inhalation | 0.87 mg/m ³ | Chronic effects systemic | | | |
| Consumers | Dermal | 0.0893 mg/kg bw/day | Chronic effects systemic | | | |
| Consumers | Oral | 0.5 mg/kg bw/day | Chronic effects systemic | | | |

| Formaldehyde | Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | | |
|---------------------|--|----------------------------|--------------------------|------------------------|--------|--|--|
| Workers / consumers | Route of exposure | Value | Effect | Value determination | Source | | |
| Consumers | Oral | 6.25 mg/kg bw/day | Chronic effects systemic | | | | |
| Consumers | Dermal | 62.5 mg/kg bw/day | Chronic effects systemic | | | | |
| Workers | Dermal | 104.15 mg/kg bw/day | Chronic effects systemic | | | | |
| Consumers | Inhalation | 8.7 mg/m ³ | Chronic effects systemic | | | | |
| Workers | Inhalation | 29.39 mg/m ³ | Chronic effects systemic | | | | |



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

Revision date 10th June 2024 Version 2.3

| oxirane, mono | oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | | | | | | |
|---------------------|--|-----------------------|--------------------------|---------------------|--------|--|--|
| Workers / consumers | Route of exposure | Value | Effect | Value determination | Source | | |
| Workers | Dermal | 1 mg/kg bw/day | Chronic effects systemic | | | | |
| Workers | Inhalation | 3.6 mg/m ³ | Chronic effects systemic | | | | |
| Consumers | Dermal | 0.5 mg/kg bw/day | Chronic effects systemic | | | | |
| Consumers | Inhalation | 0.87 mg/m³ | Chronic effects systemic | | | | |
| Consumers | Oral | 0.5 mg/kg bw/day | Chronic effects systemic | | | | |

DMEL

| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | | |
|--|-------------------|------------------------|---------------------|------------------------|--------|--|
| Workers / consumers | Route of exposure | Value | Effect | Value determination | Source | |
| Workers | Dermal | 8.3 μg/cm ² | Acute effects local | | | |

PNEC

| bis[4-(2,3-epoxypropoxy)phenyl]propane | | | | | | |
|--|--|---------------------|--------|--|--|--|
| Route of exposure | Value | Value determination | Source | | | |
| Drinking water | 0.006 mg/l | | | | | |
| Water (intermittent release) | 0.018 mg/l | | | | | |
| Marine water | 0.001 mg/l | | | | | |
| Microorganisms in sewage treatment | 10 mg/l | | | | | |
| Freshwater sediment | 0.341 mg/kg of dry substance of sediment | | | | | |
| Sea sediments | 0.034 mg/kg of dry substance of sediment | | | | | |
| Soil (agricultural) | 0.065 mg/kg of dry substance of soil | | | | | |
| Food chain | 11 mg/kg of food | | | | | |

| Formaldehyde, oligomeric | Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | |
|------------------------------------|--|---------------------|--------|--|--|--|
| Route of exposure | Value | Value determination | Source | | | |
| Drinking water | 0.003 mg/l | | | | | |
| Marine water | 0 mg/l | | | | | |
| Freshwater sediment | 0.294 mg/kg | | | | | |
| Sea sediments | 0.029 mg/kg | | | | | |
| Soil (agricultural) | 0.237 mg/kg of dry substance of soil | | | | | |
| Microorganisms in sewage treatment | 10 mg/l | | | | | |
| Water (intermittent release) | 0.025 mg/l | | | | | |

| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | | | | | |
|--|------------|--|--|--|--|
| Route of exposure Value Value determination Source | | | | | |
| Drinking water | 0.106 mg/l | | | | |



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

Revision date 10th June 2024 2.3 Version

| oxirane, mono[(C12-14-a | oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | | | | | | |
|------------------------------------|--|---------------------|--------|--|--|--|--|
| Route of exposure | Value | Value determination | Source | | | | |
| Marine water | 0.011 mg/l | | | | | | |
| Water (intermittent release) | 0.072 mg/l | | | | | | |
| Freshwater sediment | 307.16 mg/kg of dry substance of sediment | | | | | | |
| Sea sediments | 30.72 mg/kg of dry substance of sediment | | | | | | |
| Microorganisms in sewage treatment | 10 mg/l | | | | | | |
| Soil (agricultural) | 1.234 mg/kg of dry substance of soil | | | | | | |

8.2. **Exposure controls**

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid Colour colourless Odour weak -8 °C Melting point/freezing point >200 °C Boiling point or initial boiling point and boiling range

Flammability the product is not flammable

Lower and upper explosion limit not applicable Flash point >150 °C Auto-ignition temperature not applicable Decomposition temperature not applicable

рН non-soluble (in water) Kinematic viscosity 800-1400 mm²/s at 20 °C

Solubility in water insoluble

dissolves in most organic solvents Solubility in other solvents

Partition coefficient n-octanol/water (log value) does not apply to mixtures

not determined Vapour pressure

oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (CAS: 0.00018 hPa at 20 $^{\circ}$ C

68609-97-2)

Density and/or relative density 1.14 g/cm3 at 22 °C

Density



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

Revision date 10th June 2024 Version 2.3

Relative vapour density >1

Particle characteristics applies to solids

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with amines, amides.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met.

| bis[4-(2,3-epoxypropoxy)phenyl]propane | | | | | | |
|--|-----------|--------|-----------------|---------------|----------------------------|-----|
| Route of exposure | Parameter | Method | Value | Exposure time | Species | Sex |
| Oral | LD50 | | >15000 mg/kg bw | | Rat (Rattus norvegicus) | М |
| Dermal | LD50 | | >23000 mg/kg bw | 24 hours | Rabbit | |

| Formaldehyde, o | Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | | |
|-------------------|--|----------|----------------|---------------|----------------------------|-----|--|
| Route of exposure | Parameter | Method | Value | Exposure time | Species | Sex | |
| Oral | LD50 | OECD 401 | >5000 mg/kg bw | | Rat (Rattus norvegicus) | F/M | |
| Dermal | LD50 | OECD 402 | >2000 mg/kg bw | | Rat (Rattus norvegicus) | F/M | |

| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | | | | | | |
|--|-----------|--------|-------------------|---------------|----------------------------|-----|
| Route of exposure | Parameter | Method | Value | Exposure time | Species | Sex |
| Oral | LD50 | | 26800 mg/kg bw | | Rat (Rattus norvegicus) | |
| Inhalation | LC50 | | >0.15 mg/l of air | 7 hours | Rat (Rattus norvegicus) | |
| Dermal | LD50 | | >4000 mg/kg bw | | Rabbit | |



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

Revision date 10th June 2024 Version 2.3

Skin corrosion/irritation

Causes skin irritation.

| bis[4-(2,3-epoxypropoxy)phenyl]propane | | | | | | | | |
|---|--|--|--|--|--|--|--|--|
| Route of exposure Result Method Exposure time Species | | | | | | | | |
| Dermal | Dermal Slightly irritating OECD 404 4 hours Rabbit | | | | | | | |

| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | | | | |
|--|---------------------|----------|---------|--------|--|--|--|--|
| Route of exposure Result Method Exposure time Species | | | | | | | | |
| Dermal | Slightly irritating | OECD 404 | 4 hours | Rabbit | | | | |

| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | | | | | | | |
|---|--|--|--|--|--|--|--|
| Route of exposure Result Method Exposure time Species | | | | | | | |
| Dermal Irritating | | | | | | | |

Serious eye damage/irritation

Causes serious eye irritation.

| bis[4-(2,3-epoxypropoxy)phenyl]propane | | | | | | | | |
|---|---------------------|----------|--|--------|--|--|--|--|
| Route of exposure Result Method Exposure time Species | | | | | | | | |
| Eye | Slightly irritating | OECD 405 | | Rabbit | | | | |

Respiratory or skin sensitisation

May cause an allergic skin reaction.

| bis[4-(2,3-epoxypropoxy)phenyl]propane | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|
| Route of exposure Result Method Exposure time Species Sex | | | | | | | | | |
| Dermal Sensitizing OECD 429 Mouse F | | | | | | | | | |

| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | | | | | |
|--|-------------|----------|--|-------|---|--|--|--|--|
| Route of exposure Result Method Exposure time Species Sex | | | | | | | | | |
| Dermal | Sensitizing | OECD 429 | | Mouse | F | | | | |

| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | | | | | | | | | |
|---|-------------|--|--|--|--|--|--|--|--|
| Route of exposure Result Method Exposure time Species Sex | | | | | | | | | |
| Dermal | Sensitizing | | | | | | | | |

Germ cell mutagenicity

Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

Based on the available data, the criteria for classification of the mixture are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

Revision date 10th June 2024 Version 2.3

Repeated dose toxicity

| bis[4-(2,3-ep | pis[4-(2,3-epoxypropoxy)phenyl]propane | | | | | | | | | | |
|-------------------|--|------------------|-------------|------------------|---------------|----------------------------|-----|--|--|--|--|
| Route of exposure | Parameter | Result | Method | Value | Exposure time | Species | Sex | | | | |
| Oral | NOAEL | Systemic effects | OECD 408 | 50 mg/kg bw/day | 14 weeks | Rat (Rattus norvegicus) | F/M | | | | |
| Dermal | NOAEL | Systemic effects | OECD 411 | 100 mg/kg bw/day | 13 weeks | Mouse | F/M | | | | |

| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | | | | | | |
|--|-----------|------------------|-------------|------------------|---------------|-------------------------|-----|--|--|--|
| Route of exposure | Parameter | Result | Method | Value | Exposure time | Species | Sex | | | |
| Oral | NOAEL | Systemic effects | OECD 408 | 250 mg/kg bw/day | 13 weeks | Rat (Rattus norvegicus) | F/M | | | |

| oxirane, mon | oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | | | | | | | | | | |
|-------------------|--|------------------|-------------|------------------|---------------|----------------------------|-----|--|--|--|--|
| Route of exposure | Parameter | Result | Method | Value | Exposure time | Species | Sex | | | | |
| Oral | NOAEL | Systemic effects | OECD 408 | 100 mg/kg bw/day | 13 weeks | Rat (Rattus norvegicus) | F/M | | | | |
| Dermal | NOAEL | Systemic effects | OECD 411 | 100 mg/kg bw/day | 13 weeks | Rat (Rattus norvegicus) | F/M | | | | |

Aspiration hazard

Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Acute toxicity

| bis[4-(2,3-ep | ois[4-(2,3-epoxypropoxy)phenyl]propane | | | | | | | | | |
|---------------|--|-----------|---------------|---------------------------------------|------------------|--|--|--|--|--|
| Parameter | Method | Value | Exposure time | Species | Environmen t | | | | | |
| LC50 | | 2 mg/l | 96 hours | Fish (Oncorhynchus mykiss) | | | | | | |
| EC50 | | 1.8 mg/l | 48 hours | Aquatic invertebrates (Daphnia magna) | | | | | | |
| ErC50 | | >11 mg/l | 72 hours | Algae (Scenedesmus subspicatus) | | | | | | |
| NOEC | | 4.2 mg/l | 72 hours | Algae (Scenedesmus subspicatus) | | | | | | |
| IC50 | | >100 mg/l | 3 hours | Aquatic microorganisms | Activated sludge | | | | | |

| Formaldehyde, | Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | | | | |
|---------------|--|-----------------|----------|---------------------------------------|--|--|--|--|--|
| Parameter | Species | Environmen t | | | | | | | |
| LC50 | | 2.54 mg/l | 96 hours | Fish | | | | | |
| EC50 | | 2.55 mg/l | 48 hours | Aquatic invertebrates (Daphnia magna) | | | | | |



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

Revision date 10th June 2024 Version 2.3

| Formaldehyde | Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | | | | |
|--------------|--|----------|---------------|---|-----------------|--|--|--|--|
| Parameter | Method | Value | Exposure time | Species | Environmen t | | | | |
| EC50 | | 1.8 mg/l | 72 hours | Algae (Selenastrum capricornutum) | | | | | |
| EC50 | OECD 201 | 1.8 mg/l | 72 hours | Algae (Pseudokirchneriella subcapitata) | | | | | |
| NOEC | | 100 mg/l | 3 hours | Aquatic microorganisms | | | | | |

| oxirane, mono[| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | | | | | | | | |
|----------------|--|-------------|---------------|---|------------------|--|--|--|--|
| Parameter | Method | Value | Exposure time | Species | Environmen t | | | | |
| LL 50 | | >100 mg/l | 96 hours | Fish (Oncorhynchus mykiss) | | | | | |
| IC50 | OECD 201 | 843.75 mg/l | 72 hours | Algae (Pseudokirchneriella subcapitata) | | | | | |
| EC50 | | >100 mg/l | 180 minutes | Microorganisms (Photobacterium phosphoreum) | Activated sludge | | | | |
| EL 50 | | 7.2 mg/l | 48 hours | Aquatic invertebrates (Daphnia magna) | | | | | |
| NOEC | OECD 201 | 500 mg/l | 72 hours | Algae (Pseudokirchneriella subcapitata) | | | | | |

Chronic toxicity

| bis[4-(2,3-epoxypropoxy)phenyl]propane | | | | | | | | |
|--|--------|----------|---------------|---------------------------------------|-----------------|--|--|--|
| Parameter | Method | Value | Exposure time | Species | Environmen t | | | |
| NOEC | | 0.3 mg/l | 21 days | Aquatic invertebrates (Daphnia magna) | | | | |

| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | | | | |
|--|----------|----------|---------------|---------------------------------------|-----------------|--|--|--|
| Parameter | Method | Value | Exposure time | Species | Environmen t | | | |
| NOEC | OECD 211 | 0.3 mg/l | 21 days | Aquatic invertebrates (Daphnia magna) | | | | |

12.2. Persistence and degradability

The product is not biodegradable to the extent significant for the natural environment.

Biodegradability

| bis[4-(2,3-epoxypropoxy)phenyl]propane | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|
| Parameter | Parameter Method Value Exposure time Environment Result | | | | | | | | |
| | Hardly biodegradat | | | | | | | | |

| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | | | | |
|--|--|--|--|--|----------------------|--|--|--|
| Parameter Method Value Exposure time Environment Result | | | | | | | | |
| | | | | | Hardly biodegradable | | | |



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

10th June 2024 2.3 Revision date Version

| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | | | | | | | | |
|---|-----------|------|---------|--|----------------------|--|--|--|
| Parameter Method Value Exposure time Environment Result | | | | | | | | |
| | OECD 301F | 87 % | 28 days | | Easily biodegradable | | | |

12.3. Bioaccumulative potential

Bioaccumulation is not expected.

| bis[4-(2,3-epoxypropoxy)phenyl]propane | | | | | | | | | |
|--|----------|-------|---------------|---------|-------------|------------------|--|--|--|
| Parameter | Method | Value | Exposure time | Species | Environment | Temperature [°C] | | | |
| Log Pow | OECD 117 | 3.242 | | | | 25°C | | | |

| Formaldehyde, | Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | | | | | |
|---------------|--|-------|---------------|---------|-------------|------------------|--|--|--|--|
| Parameter | Method | Value | Exposure time | Species | Environment | Temperature [°C] | | | | |
| Log Pow | OECD 117 | 3.6 | | | | 20°C | | | | |

| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | | | | | | | | | |
|--|----------|-------|---------------|---------|-------------|------------------|--|--|--|
| Parameter | Method | Value | Exposure time | Species | Environment | Temperature [°C] | | | |
| BCF | | 160 | | Fish | | | | | |
| Log Pow | OECD 107 | 3.77 | | | | 20°C | | | |

12.4. Mobility in soil

The product is insoluble in water and does not show mobility in soil.

| bis[4-(2,3-epoxypropoxy)phenyl]propane | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| Parameter | Parameter Method Value Environment Temperature | | | | | | | | |
| Koc | Koc 445 20°C | | | | | | | | |

| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| Parameter | Parameter Method Value Environment Temperature | | | | | | | | |
| Кос | Koc OECD 121 4460 | | | | | | | | |

| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. | | | | |
|--|--------|-------|-------------|-------------|
| Parameter | Method | Value | Environment | Temperature |
| Log Koc | | >5.63 | | 20°C |

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

Revision date 10th June 2024 Version 2.3

13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 3082

14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains: 2,2-bis [4- (2,3-epoxypropoxy) phenyl] propane)

14.3. Transport hazard class(es)

9 Miscellaneous dangerous substances and articles

14.4. Packing group

III

14.5. Environmental hazards

Yes.

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No.

UN number

Classification code

Safety signs

90 3082

М6

9+hazardous for the environment





according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

Revision date 10th June 2024 Version 2.3

Road transport - ADR

Special provisions 274, 335, 375, 601

Limited quantities 5 L Excepted quantities E1

Packaging

Packing instructions P001, IBC03, LP01, R001

Special packing provisions PP1
Mixed packing provisions MP19

Portable tanks and bulk containers

Guidelines T4

Special provisions TP1, TP29

ADR tank

Tank code LGBV Vehicles for tank carriage AT Transport category 3 Tunnel restriction code (-)

Special provision for

packages V12 loading, unloading and handling CV13

Railway transport - RID

Special provisions 274, 335, 375, 601

Excepted quantities E

Packaging

Packing instructions P001, IBC03, LP01, R001

Special packing provisions PP1
Mixed packing provisions MP19

Portable tanks and bulk containers

Guidelines T4

Special provisions TP1, TP29

RID Tanks

Tank code LGBV Transport category 0

Special provision for

packages W12 loading, unloading and handling CW13

Air transport - ICAO/IATA

Packaging instructions for limited amount Y964
Packaging instructions passenger 964
Cargo packaging instructions 964

Marine transport - IMDG

EmS (emergency plan) F-A, S-F

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Clean Air Act 1993 as amended. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Public health act 1961. Environmental Protection Act 1990 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020

Revision date 10th June 2024 Version 2.3

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands and exposed parts of the body thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P391 Collect spillage.

P501 Dispose of contents/container to according to the instructions of the manufacturer

or person authorized to dispose of waste.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EL₅₀ Effective Loading for 50% of the tested organisms

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

IC50Concentration causing 50% blockadeICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous GoodsIMOInternational Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

LL₅₀ Lethal Loading for 50% of tested organisms

log KowOctanol-water partition coefficientNOAELNo observed adverse effect levelNOECNo observed effect concentrationOELOccupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020
Revision date 10th June 2024 Version 2.3

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Irrit. Eye irritation
Skin Irrit. Skin irritation
Skin Sens. Skin sensitization

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

This safety data sheet replaces version 2.2 dated 21.09.2022.

Updated sections: 1,13,15.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.