

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date	17th December 2020	Version	2.2
Revision date	21st September 2022		

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1. Product identifier**  
Substance / mixture: Nexler EPOLIS WE-200 składnik B  
mixture  
UFI: GARJ-9019-T00J-YTVC

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Mixture's intended use**

Colored, solvent-free, two-component, water-dispersible epoxy composition intended for coating protection of mineral substrates.

**Main intended use**

PC-CON-5 Construction chemicals

**Mixture uses advised against**

The product should not be used in ways other than those referred in Section 1.

**1.3. Details of the supplier of the safety data sheet**

**Supplier**

Name or trade name	IZOHAN sp. z o.o.
Address	Łużycka 2, Gdynia, 81-963 Poland
Identification number (CRN)	191528483
VAT Reg No	PL5862073821
Phone	+48 58 781 45 85
E-mail	info@izohan.eu
Web address	www.izohan.eu

**Competent person responsible for the safety data sheet**

Name	IZOHAN sp. z o.o.
E-mail	info@izohan.eu

**1.4. Emergency telephone number**

National Health Service (NHS) 111  
National poisoning information centre Scotland, NHS 24: 111

### SECTION 2: Hazards identification

**2.1. Classification of the substance or mixture**

**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Skin Irrit. 2, H315  
Skin Sens. 1, H317  
Eye Irrit. 2, H319  
Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

**Most serious adverse effects on human health and the environment**

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

**2.2. Label elements**

**Hazard pictogram**



**Signal word**

Warning

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020  
Revision date 21st September 2022 Version 2.2

### Hazardous substances

bis[4-(2,3-epoxypropoxy)phenyl]propane  
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol  
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

### Hazard statements

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P264 Wash hands and exposed parts of the body thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P391 Collect spillage.  
P501 Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-073-00-2 CAS: 1675-54-3 EC: 216-823-5 Registration number: 01-2119456619-26	bis[4-(2,3-epoxypropoxy)phenyl]propane	65-75	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Specific concentration limit: Skin Irrit. 2, H315; Eye Irrit. 2, H319: C ≥ 5 %	
CAS: 9003-36-5 EC: 701-263-0 Registration number: 01-2119454392-40	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	10-20	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411	
Index: 603-103-00-4 CAS: 68609-97-2 EC: 271-846-8 Registration number: 01-2119485289-22	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	10-20	Skin Irrit. 2, H315 Skin Sens. 1, H317	1

### Notes

1 Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date	17th December 2020	Version	2.2
Revision date	21st September 2022		

### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

### If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

## 4.2. Most important symptoms and effects, both acute and delayed

### If inhaled

Not expected.

### If on skin

May cause an allergic skin reaction.

### If in eyes

Causes serious eye irritation.

### If swallowed

Irritation, nausea.

## 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

### 6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020  
Revision date 21st September 2022 Version 2.2

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature required between +10 ° C and +25 ° C. During storage, the product may crystallize, especially at temperatures below 20 °C; then, before use, heat the contents of the package to a temperature of 60-80 °C and mix it, which will allow it to liquefy and empty the package.

#### 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

##### DNEL

bis[4-(2,3-epoxypropoxy)phenyl]propane

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	4.93 mg/m <sup>3</sup>	Systemic chronic effects		
Workers	Dermal	0.75 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	0.87 mg/m <sup>3</sup>	Systemic chronic effects		
Consumers	Dermal	0.0893 mg/kg bw/day	Systemic chronic effects		
Consumers	Oral	0.5 mg/kg bw/day	Systemic chronic effects		

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Oral	6.25 mg/kg bw/day	Systemic chronic effects		
Consumers	Dermal	62.5 mg/kg bw/day	Systemic chronic effects		
Workers	Dermal	104.15 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	8.7 mg/m <sup>3</sup>	Systemic chronic effects		
Workers	Inhalation	29.39 mg/m <sup>3</sup>	Systemic chronic effects		

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	1 mg/kg bw/day	Systemic chronic effects		
Workers	Inhalation	3.6 mg/m <sup>3</sup>	Systemic chronic effects		
Consumers	Dermal	0.5 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	0.87 mg/m <sup>3</sup>	Systemic chronic effects		
Consumers	Oral	0.5 mg/kg bw/day	Systemic chronic effects		

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date	17th December 2020	Version	2.2
Revision date	21st September 2022		

### DMEL

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	8.3 µg/cm <sup>2</sup>	Local acute effects		

### PNEC

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Value	Value determination	Source
Drinking water	0.006 mg/l		
Water (intermittent release)	0.018 mg/l		
Seawater	0.001 mg/l		
Microorganisms in wastewater treatment plants	10 mg/l		
Freshwater sediment	0.341 mg/kg of dry substance of sediment		
Sea sediments	0.034 mg/kg of dry substance of sediment		
Soil (agricultural)	0.065 mg/kg of dry substance of soil		
Food chain	11 mg/kg of food		

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Route of exposure	Value	Value determination	Source
Drinking water	0.003 mg/l		
Seawater	0 mg/l		
Freshwater sediment	0.294 mg/kg		
Sea sediments	0.029 mg/kg		
Soil (agricultural)	0.237 mg/kg of dry substance of soil		
Microorganisms in wastewater treatment plants	10 mg/l		
Water (intermittent release)	0.025 mg/l		

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Route of exposure	Value	Value determination	Source
Drinking water	0.106 mg/l		
Seawater	0.011 mg/l		
Water (intermittent release)	0.072 mg/l		
Freshwater sediment	307.16 mg/kg of dry substance of sediment		
Sea sediments	30.72 mg/kg of dry substance of sediment		
Microorganisms in wastewater treatment plants	10 mg/l		
Soil (agricultural)	1.234 mg/kg of dry substance of soil		

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date	17th December 2020	Version	2.2
Revision date	21st September 2022		

### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles.

#### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

#### Respiratory protection

It is not needed.

#### Thermal hazard

Data not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	weak
Melting point/freezing point	-8 °C
Boiling point or initial boiling point and boiling range	>200 °C
Flammability	The product is non-flammable.
Lower and upper explosion limit	not applicable
Flash point	>150 °C
Auto-ignition temperature	not applicable
Decomposition temperature	not applicable
pH	non-soluble (in water)
Kinematic viscosity	800-1400 mm <sup>2</sup> /s at 20 °C
Solubility in water	insoluble
Solubility in other solvents	dissolves in most organic solvents
Partition coefficient n-octanol/water (log value)	does not apply to mixtures
Vapour pressure	not determined
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (CAS: 68609-97-2)	0,00018 hPa at 20 °C
Density and/or relative density	
Density	1,14 g/cm <sup>3</sup> at 22 °C
Relative vapour density	>1
Particle characteristics	applies to solids

### 9.2. Other information

not available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reacts with amines, amides.

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date	17th December 2020	Version	2.2
Revision date	21st September 2022		

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>		>15000 mg/kg bw		Rat ( <i>Rattus norvegicus</i> )	M
Dermal	LD <sub>50</sub>		>23000 mg/kg bw	24 hour	Rabbit	

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 401	>5000 mg/kg bw		Rat ( <i>Rattus norvegicus</i> )	F/M
Dermal	LD <sub>50</sub>	OECD 402	>2000 mg/kg bw		Rat ( <i>Rattus norvegicus</i> )	F/M

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>		26800 mg/kg bw		Rat ( <i>Rattus norvegicus</i> )	
Inhalation	LC <sub>50</sub>		>0.15 mg/l of air	7 hour	Rat ( <i>Rattus norvegicus</i> )	
Dermal	LD <sub>50</sub>		>4000 mg/kg bw		Rabbit	

#### Skin corrosion/irritation

Causes skin irritation.

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Result	Method	Exposure time	Species
Dermal	Slightly irritating	OECD 404	4 hour	Rabbit

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Route of exposure	Result	Method	Exposure time	Species
Dermal	Slightly irritating	OECD 404	4 hour	Rabbit

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Route of exposure	Result	Method	Exposure time	Species
Dermal	Irritating			

#### Serious eye damage/irritation

Causes serious eye irritation.

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Result	Method	Exposure time	Species
Eye	Slightly irritating	OECD 405		Rabbit

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020  
Revision date 21st September 2022 Version 2.2

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing	OECD 429		Mouse	F

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing	OECD 429		Mouse	F

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing				

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Repeated dose toxicity

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 408	50 mg/kg bw/day	14 week	Rat (Rattus norvegicus)	F/M
Dermal	NOAEL	Systemic effects	OECD 411	100 mg/kg bw/day	13 week	Mouse	F/M

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 408	250 mg/kg bw/day	13 week	Rat (Rattus norvegicus)	F/M

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 408	100 mg/kg bw/day	13 week	Rat (Rattus norvegicus)	F/M
Dermal	NOAEL	Systemic effects	OECD 411	100 mg/kg bw/day	13 week	Rat (Rattus norvegicus)	F/M

### Aspiration hazard

Based on available data the classification criteria are not met.

## 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity



# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date	17th December 2020	Version	2.2
Revision date	21st September 2022		

### Acute toxicity

Toxic to aquatic life with long lasting effects.

bis[4-(2,3-epoxypropoxy)phenyl]propane

Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		2 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	
EC <sub>50</sub>		1.8 mg/l	48 hour	Aquatic invertebrates (Daphnia magna)	
ErC <sub>50</sub>		>11 mg/l	72 hour	Algae (Scenedesmus subspicatus)	
NOEC		4.2 mg/l	72 hour	Algae (Scenedesmus subspicatus)	
IC <sub>50</sub>		>100 mg/l	3 hour	Aquatic microorganisms	Activated sludge

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		2.54 mg/l	96 hour	Fishes	
EC <sub>50</sub>		2.55 mg/l	48 hour	Aquatic invertebrates (Daphnia magna)	
EC <sub>50</sub>		1.8 mg/l	72 hour	Algae (Selenastrum capricornutum)	
EC <sub>50</sub>	OECD 201	1.8 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	
NOEC		100 mg/l	3 hour	Aquatic microorganisms	

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Parameter	Method	Value	Exposure time	Species	Environment
LL 50		>100 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	
IC <sub>50</sub>	OECD 201	843.75 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	
EC <sub>50</sub>		>100 mg/l	180 min	Microorganisms (Photobacterium phosphoreum)	Activated sludge
EL 50		7.2 mg/l	48 hour	Aquatic invertebrates (Daphnia magna)	
NOEC	OECD 201	500 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	

### Chronic toxicity

bis[4-(2,3-epoxypropoxy)phenyl]propane

Parameter	Method	Value	Exposure time	Species	Environment
NOEC		0.3 mg/l	21 day	Aquatic invertebrates (Daphnia magna)	

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD 211	0.3 mg/l	21 day	Aquatic invertebrates (Daphnia magna)	

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date 17th December 2020  
Revision date 21st September 2022 Version 2.2

### 12.2. Persistence and degradability

#### Biodegradability

bis[4-(2,3-epoxypropoxy)phenyl]propane

Parameter	Method	Value	Exposure time	Environment	Result
					Hardly biodegradable

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Parameter	Method	Value	Exposure time	Environment	Result
					Hardly biodegradable

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	87 %	28 day		Easily biodegradable

The product is not biodegradable to the extent significant for the natural environment.

### 12.3. Bioaccumulative potential

bis[4-(2,3-epoxypropoxy)phenyl]propane

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 117	3.242				25°C

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 117	3.6				20°C

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
BCF		160		Fishes		
Log Pow	OECD 107	3.77				20°C

Bioaccumulation is not expected.

### 12.4. Mobility in soil

bis[4-(2,3-epoxypropoxy)phenyl]propane

Parameter	Method	Value	Environment	Temperature
Koc		445		20°C

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Parameter	Method	Value	Environment	Temperature
Koc	OECD 121	4460		

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Parameter	Method	Value	Environment	Temperature
Log Koc		>5.63		20°C

The product is insoluble in water and does not show mobility in soil.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Data not available.

## SECTION 13: Disposal considerations

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date	17th December 2020	Version	2.2
Revision date	21st September 2022		

### 13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

#### Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## SECTION 14: Transport information

### 14.1. UN number or ID number

UN 3082

### 14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains: 2,2-bis [4- (2,3-epoxypropoxy) phenyl] propane)

### 14.3. Transport hazard class(es)

9 Miscellaneous dangerous substances and articles

### 14.4. Packing group

III - substances presenting low danger

### 14.5. Environmental hazards

Yes.

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

#### Additional information

Hazard identification No.

90

UN number

3082

Classification code

M6

Safety signs

9+hazardous for the environment



# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date	17th December 2020	Version	2.2
Revision date	21st September 2022		

### Road transport - ADR

Special provisions	274, 335, 375, 601
Limited quantities	5 L
Excepted quantities	E1

### Packaging

Packing instructions	P001, IBC03, LP01, R001
Special packing provisions	PP1
Mixed packing provisions	MP19

### Portable tanks and bulk containers

Guidelines	T4
Special provisions	TP1, TP29

### ADR tank

Tank code	LGBV
Vehicles for tank carriage	AT
Transport category	3
Tunnel restriction code	(-)

### Special provision for

packages	V12
loading, unloading and handling	CV13

### Railway transport - RID

Special provisions	274, 335, 375, 601
Excepted quantities	E1

### Packaging

Packing instructions	P001, IBC03, LP01, R001
Special packing provisions	PP1
Mixed packing provisions	MP19

### Portable tanks and bulk containers

Guidelines	T4
Special provisions	TP1, TP29

### RID Tanks

Tank code	LGBV
Transport category	0

### Special provision for

packages	W 12
loading, unloading and handling	CW 13

### Air transport - ICAO/IATA

Packaging instructions for limited amount	Y964
Packaging instructions passenger	964
Cargo packaging instructions	964

### Marine transport - IMDG

EmS (emergency plan)	F-A, S-F
----------------------	----------

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Public health act 1961. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date	17th December 2020	Version	2.2
Revision date	21st September 2022		

### SECTION 16: Other information

#### A list of standard risk phrases used in the safety data sheet

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

#### Guidelines for safe handling used in the safety data sheet

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P391	Collect spillage.
P501	Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CE <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DMEL	Derived minimal effect level
DNEL	Derived no-effect level
EINECS	European Inventory of Existing Commercial Chemical Substances
EL <sub>50</sub>	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC <sub>50</sub>	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LL <sub>50</sub>	Lethal Loading for 50% of tested organisms
log Kow	Octanol-water partition coefficient
LZO	Volatile organic compounds
MARPOL	International Convention for the Prevention of Pollution from Ships
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Nexler EPOLIS WE-200 składnik B

Creation date	17th December 2020	Version	2.2
Revision date	21st September 2022		

REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UE	European Union
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
vPvB	Very Persistent and very Bioaccumulative
WE	Identification code for each substance listed in EINECS

Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Irrit.	Eye irritation
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

This safety data sheet replaces version 2.1 dated 07.07.2022.

Updated sections: 9,10,13,15.

### More information

Classification procedure - calculation method.

## Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.