		SAFETY	DATA SHEET	nexle
		according to Regulation (EC)	No 1907/2006 (REACH) as	amended 💙
		Nexler EPOLIS	WE-300 składni	k B
	ion date	29th December 2020		
Revis	ion date	12th June 2024	Version	2.1
SECT	ION 1: Identification	of the substance/mixture a	and of the company/und	lertaking
1.1.	Product identifier		Nexler EPOLIS WE	-300 składnik B
	Substance / mixture		mixture	
	UFI		G6SJ-A0X8-V00H-	K7Q0
	Other mixture name	S		
	Nexler EPOLIS	WE-300 component B		
1.2.		l uses of the substance or m	nixture and uses advised	against
	Mixture's intended	luse		
		ater-dispersible epoxy compos	ition intended for matting e	epoxy resin floors and for protecting
	mineral substrates.			
	Main intended use			
	PC-CON-5	Construction chemi	ICAIS	
	Mixture uses advis	-	these veferred in Castion 1	
1.3.	•	not be used in ways other than plier of the safety data shee		
	••	sher of the safety data sheet	L	
	Supplier Name or trade	namo	NEVIED on Too	
		lane	NEXLER sp. z o.o.	01 527
	Address		Łużycka 6, Gdynia, Poland	, 81-537
	Identification r	number (CDN)	191528483	
	Identification r VAT Reg No		PL5862073821	
	Phone		+48 58 781 45 85	
	E-mail		info@nexler.com	
	Web address		www.nexler.com	
		responsible for the safety of		
	Name	responsible for the safety t	NEXLER sp. z o.o.	
	E-mail		info@nexler.com	
1.4.	Emergency teleph	one number		
	National Health Serv			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411

Most serious adverse effects on human health and the environment

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements



Signal word Warning



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

29th December 2020					
12th June 2024	Version	2.1			
Hazardous substances					
bis[4-(2,3-epoxypropoxy)phenyl]propane					
F	12th June 2024 stances propoxy)phenyl]propane	12th June 2024 Version stances propoxy)phenyl]propane	12th June 2024 Version 2.1		

Formaldehvde, oligomeric reac	tion products with 1-chloro-2,3-epoxypropane and phenol					
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.						
Hazard statements						
H315	Causes skin irritation.					
H317	May cause an allergic skin reaction.					
H319	Causes serious eye irritation.					
H411	Toxic to aquatic life with long lasting effects.					
Precautionary statements						
P101	If medical advice is needed, have product container or label at hand.					
P102	Keep out of reach of children.					
P264	Wash hands and exposed parts of the body thoroughly after handling.					
P280	Wear protective gloves/protective clothing/eye protection/face protection.					
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
P391	Collect spillage.					
P501	Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.					

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-073-00-2 CAS: 1675-54-3 EC: 216-823-5 Registration number: 01-2119456619-26	bis[4-(2,3-epoxypropoxy)phenyl]propane	65-75	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Specific concentration limit: Skin Irrit. 2, H315; Eye Irrit. 2, H319: $C \ge 5 \%$	
CAS: 9003-36-5 EC: 701-263-0 Registration number: 01-2119454392-40	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol		Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411	
Index: 603-103-00-4 CAS: 68609-97-2 EC: 271-846-8 Registration number: 01-2119485289-22	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	10-20	Skin Irrit. 2, H315 Skin Sens. 1, H317	1

Notes

1 Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date	29th December 2020		
Revision date	12th June 2024	Version	2.1

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin May cause an allergic skin reaction.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SAFETY DATA SHEET **() exler**

according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date Revision date Version

2.1

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

29th December 2020

12th June 2024

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature required between +10 ° C and +25 ° C. During storage, the product may crystallize, especially at temperatures below 20 °C; then, before use, heat the contents of the package to a temperature of 60-80 °C and mix it, which will allow it to liquefy and empty the package.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set. **DNEL**

bis[4-(2,3-epoxypropoxy)phenyl]propane					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	4.93 mg/m ³	Chronic effects systemic		
Workers	Dermal	0.75 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	0.87 mg/m ³	Chronic effects systemic		
Consumers	Dermal	0.0893 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	0.5 mg/kg bw/day	Chronic effects systemic		

Formaldehyde,	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol				
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Oral	6.25 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	62.5 mg/kg bw/day	Chronic effects systemic		
Workers	Dermal	104.15 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	8.7 mg/m ³	Chronic effects systemic		
Workers	Inhalation	29.39 mg/m ³	Chronic effects systemic		



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date Revision date 29th December 2020 12th June 2024

Version

2.1

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	1 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	3.6 mg/m ³	Chronic effects systemic		
Consumers	Dermal	0.5 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	0.87 mg/m ³	Chronic effects systemic		
Consumers	Oral	0.5 mg/kg bw/day	Chronic effects systemic		

DMEL

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	8.3 µg/cm ²	Acute effects local		

PNEC

bis[4-(2,3-epoxypropoxy)phenyl]propane		
Route of exposure	Value	Value determination	Source
Drinking water	0.006 mg/l		
Water (intermittent release)			
Marine water	0.001 mg/l		
Microorganisms in sewage treatment	10 mg/l		
Freshwater sediment	0.341 mg/kg of dry substance of sediment		
Sea sediments	0.034 mg/kg of dry substance of sediment		
Soil (agricultural)	0.065 mg/kg of dry substance of soil		
Food chain	11 mg/kg of food		
Formaldehyde, oligomeri	c reaction products	with 1-chloro-2,3-epoxypropane a	nd phenol
Route of exposure	Value	Value determination	Source
Drinking water	0.003 mg/l		
Drinking water Marine water	0.003 mg/l 0 mg/l		
Marine water	0 mg/l		
Marine water Freshwater sediment	0 mg/l 0.294 mg/kg		
Marine water Freshwater sediment Sea sediments Soil (agricultural) Microorganisms in sewage treatment	0 mg/l 0.294 mg/kg 0.029 mg/kg 0.237 mg/kg of dry substance of soil 10 mg/l		
Marine water Freshwater sediment Sea sediments Soil (agricultural) Microorganisms in sewage	0 mg/l 0.294 mg/kg 0.029 mg/kg 0.237 mg/kg of dry substance of soil 10 mg/l		
Marine water Freshwater sediment Sea sediments Soil (agricultural) Microorganisms in sewage treatment	0 mg/l 0.294 mg/kg 0.029 mg/kg 0.237 mg/kg of dry substance of soil 10 mg/l 0.025 mg/l		
Marine water Freshwater sediment Sea sediments Soil (agricultural) Microorganisms in sewage treatment Water (intermittent release)	0 mg/l 0.294 mg/kg 0.029 mg/kg 0.237 mg/kg of dry substance of soil 10 mg/l 0.025 mg/l	rivs. Value determination	Source



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date Revision date 29th December 2020 12th June 2024

Version

2.1

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.				
Route of exposure	Value	Value determination	Source	
Marine water	0.011 mg/l			
Water (intermittent release)	0.072 mg/l			
Freshwater sediment	307.16 mg/kg of dry substance of sediment			
Sea sediments	30.72 mg/kg of dry substance of sediment			
Microorganisms in sewage treatment	10 mg/l			
Soil (agricultural)	1.234 mg/kg of dry substance of soil			

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

internation on busic physical and enclinear property	
Physical state	liquid
Colour	colourless
Odour	weak
Melting point/freezing point	-8 °C
Boiling point or initial boiling point and boiling range	>200 °C
Flammability	the product is not flammable
Lower and upper explosion limit	not applicable
Flash point	>150 °C
Auto-ignition temperature	not applicable
Decomposition temperature	not applicable
рН	non-soluble (in water)
Kinematic viscosity	800-1400 mm²/s at 20 °C
Solubility in water	insoluble
Solubility in other solvents	dissolves in most organic solvents
Partition coefficient n-octanol/water (log value)	does not apply to mixtures
Vapour pressure	not determined
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (CAS: 68609-97-2)	0.00018 hPa at 20 °C
Density and/or relative density	
Density	1.14 g/cm ³ at 22 °C



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creati	ion date	29th December 2020			
Revisi	on date	12th June 2024	Version	2.1	
	Relative vapour	density	>1		
	Particle characte		applies to solids		
9.2.	Other informat	tion			
	not available				

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with amines, amides.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

- **10.5.** Incompatible materials Protect against strong acids, bases and oxidizing agents.
- **10.6. Hazardous decomposition products** Not developed under normal uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

LD 50

Acute toxicity

Dermal

Based on the available data, the criteria for classification of the mixture are not met.

OECD 402

bis[4-(2,3-epoxy	propoxy)phen	yl]propane				
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50		>15000 mg/kg bw		Rat (Rattus norvegicus)	М
Dermal	LD50		>23000 mg/kg bw	24 hours	Rabbit	
Formaldehyde, o	ligomeric reac	tion products wit	h 1-chloro-2,3-epo	xypropane ar	nd phenol	
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	>5000 mg/kg bw		Rat (Rattus norvegicus)	F/M

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	
Oral	LD50		26800 mg/kg bw		Rat (Rattus norvegicus)		
Inhalation	LC50		>0.15 mg/l of air	7 hours	Rat (Rattus norvegicus)		
Dermal	LD50		>4000 mg/kg bw		Rabbit		

>2000 mg/kg bw

Rat (Rattus

norvegicus)

F/M



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date Revision date 29th December 2020 12th June 2024

Version

2.1

Skin corrosion/irritation

Causes skin irritation.

bis[4-(2,3-epoxypropoxy)phenyl]propane								
Route of exposure	Result	Method	Exposure time	Species				
Dermal	Slightly irritating	OECD 404	4 hours	Rabbit				
Formaldehyde, olig	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol							
Route of exposure	Result	Method	Exposure time	Species				
Dermal	Slightly irritating	OECD 404	4 hours	Rabbit				
oxirane, mono[(C1	12-14-alkyloxy)methy	l] derivs.						
Route of exposure	Result	Method	Exposure time	Species				
Dermal	Irritating							

Serious eye damage/irritation

Causes serious eye irritation.

bis[4-(2,3-epoxypropoxy)phenyl]propane						
Route of exposure	Result	Method	Exposure time	Species		
Eye Slightly irritating OECD 405 Rabbit						

Respiratory or skin sensitisation

May cause an allergic skin reaction.

bis[4-(2,3-epoxypropoxy)phenyl]propane								
Route of exposure	Result	Method	Exposure time	Species	Sex			
Dermal	Sensitizing	OECD 429		Mouse	F			
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol								
Route of exposure	Result	Method	Exposure time	Species	Sex			
Dermal	Sensitizing	OECD 429		Mouse	F			
oxirane, mono[(C	12-14-alkyloxy)metl	hyl] derivs.						
Route of exposure	Result	Method	Exposure time	Species	Sex			
Dermal	Sensitizing							

Germ cell mutagenicity

Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

Based on the available data, the criteria for classification of the mixture are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date Revision date 29th December 2020 12th June 2024

Version

2.1

Repeated dose toxicity

bis[4-(2,3-epoxypropoxy)phenyl]propane								
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex	
Oral	NOAEL	Systemic effects	OECD 408	50 mg/kg bw/day	14 weeks	Rat (Rattus norvegicus)	F/M	
Dermal	NOAEL	Systemic effects	OECD 411	100 mg/kg bw/day	13 weeks	Mouse	F/M	

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol							
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 408	250 mg/kg bw/day	13 weeks	Rat (Rattus norvegicus)	F/M

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex			
Oral	NOAEL	Systemic effects	OECD 408	100 mg/kg bw/day	13 weeks	Rat (Rattus norvegicus)	F/M			
Dermal	NOAEL	Systemic effects	OECD 411	100 mg/kg bw/day	13 weeks	Rat (Rattus norvegicus)	F/M			

Aspiration hazard

Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects. **Acute toxicity**

bis[4-(2,3-ep	oxypropoxy)phe	enyl]propane			
Parameter	Method	Value	Exposure time	Species	Environmen t
LC50		2 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC₅o		1.8 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	
ErC₅o		>11 mg/l	72 hours	Algae (Scenedesmus subspicatus)	
NOEC		4.2 mg/l	72 hours	Algae (Scenedesmus subspicatus)	
IC50		>100 mg/l	3 hours	Aquatic microorganisms	Activated sludge
Formaldehyde	e, oligomeric rea	ction products with	1-chloro-2,3-epoxyp	ropane and phenol	
Parameter	Method	Value	Exposure time	Species	Environmen t
LC50		2.54 mg/l	96 hours	Fish	
EC₅o		2.55 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date Revision date 29th December 2020 12th June 2024

Version

2.1

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol							
Parameter	Method	Value	Exposure time	Species	Environmer t		
EC₅o		1.8 mg/l	72 hours	Algae (Selenastrum capricornutum)			
EC50	OECD 201	1.8 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)			
NOEC		100 mg/l	3 hours	Aquatic microorganisms			

oxirane, mon	o[(C12-14-alkylo	xy)methyl] derivs.			
Parameter	Method	Value	Exposure time	Species	Environmen t
LL 50		>100 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
IC50	OECD 201	843.75 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
EC50		>100 mg/l	180 minutes	Microorganisms (Photobacterium phosphoreum)	Activated sludge
EL 50		7.2 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	6
NOEC	OECD 201	500 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

Chronic toxicity

bis[4-(2,3-epoxypropoxy)phenyl]propane						
Parameter	Method	Value	Exposure time	Species	Environmen t	
NOEC		0.3 mg/l	21 days	Aquatic invertebrates (Daphnia magna)		
Formaldehyde,	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol					
Parameter	Method	Value	Exposure time	Species	Environmen t	
NOEC	OECD 211	0.3 mg/l	21 days	Aquatic invertebrates (Daphnia magna)		

12.2. Persistence and degradability

The product is not biodegradable to the extent significant for the natural environment. **Biodegradability**

bis[4-(2,3-epoxypropoxy)phenyl]propane					
Parameter	Method	Value	Exposure time	Environment	Result
					Hardly biodegradable
Formaldehyd	e, oligomeric read	ction products v	with 1-chloro-2,3-epoxy	propane and ph	nenol
Parameter	Method	Value	Exposure time	Environment	Result
Parameter	Methou	Value	Exposure time	Linvironmente	Result



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date Revision date 29th December 2020 12th June 2024

Version

2.1

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	87 %	28 days		Easily biodegradable

12.3. Bioaccumulative potential

Bioaccumulation is not expected.

bis[4-(2,3-e	poxypropoxy)p	henyl]propa	ne			
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 117	3.242				25°C
Formaldehyd	le, oligomeric r	eaction prod	lucts with 1-chloro-	2,3-epoxyprop	oane and phenol	
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 117	3.6				20°C
oxirane, mor	no[(C12-14-alk	yloxy)methy	l] derivs.			
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
BCF		160		Fish		
Log Pow	OECD 107	3.77				20°C

12.4. Mobility in soil

The product is insoluble in water and does not show mobility in soil.

bis[4-(2,3-epoxypropoxy)phenyl]propane					
Parameter	Method	Value	Environment	Temperature	
Кос		445		20°C	
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol					
Parameter	Method	Value	Environment	Temperature	
Кос	OECD 121	4460			
oxirane, mono[oxirane, mono[(C12-14-alkyloxy)methyl] derivs.				
Parameter	Method	Value	Environment	Temperature	
Log Koc		>5.63		20°C	

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date Revision date

Version

2.1

13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

- 14.1. UN number or ID number
 - UN 3082
- 14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains: 2,2-bis [4- (2,3-epoxypropoxy) phenyl] propane)

- 14.3. Transport hazard class(es)
 - 9 Miscellaneous dangerous substances and articles

29th December 2020 12th June 2024

- 14.4. Packing group III
- 14.5. Environmental hazards Yes.
- 14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments not relevant

Additional information

Hazard identification No.

- UN number
- Classification code Safety signs



9+hazardous for the environment





according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date	29th December 2020			
Revision date	12th June 2024	Version	2.1	
Road transpor	t - ADR			
Special pro		274, 335, 375, 601		
Limited qua		5 L		
Excepted q		E1		
Packaging				
Packing ins		P001, IBC03, LP01, R001		
_	king provisions	PP1		
	ing provisions	MP19		
Portable t	anks and bulk containers			
Guidelines		T4		
Special pro	visions	TP1, TP29		
ADR tank				
Tank code		LGBV		
Vehicles for	r tank carriage	AT		
Transport o	category	3		
Tunnel rest	riction code	(-)		
Special pr	ovision for			
packages		V12		
loading, un	loading and handling	CV13		
Railway trans	port - RID			
Special pro		274, 335, 375, 601		
Excepted q	uantities	E1		
Packaging	I			
Packing ins	tructions	P001, IBC03, LP01, R001		
Special pac	king provisions	PP1		
Mixed pack	ing provisions	MP19		
Portable t	anks and bulk containers			
Guidelines		T4		
Special pro	visions	TP1, TP29		
RID Tanks	5			
Tank code		LGBV		
Transport o	category	0		
	ovision for			
packages		W12		
loading, un	loading and handling	CW13		
Air transport -	ICAO/IATA			
Packaging i	instructions for limited amount	Y964		
Packaging instructions passenger		964		
Cargo pack	aging instructions	964		
Marine transpo				
	gency plan)	F-A, S-F		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Clean Air Act 1993 as amended. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Public health act 1961. Environmental Protection Act 1990 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date Revision date 29th December 2020 12th June 2024

Version

2.1

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phras	ses used in the safety data sheet
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
Guidelines for safe handling	g used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P391	Collect spillage.
P501	Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

-	
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of
	substance and mixtures
EC	Identification code for each substance listed in EINECS
ECso	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
ELso	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC50	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
LL50	Lethal Loading for 50% of tested organisms
log Kow	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
РВТ	Persistent, Bioaccumulative and Toxic



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date	29th December 2020			
Revision date	12th June 2024	Version	2.1	
ppm	Parts per million			

P P · · · ·	· ····· F ·········
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aquatic Chronic	Hazardous to the aquatic environment (chronic)

Hazardous to the aquatic environment (chronic)
Eye irritation
Skin irritation
Skin sensitization

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

This safety data sheet replaces version 2.0 dated 23.09.2022.

Updated sections: 1,7,10,13,15.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.