		SAFETY D	DATA SHEET		exler
		according to Regulation (EC) N	lo 1907/2006 (REACH) a	as amended	
		Nexler EPOLIS	WE-300 składn	nik B	
	on date	29th December 2020			
Revisio	on date	23rd September 2022	Version	2.0	
SECTI	ON 1: Identification	of the substance/mixture a	nd of the company/ur	dertaking	
1.1.	Product identifier		Nexler EPOLIS W	E-300 składnik B	
	Substance / mixture		mixture		
	UFI		G6SJ-A0X8-V00H	I-K7Q0	
1.2.		uses of the substance or mi	xture and uses advise	ed against	
	Mixture's intended				
	A two-component, wa mineral substrates.	ater-dispersible epoxy composit	ion intended for matting	epoxy resin floors and f	or protecting
	Main intended use				
	PC-CON-5	Construction chemic	als		
	Mixture uses advise	ed against			
	The product should no	ot be used in ways other then t	hose referred in Section	1.	
1.3.	Details of the suppl	lier of the safety data sheet			
	Supplier				
	Name or trade	name	IZOHAN sp. z o.	ο.	
	Address		Łużycka 2, Gdyni	a, 81-963	
			Poland		
	Identification n	umber (CRN)	191528483		
	VAT Reg No		PL5862073821		
	Phone		+48 58 781 45 8	5	
	E-mail		info@izohan.eu		
	Web address		www.izohan.eu		
	Competent person	responsible for the safety da			
	Name		IZOHAN sp. z o.	0.	
	E-mail		info@izohan.eu		
1.4.	Emergency telepho				
	National Health Servi	ce (NHS) 111 formation centre Scotland, NHS			

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements



Signal word Warning



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date	29th December 2020		
Revision date	23rd September 2022	Version	2.0

Hazardous substances

bis[4-(2,3-epoxypropoxy)phenyl]propane Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol oxirane, mono[(C12-14-alkyloxy)methyl] derivs. **Hazard statements** H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. **Precautionary statements** If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P264 Wash hands and exposed parts of the body thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P391 Collect spillage. P501 Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-073-00-2 CAS: 1675-54-3 EC: 216-823-5 Registration number: 01-2119456619-26	bis[4-(2,3-epoxypropoxy)phenyl]propane	65-75	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Specific concentration limit: Skin Irrit. 2, H315; Eye Irrit. 2, H319: $C \ge 5 \%$	
CAS: 9003-36-5 EC: 701-263-0 Registration number: 01-2119454392-40	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol		Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411	
Index: 603-103-00-4 CAS: 68609-97-2 EC: 271-846-8 Registration number: 01-2119485289-22	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	10-20	Skin Irrit. 2, H315 Skin Sens. 1, H317	1

Notes

1 Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date	29th December 2020		
Revision date	23rd September 2022	Version	2.0

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin May cause an allergic skin reaction.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date 29th December 2020 Revision date 23rd September 2022

Version

2.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature required between +10 ° C and +25 ° C.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

DNEL

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	4.93 mg/m ³	Systemic chronic effects		
Workers	Dermal	0.75 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	0.87 mg/m ³	Systemic chronic effects		
Consumers	Dermal	0.0893 mg/kg bw/day	Systemic chronic effects		
Consumers	Oral	0.5 mg/kg bw/day	Systemic chronic effects		
Formaldehyde, o	ligomeric reaction	on products wi	ith 1-chloro-2,3-epoxypropar	ne and phenol	
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Oral	6.25 mg/kg bw/day			
Consumers	Dermal	62.5 mg/kg bw/day	Systemic chronic effects		
Workers	Dermal	104.15 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	8.7 mg/m ³	Systemic chronic effects		
Workers	Inhalation	29.39 mg/m ³	Systemic chronic effects		
oxirane, mono[(0	C12-14-alkyloxy)methyl] deriv	/S.		
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	1 mg/kg bw/day	Systemic chronic effects		
Workers	Inhalation	3.6 mg/m ³	Systemic chronic effects		
Consumers	Dermal	0.5 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	0.87 mg/m ³	Systemic chronic effects		
Consumers	Oral	0.5 mg/kg bw/day	Systemic chronic effects		



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date Revision date 29th December 2020 23rd September 2022

Version

2.0

DMEL

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	8.3 µg/cm ²	Local acute effects		

PNEC

Route of exposure	Value	Value determination	Source
Drinking water	0.006 mg/l		
Water (intermittent release)	0.018 mg/l		
Seawater	0.001 mg/l		
Microorganisms in wastewater treatment plants	10 mg/l		
Freshwater sediment	0.341 mg/kg of dry substance of sediment		
Sea sediments	0.034 mg/kg of dry substance of sediment		
Soil (agricultural)	0.065 mg/kg of dry substance of soil		
Food chain	11 mg/kg of food		
Formaldehyde, oligomeric re	action products with	1-chloro-2,3-epoxypropane and phenol	
Route of exposure	Value	Value determination	Source
Drinking water	0.003 mg/l		
Seawater	0 mg/l		
Freshwater sediment	0.294 mg/kg		
Sea sediments	0.029 mg/kg		
Soil (agricultural)	0.237 mg/kg of dry substance of soil		
Microorganisms in wastewater treatment plants	10 mg/l		
Water (intermittent release)	0.025 mg/l		
oxirane, mono[(C12-14-alky	loxy)methyl] derivs.		
Route of exposure	Value	Value determination	Source
Drinking water	0.106 mg/l		
Seawater	0.011 mg/l		
Water (intermittent release)	0.072 mg/l		
Freshwater sediment	307.16 mg/kg of dry substance of sediment		
Sea sediments	30.72 mg/kg of dry substance of sediment		
Microorganisms in wastewater treatment plants	10 mg/l		
Soil (agricultural)	1.234 mg/kg of dry substance of soil		



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date	29th December 2020		
Revision date	23rd September 2022	Version	2.0

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

-		
	Physical state	liquid
	Colour	colourless
	Odour	weak
	Melting point/freezing point	-8 °C
	Boiling point or initial boiling point and boiling range	>200 °C
	Flammability	The product is non-flammable.
	Lower and upper explosion limit	not applicable
	Flash point	>150 °C
	Auto-ignition temperature	not applicable
	Decomposition temperature	not applicable
	рН	non-soluble (in water)
	Kinematic viscosity	800-1400 mm²/s at 20 °C
	Solubility in water	insoluble
	Solubility in other solvents	dissolves in most organic solvents
	Partition coefficient n-octanol/water (log value)	does not apply to mixtures
	Vapour pressure	not determined
	oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (CAS: 68609-97-2)	0,00018 hPa at 20 °C
	Density and/or relative density	
	Density	1,14 g/cm ³ at 22 °C
	Relative vapour density	>1
	Particle characteristics	applies to solids
•	Other information	
	not available	

SECTION 10: Stability and reactivity

10.1. Reactivity

9.2.

Reacts with amines, amides.

10.2. Chemical stability The product is stable under normal conditions.

- 10.3. Possibility of hazardous reactions
 - Unknown.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date	29th December 2020		
Revision date	23rd September 2022	Version	2.0

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture. Acute toxicity

Based on available data the classification criteria are not met. bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50		>15000 mg/kg bw		Rat (Rattus norvegicus)	М
Dermal	LD50		>23000 mg/kg bw	24 hour	Rabbit	
			1 2 2			

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	>5000 mg/kg bw		Rat (Rattus norvegicus)	F/M
Dermal	LD50	OECD 402	>2000 mg/kg bw		Rat (Rattus norvegicus)	F/M

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD₅o		26800 mg/kg bw		Rat (Rattus norvegicus)	
Inhalation	LC₅o		>0.15 mg/l of air	7 hour	Rat (Rattus norvegicus)	
Dermal	LD50		>4000 mg/kg bw		Rabbit	

Skin corrosion/irritation

Causes skin irritation.

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Result	Method	Exposure time	Species			
Dermal	Slightly irritating	OECD 404	4 hour	Rabbit			
Formaldehyde, oligo	meric reaction products	with 1-chloro-2,3-e	poxypropane and phenol				
Route of exposure Result Method Exposure time Species							
Dermal	Slightly irritating	OECD 404	4 hour	Rabbit			
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.							

Route of exposure	Result	Method	Exposure time	Species
Dermal	Irritating			

Serious eye damage/irritation

Causes serious eye irritation.

Route of exposure	Result	Method	Exposure time	Species
Eye	Slightly irritating	OECD 405		Rabbit



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date Revision date 29th December 2020 23rd September 2022

Version

2.0

Respiratory or skin sensitisation

May cause an allergic skin reaction.

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Result	Method	Exposure time	Species	Sex			
Dermal	Sensitizing	OECD 429		Mouse	F			
Formaldehyde, olige	omeric reaction product	ts with 1-chloro-2,3	B-epoxypropane and phe	nol				
Route of exposure Result Method Exposure time Species Sex								
Dermal	Sensitizing	OECD 429		Mouse	F			
exirence mane[(C12_14_ell/aday)]methyl] derive								

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing				

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Repeated dose toxicity

bis[4-(2,3-epoxypropoxy)phenyl]propane

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 408	50 mg/kg bw/day	14 week	Rat (Rattus norvegicus)	F/M
Dermal	NOAEL	Systemic effects	OECD 411	100 mg/kg bw/day	13 week	Mouse	F/M

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 408	250 mg/kg bw/day		Rat (Rattus norvegicus)	F/M

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 408	100 mg/kg bw/day	13 week	Rat (Rattus norvegicus)	F/M
Dermal	NOAEL	Systemic effects	OECD 411	100 mg/kg bw/day	13 week	Rat (Rattus norvegicus)	F/M

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date Revision date 29th December 2020 23rd September 2022

Version

2.0

Acute toxicity

Toxic to aquatic life with long lasting effects. bis[4-(2,3-epoxypropoxy)phenyl]propane

Parameter	Method	Value	Exposure time	Species	Environmen t
LC50		2 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	
EC₅o		1.8 mg/l	48 hour	Aquatic invertebrates (Daphnia magna)	
ErC₅₀		>11 mg/l	72 hour	Algae (Scenedesmus subspicatus)	
NOEC		4.2 mg/l	72 hour	Algae (Scenedesmus subspicatus)	
IC50		>100 mg/l	3 hour	Aquatic microorganisms	Activated sludge

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Parameter	Method	Value	Exposure time	Species Environm t
LC50		2.54 mg/l	96 hour	Fishes
EC₅o		2.55 mg/l	48 hour	Aquatic invertebrates (Daphnia magna)
EC₅o		1.8 mg/l	72 hour	Algae (Selenastrum capricornutum)
EC50	OECD 201	1.8 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)
NOEC		100 mg/l	3 hour	Aquatic microorganisms

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Parameter	Method	Value	Exposure time	Species	Environmen t
LL 50		>100 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	
IC50	OECD 201	843.75 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	
EC50		>100 mg/l	180 min	Microorganisms (Photobacterium phosphoreum)	Activated sludge
EL 50		7.2 mg/l	48 hour	Aquatic invertebrates (Daphnia magna)	
NOEC	OECD 201	500 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	

Chronic toxicity

Parameter	Method	Value	Exposure time	Species	Environmen t
NOEC		0.3 mg/l	21 day	Aquatic invertebrates (Daphnia magna)	
Formaldehyde, ol	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol				
Parameter	Method	Value	Exposure time	Species	Environmen t
NOEC	OECD 211	0.3 mg/l	21 day	Aquatic invertebrates (Daphnia magna)	



°C

20°C

according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date Revision date 29th December 2020 23rd September 2022

Version

2.0

12.2. Persistence and degradability

Biodegradability

bis[4-(2,3-epoxypropoxy)phenyl]propane

Parameter	Method	Value	Exposure time	Environment	Result	
					Hardly biodegradable	
Formaldehyde, o	ligomeric reaction pro	oducts with 1-chloro	o-2,3-epoxypropane a	and phenol		
Parameter	Method	Value	Exposure time	Environment	Result	
					Hardly biodegradable	
oxirane, mono[(0	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.					
Parameter	Method	Value	Exposure time	Environment	Result	
	OECD 301F	87 %	28 day		Easily biodegradable	

The product is not biodegradable to the extent significant for the natural environment.

12.3. Bioaccumulative potential

bis[4-(2,3-epoxypropoxy)phenyl]propane

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 117	3.242				25°C
Formaldehyde,	oligomeric reacti	on products with	1-chloro-2,3-epo	xypropane and pheno	ol	
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 117	3.6				20°C
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.						
Parameter	Method	Value	Exposure time	Species	Environment	Temperature

Fishes

Log Pow OECD 107 3.77 Bioaccumulation is not expected.

12.4. Mobility in soil

BCF

bis[4-(2,3-epoxypropoxy)phenyl]propane

Parameter	Method	Value	Environment	Temperature		
Кос		445		20°C		
Formaldehyde, oligor	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol					
Parameter	Method	Value	Environment	Temperature		
Кос	OECD 121	4460				
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.						
Parameter	Method	Value	Environment	Temperature		

Parameter	Method	Value	Environment	Temperature
Log Koc		>5.63		20°C

The product is insoluble in water and does not show mobility in soil.

160

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations



Nexler EPOLIS WE-300 składnik B

Creation date	29th December 2020		
Revision date	23rd September 2022	Version	2.0

13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 03 05 organic wastes containing hazardous substances *

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 3082

14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains: 2,2-bis [4- (2,3-epoxypropoxy) phenyl] propane)

- 14.3. Transport hazard class(es)
- 9 Miscellaneous dangerous substances and articles

14.4. Packing group

- III substances presenting low danger
- 14.5. Environmental hazards
 - Yes.
- 14.6. Special precautions for user
 - Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

Additional information

Hazard identification No.

UN number Classification code

Safety signs



9+hazardous for the environment





according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date	29th December 2020			
Revision date	23rd September 2022	Version	2.0	
Road transport - /	ADR			
Special provision		274, 335, 375, 601		
Limited quantit	ies	5 L		
Excepted quan	tities	E1		
Packaging				
Packing instruc	tions	P001, IBC03, LP01, R001		
Special packing	g provisions	PP1		
Mixed packing	provisions	MP19		
Portable tank	s and bulk containers			
Guidelines		T4		
Special provision	ons	TP1, TP29		
ADR tank				
Tank code		LGBV		
Vehicles for tar	nk carriage	AT		
Transport cate	gory	3		
Tunnel restricti	ion code	(-)		
Special provis	sion for			
packages		V12		
loading, unload	ling and handling	CV13		
Railway transport	: - RID			
Special provision	ons	274, 335, 375, 601		
Excepted quan	tities	E1		
Packaging				
Packing instruc	tions	P001, IBC03, LP01, R001		
Special packing	g provisions	PP1		
Mixed packing	provisions	MP19		
Portable tank	s and bulk containers			
Guidelines		T4		
Special provision	ons	TP1, TP29		
RID Tanks				
Tank code		LGBV		
Transport cate	gory	0		
Special provis	sion for			
packages		W 12		
loading, unload	ling and handling	CW 13		
Air transport - IC	ΑΟ/ΙΑΤΑ			
Packaging instr	ructions for limited amount	Y964		
Packaging instr	ructions passenger	964		
Cargo packagir		964		
Marine transport				
EmS (emergen	cy plan)	F-A, S-F		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Public health act 1961. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not available



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Cre	eation date	29th December 2020		
Re	vision date	23rd September 2022	Version	2.0

SECTION 16: Other information

A list of standard risk pl	hrases used in the safety data sheet
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
Guidelines for safe hand	lling used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P391	Collect spillage.
P501	Dispose of contents/container to according to the instructions of the manufacturer
	or person authorized to dispose of waste.
Other important informa	ation about human health protection
	unless specifically approved by the manufacturer/importer - used for purposes other than user is responsible for adherence to all related health protection regulations.
Key to abbreviations and	d acronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by
	road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CE50	Concentration of a substance when it is affected 50% of the population
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DMEL	Derived minimal effect level
DNEL	Derived no-effect level
EINECS	European Inventory of Existing Commercial Chemical Substances
ELso	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EuPCS	European Product Categorisation System
ΙΑΤΑ	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC ₅₀	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
LL50	Lethal Loading for 50% of tested organisms
log Kow	Octanol-water partition coefficient
LZO	Volatile organic compounds
MARPOL	International Convention for the Prevention of Pollution from Ships
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
РВТ	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million



according to Regulation (EC) No 1907/2006 (REACH) as amended

Nexler EPOLIS WE-300 składnik B

Creation date	29th December 2020			
Revision date	23rd September 2022	Version	2.0	

REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals			
RID	Agreement on the transport of dangerous goods by rail			
UE	European Union			
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations			
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials			
vPvB	Very Persistent and very Bioaccumulative			
WE	Identification code for each substance listed in EINECS			
Aquatic Chronic	Hazardous to the aquatic environment (chronic)			
Eye Irrit.	Eye irritation			
Skin Irrit.	Skin irritation			

Skin Sens.

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

Skin sensitization

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

This safety data sheet replaces version 1.0 of 29/12/2020. Section update: 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.