

**NATIONAL DECLARATION OF PERFORMANCE
No. 726N-KDWU-2022**

1. *Name and trade name of the construction product:*

Name: NEXLER PENETRATOR G7 bitumen solution PN-B-24620
Trade name: NEXLER PENETRATOR G7

2. *Identification of the type of the construction product:*

NEXLER PENETRATOR G7 01

3. *Intended use or uses:*

Bitumen solution NEXLER PENETRATOR G7 is used for priming the substrate before the application of proper waterproofing and for making moisture-proof coatings.

4. *Name and address of the manufacturer:*

NEXLER sp. z o.o.
ul. Łużycka 6, 81-537 Gdynia, Poland
tel., fax +48 58 781 45 85
www.nexler.com

Production site:
Poland

5. *Name and address of authorised representative, where applicable:*

not applicable

6. *National system applied for assessment and verification of constancy of performance:*

3

7. *National technical specification:*

7a. *Polish product standard:* PN-B-24620:1998 Cold asphalt binders, compounds and solutions, PN-B-24620:1998/Az1:2004

Name of accredited certification body, number of accreditation and number of national certificate or name of accredited laboratory/laboratories and number of accreditation: Polskie Centrum Badań i Certyfikacji S.A., Oddział Badań i Certyfikacji w Gdańsku, Laboratorium Wytrobów Budowlanych, AB 011

7b. *National Technical Assessment:* not applicable

Technical Assessment Body/ National Technical Assessment Body: not applicable

Name of accredited certification body, number of accreditation and number of certificate: not applicable

8. *Declared performance:*

<i>Essential characteristics of construction product for the intended use or uses</i>	<i>Declared performance</i>	<i>Remarks</i>
Flow time at temperature (23 ± 0,5) °C, s, cup no. 4	30 - 150	
Pensky-Martens flash point, °C, no less than	31 - 40	
Water content, % (m/m), no more than	0,5	
Drying time, h, no longer than	12	

9. *The performance of the product identified above is in conformity with all declared performance in clause 8. This national declaration of performance is issued in accordance with the act on construction products dated 16 April 2004 under the sole responsibility of the manufacturer.*

Signed for and on behalf of the manufacturer by:

Dawid Dębski, R&D Manager
(name and function)

Gdynia, 19.02.2024, issue 3
(place and date of issue)


Dyrektor ds. Badań i Rozwoju

dr inż. Dawid Dębski

.....
(signature)

**NATIONAL DECLARATION OF PERFORMANCE
No. 726K-KDWU-2022**

1. *Name and trade name of the construction product:*

Name: Bitumen solution for priming concrete NEXLER Penetrator G7

Trade name: Bitumen priming agent NEXLER Penetrator G7

2. *Identification of the type of the construction product:*

asfaltowy środek gruntujący NEXLER Penetrator G7

3. *Intended use or uses:*

Bitumen priming agent NEXLER Penetrator G7 is used in road construction for priming the cement concrete substrate before laying the NEXLER Most+ weldable roofing felt.

4. *Name and address of the manufacturer:*

NEXLER sp. z o.o.
ul. Łużycka 6, 81-537 Gdynia, Poland
tel., fax +48 58 781 45 85
www.nexler.com

Production site:

Poland

5. *Name and address of authorised representative, where applicable:*

not applicable

6. *National system applied for assessment and verification of constancy of performance:*

2+

7. *National technical specification:*

7a. *Polish product standard:* not applicable

Name of accredited certification body, number of accreditation and number of national certificate or name of accredited laboratory/laboratories and number of accreditation: not applicable

7b. *National Technical Assessment:* Krajowa Ocena Techniczna nr IBDiM-KOT-2019/0277 wydanie 3
Technical Assessment Body/ National Technical Assessment Body: Instytut Badawczy Dróg i Mostów,
ul. Instytutowa 1, 03-302 Warszawa

Name of accredited certification body, number of accreditation and number of certificate: Polskie Centrum Badań i Certyfikacji S.A., AC 013, Krajowy Certyfikat Zgodności Zakładowej Kontroli Produkcji Nr 013-UWB-126

8. *Declared performance:*

<i>Essential characteristics of construction product for the intended use or uses</i>	<i>Declared performance</i>	<i>Remarks</i>
Drying time, h	≤ 6	
Water content, %	≤ 0,5	
Viscosity (flow time, ISO cup Ø4 mm), s	58 ± 6	

9. *The performance of the product identified above is in conformity with all declared performance in clause 8. This national declaration of performance is issued in accordance with the act on construction products dated 16 April 2004 under the sole responsibility of the manufacturer.*

Signed for and on behalf of the manufacturer by:

Dawid Dębski, R&D Manager
(name and function)

Gdynia, 19.02.2024, issue 3
(place and date of issue)


Dyrektor ds. Badań i Rozwoju


dr inż. Dawid Dębski

.....
(signature)