

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date	09th February 2023	Version	1.1
Revision date	25th March 2024		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier NEXLER EPOLIS EP 601 składnik B
Substance / mixture mixture
UFI WT7K-D08R-X00N-18RY

1.2. Relevant identified uses of the substance or mixture and uses advised against
Mixture's intended use

A two-component, deeply penetrating, fast-drying epoxy primer for mineral bases under proper epoxy waterproofing. Also used as a reinforcement for a mineral base or for weldable roofing felts; for indoor and outdoor use.

Main intended use

PC-CON-5 Construction chemicals

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name	NEXLER sp. z o.o.
Address	Łużycka 6, Gdynia, 81-537 Poland
Identification number (CRN)	191528483
VAT Reg No	PL5862073821
Phone	+48 58 781 45 85
E-mail	info@nexler.com
Web address	www.nexler.com

Competent person responsible for the safety data sheet

Name	NEXLER sp. z o.o.
E-mail	info@nexler.com

1.4. Emergency telephone number

National Health Service (NHS) 111
National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Acute Tox. 4, H302
Skin Corr. 1C, H314
Skin Sens. 1, H317
Eye Dam. 1, H318
Aquatic Acute 1, H400
Aquatic Chronic 2, H411

Most serious adverse effects on human health and the environment

Harmful if swallowed. Causes serious eye damage. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram



Signal word

Danger

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date 09th February 2023
Revision date 25th March 2024 Version 1.1

Hazardous substances

Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated
Formaldehyde, oligomeric reaction products with phenol
3-aminopropyldiethylamine
Reaction products of m-phenylenebis(methylamine)(MXDA) with styrene

Hazard statements

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P391 Collect spillage.
P501 Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 1173092-74-4 EC: 630-554-4 Registration number: - [REACH art. 2 (9)]	Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated	70-<90	Acute Tox. 4, H302 Skin Corr. 1C, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	1
CAS: 9003-35-4 EC: 500-005-2 Registration number: 01-2120735197-51	Formaldehyde, oligomeric reaction products with phenol	10-<20	Skin Sens. 1, H317 Eye Irrit. 2, H319	1
Index: 612-062-00-1 CAS: 104-78-9 EC: 203-236-4 Registration number: 01-2119965402-39	3-aminopropyldiethylamine	5-<10	Flam. Liq. 3, H226 Acute Tox. 4, H302 Acute Tox. 3, H311 Skin Corr. 1B, H314 Skin Sens. 1, H317 Eye Dam. 1, H318	

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date 09th February 2023
Revision date 25th March 2024 Version 1.1

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 404362-22-7 EC: 445-790-1 Registration number: 01-0000018826-60	Reaction products of m-phenylenebis (methylamine)(MXDA) with styrene	2,5-<10	Acute Tox. 4, H302 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	

Notes

1 Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower. Rinse cautiously with water for several minutes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns. May cause an allergic skin reaction.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date 09th February 2023
Revision date 25th March 2024 Version 1.1

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage. As a result of thermal decomposition or reactions with incompatible substances, compounds such as nitric acid, ammonia, nitrogen oxides, aldehydes, nitrosamines may be formed. Nitrogen oxides can react with water vapor to form caustic nitric acid.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

DNEL

3-aminopropyl-diethylamine					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	24.7 mg/m ³	Chronic effects systemic		
Workers	Dermal	3.5 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	1.8 mg/m ³	Chronic effects systemic		

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date	09th February 2023	Version	1.1
Revision date	25th March 2024		

3-aminopropyldiethylamine

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Oral	0.5 mg/kg bw/day	Chronic effects systemic		

Formaldehyde, oligomeric reaction products with phenol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	98.7 mg/m ³	Chronic effects systemic		
Workers	Dermal	28 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	17.4 mg/m ³	Chronic effects systemic		
Consumers	Dermal	10 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	10 mg/kg bw/day	Chronic effects systemic		

Reaction products of m-phenylenebis(methylamine)(MXDA) with styrene

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	0.18 mg/m ³	Chronic effects systemic		
Workers	Inhalation	0.004 mg/m ³	Chronic effects local		
Workers	Dermal	0.05 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	0.04 mg/m ³	Chronic effects systemic		
Consumers	Inhalation	0.002 mg/m ³	Chronic effects local		
Consumers	Dermal	0.03 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	0.03 mg/kg bw/day	Chronic effects systemic		

PNEC

3-aminopropyldiethylamine

Route of exposure	Value	Value determination	Source
Drinking water	0.2 mg/l		
Water (intermittent release)	0.3 mg/l		
Marine water	0.02 mg/l		
Microorganisms in sewage treatment	10 mg/l		
Freshwater sediment	2.788 mg/kg of dry substance of sediment		
Sea sediments	0.279 mg/kg of dry substance of sediment		
Soil (agricultural)	0.44 mg/kg of dry substance of soil		

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date 09th February 2023
Revision date 25th March 2024 Version 1.1

Formaldehyde, oligomeric reaction products with phenol			
Route of exposure	Value	Value determination	Source
Drinking water	0.1 mg/l		
Water (intermittent release)	1 mg/l		
Marine water	10 µg/l		
Freshwater sediment	6.73 mg/kg of dry substance of sediment		
Sea sediments	0.673 mg/kg of dry substance of sediment		
Soil (agricultural)	1.29 mg/kg of dry substance of soil		

Reaction products of m-phenylenebis(methylamine)(MXDA) with styrene			
Route of exposure	Value	Value determination	Source
Drinking water	0.001 mg/l		
Water (intermittent release)	0.002 mg/l		
Marine water	0 mg/l		
Microorganisms in sewage treatment	1 mg/l		
Freshwater sediment	0.14 mg/kg of dry substance of sediment		
Sea sediments	0.014 mg/kg of dry substance of sediment		
Soil (agricultural)	0.028 mg/kg of dry substance of soil		
Food chain	0.167 mg/kg of food		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid
Colour brown, yellow

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date	09th February 2023	Version	1.1
Revision date	25th March 2024		

Odour	amine
Melting point/freezing point	<-20 °C
Boiling point or initial boiling point and boiling range	>200 °C
Flammability	the product is not flammable
Lower and upper explosion limit	not applicable
Flash point	>100 °C
Auto-ignition temperature	not determined
3-aminopropyldiethylamine (CAS: 104-78-9)	246 °C
Decomposition temperature	not applicable
pH	10.5-11.5 (10% solution)
Kinematic viscosity	not determined
Viscosity	350 - 650 mPas at 23 °C
Solubility in water	partially soluble
Partition coefficient n-octanol/water (log value)	does not apply to mixtures
Vapour pressure	not determined
3-aminopropyldiethylamine (CAS: 104-78-9)	1.996 hPa at 24.2 °C
Density and/or relative density	
Density	0.94-1.04 g/cm ³ at 23 °C
Relative vapour density	>1
Particle characteristics	applies to solids

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with peroxides, aldehydes, ketones, epoxy resins.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Carefully! N-Nitrosamines, many of which are known to be potentially carcinogenic, may form when the product comes into contact with nitric acid, nitrites or atmospheres with high concentrations of nitrous oxide. Reactive metals (e.g. sodium, calcium, zinc, etc.). Substances which react with hydroxyl compounds. Organic acids (i.e. acetic acid, citric acid etc.). Mineral Acids. Sodium hypochlorite. Oxidizing agents, reaction with peroxides may cause rapid decomposition of the peroxide with the possibility of an explosion.

10.6. Hazardous decomposition products

Not developed under normal uses. As a result of thermal decomposition or reactions with incompatible substances, compounds such as nitric acid, ammonia, nitrogen oxides, aldehydes, nitrosamines may be formed. Nitrogen oxides can react with water vapor to form caustic nitric acid.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Harmful if swallowed.

3-aminopropyldiethylamine						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀	OECD 401	830 mg/kg bw		Rat (Rattus norvegicus)	F/M

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date	09th February 2023	Version	1.1
Revision date	25th March 2024		

3-aminopropyldiethylamine

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Dermal	LD ₅₀	OECD 402	524 mg/kg bw	24 hours	Rabbit	M

Formaldehyde, oligomeric reaction products with phenol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		>5000 mg/kg bw		Rat (Rattus norvegicus)	F/M
Dermal	LD ₅₀		>2000 mg/kg bw	24 hours	Rat (Rattus norvegicus)	F/M

Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
	LD ₅₀		500 mg/kg bw		Rat (Rattus norvegicus)	

Reaction products of m-phenylenebis(methylamine)(MXDA) with styrene

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀	OECD 401	500<...<2000 mg/kg bw		Rat (Rattus norvegicus)	F/M

Skin corrosion/irritation

Skin corrosion/irritation - category 1C. In vitro membrane barrier test method.

3-aminopropyldiethylamine

Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive			Rabbit

Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated

Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive		<4 hours	

Reaction products of m-phenylenebis(methylamine)(MXDA) with styrene

Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive	OECD 404		Rabbit

Serious eye damage/irritation

Causes serious eye damage. Causes severe skin burns and eye damage.

3-aminopropyldiethylamine

Route of exposure	Result	Exposure time	Species
Eye	Corrosive		Rabbit

Formaldehyde, oligomeric reaction products with phenol

Route of exposure	Result	Exposure time	Species
Eye	Irritating	24 hours	Rabbit

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date 09th February 2023
Revision date 25th March 2024 Version 1.1

Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated

Route of exposure	Result	Exposure time	Species
Eye	Serious eye damage		

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Formaldehyde, oligomeric reaction products with phenol

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing			Human	M

Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing				

Reaction products of m-phenylenebis(methylamine)(MXDA) with styrene

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing	OECD 406		Mouse	F

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Repeated dose toxicity

3-aminopropyl-diethylamine

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 408	250 mg/kg bw/day	13 weeks	Rat (Rattus norvegicus)	F

Reaction products of m-phenylenebis(methylamine)(MXDA) with styrene

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOEL	Systemic effects	OECD 407	5 mg/kg bw/day	28 days	Rat (Rattus norvegicus)	F/M
Inhalation (aerosols)	NOAEL	Systemic effects	OECD 413	2.99 mg/m ³ of air	90 days	Rat (Rattus norvegicus)	F/M
Inhalation (aerosols)	LOAEC	Local effects	OECD 413	0.15 mg/m ³ of air	90 days	Rat (Rattus norvegicus)	F/M

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date 09th February 2023
Revision date 25th March 2024 Version 1.1

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life.

Acute toxicity

3-aminopropyl-diethylamine					
Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀		146.6 mg/l	96 hours	Fish (<i>Leuciscus idus</i>)	
EC ₅₀		30.16 mg/l	48 hours	Aquatic invertebrates (<i>Daphnia magna</i>)	
ErC ₅₀	OECD 201	34 mg/l	72 hours	Algae (<i>Raphidocelis subcapitata</i>)	
NOEC	OECD 201	19.53 mg/l	72 hours	Algae (<i>Raphidocelis subcapitata</i>)	
EC ₅₀		100.5 mg/l	17 hours	Aquatic microorganisms (<i>Pseudomonas putida</i>)	

Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated					
Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀		283 mg/l	96 hours	Fish (<i>Oncorhynchus mykiss</i>)	
EC ₅₀		11.5 mg/l	48 hours	Aquatic invertebrates (<i>Daphnia magna</i>)	
EC ₅₀	OECD 201	0.56 mg/l	72 hours	Algae (<i>Raphidocelis subcapitata</i>)	

Reaction products of m-phenylenebis(methylamine)(MXDA) with styrene					
Parameter	Method	Value	Exposure time	Species	Environment
LL ₅₀	OECD 203	4 mg/l	96 hours	Fish (<i>Oncorhynchus mykiss</i>)	
EL ₅₀	OECD 202	3.4 mg/l	48 hours	Aquatic invertebrates (<i>Daphnia magna</i>)	
EL ₅₀	OECD 201	0.15 mg/l	72 hours	Algae (<i>Desmodesmus subspicatus</i>)	
NOELR	OECD 201	0.04 mg/l	72 hours	Algae (<i>Desmodesmus subspicatus</i>)	
EC ₅₀	OECD 209	70 mg/l	3 hours	Aquatic microorganisms	Activated sludge
NOEC	OECD 209	10 mg/l	3 hours	Aquatic microorganisms	Activated sludge

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date	09th February 2023	Version	1.1
Revision date	25th March 2024		

Chronic toxicity

Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated					
Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD 201	0.26 mg/l	72 hours	Algae (Raphidocelis subcapitata)	

Reaction products of m-phenylenebis(methylamine)(MXDA) with styrene					
Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD 211	0.14 mg/l	21 days	Aquatic invertebrates (Daphnia magna)	

12.2. Persistence and degradability

The product is partially biodegradable.

Biodegradability

3-aminopropyldiethylamine					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301A	90-100 %	28 days		Easily biodegradable

Formaldehyde, oligomeric reaction products with phenol					
Parameter	Method	Value	Exposure time	Environment	Result
		>60 %	10 days		Easily biodegradable

Reaction products of m-phenylenebis(methylamine)(MXDA) with styrene					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301C	0 %	28 days		Not biodegradable

12.3. Bioaccumulative potential

Bioaccumulation is not expected.

3-aminopropyldiethylamine						
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 107	0.36				25°C

Formaldehyde, oligomeric reaction products with phenol						
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 117	3.564				25°C

Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated						
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow		2.2				

12.4. Mobility in soil

The product shows low mobility in soil.

3-aminopropyldiethylamine					
Parameter	Method	Value	Environment	Temperature	Value determination
Log Koc		2.01			QSAR

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date 09th February 2023
Revision date 25th March 2024 Version 1.1

Formaldehyde, oligomeric reaction products with phenol

Parameter	Method	Value	Environment	Temperature	Value determination
Log Koc	OECD 121	2.804		25°C	

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 2735

14.2. UN proper shipping name

AMINES, LIQUID, CORROSIVE, N.O.S. (contains: hydrogenated, carbomonocyclic polyazaalkanes)

14.3. Transport hazard class(es)

8 Corrosive substances

14.4. Packing group

III

14.5. Environmental hazards

Yes.

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant


Additional information

Hazard identification No.

UN number

Classification code

Safety signs



C7

8+hazardous for the environment



SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date	09th February 2023	Version	1.1
Revision date	25th March 2024		

Road transport - ADR

Special provisions	274
Limited quantities	5 L
Excepted quantities	E1

Packaging

Packing instructions	P001, IBC03, LP01, R001
Mixed packing provisions	MP19

Portable tanks and bulk containers

Guidelines	T7
Special provisions	TP1, TP28

ADR tank

Tank code	L4BN
Vehicles for tank carriage	AT
Transport category	3
Tunnel restriction code	(E)

Special provision for

packages	V12
----------	-----

Railway transport - RID

Special provisions	274
Excepted quantities	E1

Packaging

Packing instructions	P001, IBC03, LP01, R001
Mixed packing provisions	MP19

Portable tanks and bulk containers

Guidelines	T7
Special provisions	TP1, TP28

RID Tanks

Tank code	L4BN
Transport category	0

Special provision for

packages	W12
----------	-----

Air transport - ICAO/IATA

Packaging instructions for limited amount	Y841
Packaging instructions passenger	852
Cargo packaging instructions	856

Marine transport - IMDG

EmS (emergency plan)	F-A, S-B
MFAG	320

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Clean Air Act 1993 as amended. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Public health act 1961. Environmental Protection Act 1990 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date	09th February 2023	Version	1.1
Revision date	25th March 2024		

A list of standard risk phrases used in the safety data sheet

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P391	Collect spillage.
P501	Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EL ₅₀	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LL ₅₀	Lethal Loading for 50% of tested organisms
LOAEC	Lowest observed adverse effect concentration
log K _{ow}	Octanol-water partition coefficient

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER EPOLIS EP 601 składnik B

Creation date	09th February 2023	Version	1.1
Revision date	25th March 2024		

NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
NOELR	No Observed Effect Loading Rate
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Flam. Liq.	Flammable liquid
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

This safety data sheet replaces version: 1.0 dated 09.02.2023.

Updated sections: 1,9,13,14,15.

More information

Classification procedure - calculation method and based on test results.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.