	_		vexler			
		lation (EC) No 1907/2006 (REACH) as a				
		EPOLIS EP 601 składnik	СВ			
	ion date 09th February 20	J23 Version	1.0			
REVIS		Version	1.0			
	ION 1: Identification of the substance,		÷			
1.1.	Product identifier	NEXLER EPOLIS EP 6	501 składnik B			
	Substance / mixture	mixture				
	UFI	WT7K-D08R-X00N-1				
1.2.	Relevant identified uses of the subs	tance or mixture and uses advised a	against			
	Mixture's intended use					
	A two-component, deeply penetrating, f					
	Also used as a reinforcement for a mine	rai base of for weidable rooting fells; to	r muoor and outdoor use.			
	Main intended use PC-CON-5 Constru	ction chemicals				
	Mixture uses advised against					
	The product should not be used in ways	other than these referred in Section 1				
1.3.	Details of the supplier of the safety					
1.5.	Supplier					
	Name or trade name	IZOHAN sp. z o.o.				
	Address	Łużycka 2, Gdynia, 8	21 062			
	Address	Poland	51-905			
	Identification number (CRN)	191528483				
	VAT Reg No	PL5862073821				
	Phone	+48 58 781 45 85				
	E-mail	info@izohan.eu				
	Web address	www.izohan.eu				
	Competent person responsible for th					
	Name	IZOHAN sp. z o.o.				
	E-mail	info@izohan.eu				
1.4.	Emergency telephone number					
	National Health Service (NHS) 111					
National poisoning information centre Scotland, NHS 24: 111						

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.


Acute Tox. 4, H302 Skin Corr. 1C, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

## Most serious adverse effects on human health and the environment

Harmful if swallowed. Causes serious eye damage. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

## 2.2. Label elements





according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER EPOLIS EP 601 składnik B

Creation date Revision date

Version

1.0

## Hazardous substances

cyclic polyazaalkanes, hydrogenated ion products with phenol enebis(methylamine)(MXDA) with styrene
Harmful if swallowed.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Very toxic to aquatic life with long lasting effects.
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Collect spillage.
Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

#### Requirements for child-resistant fastenings and tactile warning of danger

09th February 2023

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

# Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 1173092-74-4 EC: 630-554-4 Registration number: - [REACH art. 2 (9)]	Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated	70-<90	Acute Tox. 4, H302 Skin Corr. 1C, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	1
CAS: 9003-35-4 EC: 500-005-2 Registration number: 01-2120735197-51	Formaldehyde, oligomeric reaction products with phenol	10-<20	Skin Sens. 1, H317 Eye Irrit. 2, H319	1
Index: 612-062-00-1 CAS: 104-78-9 EC: 203-236-4 Registration number: 01-2119965402-39	3-aminopropyldiethylamine	5-<10	Flam. Liq. 3, H226 Acute Tox. 4, H302 Acute Tox. 3, H311 Skin Corr. 1B, H314 Skin Sens. 1, H317 Eye Dam. 1, H318	



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER EPOLIS EP 601 składnik B

Creation date Revision date	09th February 2023	Version	1.0	
Identification numbers	Substance name	Content ir % weight		Note
CAS: 404362-22-7 EC: 445-790-1 Registration number: 01-0000018826-60	Reaction products of m-phenylenebis (methylamine)(MXDA) with styrene	2,5-<10,0	Acute Tox. 4, H302 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	

#### Notes

1 Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

#### If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower. Rinse cautiously with water for several minutes.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

#### If swallowed

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

#### Most important symptoms and effects, both acute and delayed

#### If inhaled

4.2.

Inhaling vapours can cause corrosion of the breathing system.

#### If on skin

Causes severe skin burns. May cause an allergic skin reaction.

#### If in eyes

Causes serious eye damage.

#### If swallowed

Corrosion of the digestion system can occur.

# **4.3.** Indication of any immediate medical attention and special treatment needed Symptomatic treatment.



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER EPOLIS EP 601 składnik B

Creation date Revision date 09th February 2023

Version

1.0

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage. As a result of thermal decomposition or reactions with incompatible substances, compounds such as nitric acid, ammonia, nitrogen oxides, aldehydes, nitrosamines may be formed. Nitrogen oxides can react with water vapor to form caustic nitric acid.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.

## 7.3. Specific end use(s)

not available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set. **DNEL** 

3-aminopropyldiethylamine

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	24.7 mg/m <sup>3</sup>	Systemic chronic effects		
Workers	Dermal	3.5 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	1.8 mg/m <sup>3</sup>	Systemic chronic effects		
Consumers	Oral	0.5 mg/kg bw/day	Systemic chronic effects		



1.0

according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER EPOLIS EP 601 składnik B

Version

Creation date Revision date

# 09th February 2023

Formaldehyde, oligomeric reaction products with phenol Workers / Route of Value Value Effect Source consumers exposure determination Workers Inhalation 98.7 Systemic chronic effects mg/m<sup>3</sup> Workers Dermal 28 mg/kg Systemic chronic effects bw/day 17.4 Consumers Inhalation Systemic chronic effects mg/m<sup>3</sup> 10 mg/kg Consumers Dermal Systemic chronic effects bw/day Consumers Oral 10 mg/kg Systemic chronic effects bw/day Reaction products of m-phenylenebis(methylamine)(MXDA) with styrene Workers / Route of Value Value Effect Source consumers exposure determination Workers Inhalation 0.18 Systemic chronic effects mg/m³ Workers Inhalation 0.004 Local chronic effects mg/m³ Workers 0.05 mg/kg Dermal Systemic chronic effects bw/day Consumers Inhalation 0.04 Systemic chronic effects mg/m<sup>3</sup> Inhalation 0.002 Local chronic effects Consumers mg/m<sup>3</sup> Consumers Dermal 0.03 mg/kg Systemic chronic effects bw/day Consumers Oral 0.03 mg/kg Systemic chronic effects bw/day

## PNEC

3-aminopropyldiethylamine

Route of exposure	Value	Value determination	Source
Drinking water	0.2 mg/l		
Water (intermittent release)	0.3 mg/l		
Seawater	0.02 mg/l		
Microorganisms in wastewater treatment plants	10 mg/l		
Freshwater sediment	2.788 mg/kg of dry substance of sediment		
Sea sediments	0.279 mg/kg of dry substance of sediment		
Soil (agricultural)	0.44 mg/kg of dry substance of soil		
Formaldehyde, oligomeric re	action products with	phenol	
Route of exposure	Value	Value determination	Source
Drinking water	0.1 mg/l		
Water (intermittent release)	1 mg/l		
Seawater	10 µg/l		
Freshwater sediment	6.73 mg/kg of dry substance of sediment		



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER EPOLIS EP 601 składnik B

Creation date Revision date

09th February 2023

Version

1.0

## Formaldehyde, oligomeric reaction products with phenol

Route of exposure	Value	Value determination	Source				
Sea sediments	0.673 mg/kg of dry substance of sediment						
Soil (agricultural)	1.29 mg/kg of dry substance of soil						
Reaction products of m-phenylenebis(methylamine)(MXDA) with styrene							

Route of exposure	Value	Value determination	Source
Drinking water	0.001 mg/l		
Water (intermittent release)	0.002 mg/l		
Seawater	0 mg/l		
Microorganisms in wastewater treatment plants	1 mg/l		
Freshwater sediment	0.14 mg/kg of dry substance of sediment		
Sea sediments	0.014 mg/kg of dry substance of sediment		
Soil (agricultural)	0.028 mg/kg of dry substance of soil		
Food chain	0.167 mg/kg of food		

#### 8.2. **Exposure controls**

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

#### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **Thermal hazard**

Data not available.

#### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

#### **SECTION 9: Physical and chemical properties** 9

ə.1.	Information	on basic	physical	and	chemical	properties
------	-------------	----------	----------	-----	----------	------------

Physical state	liquid
Colour	brown, yellow
Odour	amine
Melting point/freezing point	<-20 °C
Boiling point or initial boiling point and boiling range	>200 °C
Flammability	The product is non-flammable.
Lower and upper explosion limit	not applicable
Flash point	>100 °C
Auto-ignition temperature	not determined



according to Regulation (EC) No 1907/2006 (REACH) as amended

# NEXLER EPOLIS EP 601 składnik B

Creation date 09th February 2023			
Revision date	Version	1.0	
3-aminopropyldiethylamine (CAS: 104-78-9)	246 °C		
Decomposition temperature	not applicable		
pH	10,5-11,5 (10% s	olution)	
Kinematic viscosity	500 mm <sup>2</sup> /s at 25 °	°C	
Solubility in water	partially soluble		
Partition coefficient n-octanol/water (log value)	does not apply to	mixtures	
Vapour pressure	not determined		
3-aminopropyldiethylamine (CAS: 104-78-9)	1,996 hPa at 24,2	°C	
Density and/or relative density			
Density	1,04 g/cm <sup>3</sup> at 22	°C	
Relative vapour density	>1		
Particle characteristics	applies to solids		
9.2. Other information			
not available			

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reacts with peroxides, aldehydes, ketones, epoxy resins.

10.2. Chemical stability

The product is stable under normal conditions.

**10.3.** Possibility of hazardous reactions

#### Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Carefully! N-Nitrosamines, many of which are known to be potentially carcinogenic, may form when the product comes into contact with nitric acid, nitrites or atmospheres with high concentrations of nitrous oxide. Reactive metals (e.g. sodium, calcium, zinc, etc.). Substances which react with hydroxyl compounds. Organic acids (i.e. acetic acid, citric acid etc.). Mineral Acids. Sodium hypochlorite. Oxidizing agents, reaction with peroxides may cause rapid decomposition of the peroxide with the possibility of an explosion.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. As a result of thermal decomposition or reactions with incompatible substances, compounds such as nitric acid, ammonia, nitrogen oxides, aldehydes, nitrosamines may be formed. Nitrogen oxides can react with water vapor to form caustic nitric acid.

#### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

#### Acute toxicity

Harmful if swallowed. 3-aminopropyldiethylamine

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	
Oral	LD50	OECD 401	830 mg/kg bw		Rat (Rattus norvegicus)	F/M	
Dermal	LD50	OECD 402	524 mg/kg bw	24 hour	Rabbit	М	
Formaldehyde, oligomeric reaction products with phenol							

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50		>5000 mg/kg bw		Rat (Rattus norvegicus)	F/M
Dermal	LD50		>2000 mg/kg bw	24 hour	Rat (Rattus norvegicus)	F/M



Sex

according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER EPOLIS EP 601 składnik B

Creation date Revision date 09th February 2023

Version

1.0

Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated							
Route of exposure	Parameter	Method	Value	Exposure time	Species		
	LD₅o		500 mg/kg bw		Rat (Rattus norvegicus)		

Reaction products	of m-phenylenet	ois(methylamine)(I	MXDA) with styrene

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	500<<2000 mg/kg bw		Rat (Rattus norvegicus)	F/M

#### Skin corrosion/irritation

Skin corrosion/irritation - category 1C. In vitro membrane barrier test method.

3-aminopropyldiethylamine

Route of exposure	Result	Method	Exposure time	Species				
Dermal	Corrosive			Rabbit				
Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated								
Route of exposure	Result	Method	Exposure time	Species				

Dermal	Corrosive		<4 hour	
Reaction products of	m-phenylenebis(methy	lamine)(MXDA) with	styrene	
Route of exposure	Result	Method	Exposure time	Species

				e p e e e e e					
Dermal	Corrosive	OECD 404		Rabbit					
Carlaus ava damas	Carious and damage (inside tion								

#### Serious eye damage/irritation

Causes serious eye damage. Causes severe skin burns and eye damage.

3-aminopropyldiethylamine

Route of exposure	Result	Exposure time	Species						
Eye	Corrosive		Rabbit						
Formaldehyde, oligomer	ic reaction products with phe	nol							
Route of exposure	Result	Exposure time	Species						
Eye	Irritating	24 hour	Rabbit						
Mixture of alkylated carl	Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated								
Route of exposure	Result	Exposure time	Species						

Serious eye damage Eye

## Respiratory or skin sensitisation

May cause an allergic skin reaction.

Formaldehyde, oligomeric reaction products with phenol

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing			Human	М
Mixture of alkylated	l carbomonocyclic polya	azaalkanes, hydrog	enated		

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing				

Reaction products of m-phenylenebis(methylamine)(MXDA) with styrene

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing	OECD 406		Mouse	F

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER EPOLIS EP 601 składnik B

Creation date Revision date 09th February 2023

Version

1.0

Carcinogenicity

Based on available data the classification criteria are not met.

## Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

## Repeated dose toxicity

3-aminopropyldiethylamine

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 408	250 mg/kg bw/day	13 week	Rat (Rattus norvegicus)	F
Reaction produ	ucts of m-pheny	lenebis(methy	lamine)(M)	(DA) with styrene			
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
a .							- /

Oral	NOEL	Systemic effects	OECD 407	5 mg/kg bw/day	,	Rat (Rattus norvegicus)	F/M
Inhalation (aerosols)	NOAEL	Systemic effects	OECD 413	2.99 mg/m <sup>3</sup> of air	,	Rat (Rattus norvegicus)	F/M
Inhalation (aerosols)	LOAEC	Local effects	OECD 413	0.15 mg/m <sup>3</sup> of air	90 day	Rat (Rattus norvegicus)	F/M

#### Aspiration hazard

Based on available data the classification criteria are not met.

#### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

## Acute toxicity

Very toxic to aquatic life. 3-aminopropyldiethylamine

Parameter	Method	Value	Exposure time	Species	Environmen t
LC50		146.6 mg/l	96 hour	Fishes (Leuciscus idus)	
EC₅o		30.16 mg/l	48 hour	Aquatic invertebrates (Daphnia magna)	
ErC₅₀	OECD 201	34 mg/l	72 hour	Algae (Raphidocelis subcapitata)	
NOEC	OECD 201	19.53 mg/l	72 hour	Algae (Raphidocelis subcapitata)	
EC50		100.5 mg/l	17 hour	Aquatic microorganisms (Pseudomonas putida)	

Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated

Parameter	Method	Value	Exposure time	Species	Environmen t
LC50		283 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	
EC₅o		11.5 mg/l	48 hour	Aquatic invertebrates (Daphnia magna)	



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER EPOLIS EP 601 składnik B

Creation date Revision date

EL 50

09th February 2023

OECD 202

Version

48 hour

1.0

Aquatic invertebrates

Mixture of alkyla	ted carbomonocyclic p	olyazaalkanes, hydro	ogenated		
Parameter	Method	Value	Exposure time	Species	Environmen t
EC₅o	OECD 201	0.56 mg/l	72 hour	Algae (Raphidocelis subcapitata)	
Reaction product	ts of m-phenylenebis(I	nethylamine)(MXDA)	with styrene		
Parameter	Method	Value	Exposure time	Species	Environmen t
LL 50	OECD 203	4 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	

3.4 mg/l

				(Daphnia magna)	
EL 50	OECD 201	0.15 mg/l	72 hour	Algae (Desmodesmus subspicatus)	
NOELR	OECD 201	0.04 mg/l	72 hour	Algae (Desmodesmus subspicatus)	
EC₅o	OECD 209	70 mg/l	3 hour	Aquatic microorganisms	Activated sludge
NOEC	OECD 209	10 mg/l	3 hour	Aquatic microorganisms	Activated sludge

#### Chronic toxicity

Mixture of alkylated carbomonocyclic polyazaalkanes, hydrogenated

Parameter	Method	Value	Exposure time	Species	Environmen t
NOEC	OECD 201	0.26 mg/l	72 hour	Algae (Raphidocelis subcapitata)	
Reaction products	s of m-phenylenebis(r	nethylamine)(MXDA)	with styrene		
Parameter	Method	Value	Exposure time	Species	Environmen t
NOEC	OECD 211	0.14 mg/l	21 day	Aquatic invertebrates (Daphnia magna)	

## 12.2. Persistence and degradability

Biodegradability

3-aminopropyldiethylamine

Parameter	Method	Value	Exposure time	Environment	Result		
	OECD 301A	90-100 %	28 day		Easily biodegradable		
Formaldehyde, o	Formaldehyde, oligomeric reaction products with phenol						
Parameter	Method	Value	Exposure time	Environment	Result		
		>60 %	10 day		Easily biodegradable		
Reaction produc	ts of m-phenylenebis(	methylamine)(MXD	A) with styrene				
Parameter	Method	Value	Exposure time	Environment	Result		
	OECD 301C	0 %	28 day		Not biodegradable		
The product is p	artially biodegradable						

The product is partially biodegradable.

## 12.3. Bioaccumulative potential

# 3-aminopropyldiethylamine Parameter Method Value Exposure time Species Environment Temperature [°C] Log Pow OECD 107 0.36 Image: Colspan="5">25°C



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER EPOLIS EP 601 składnik B

Creation date Revision date 09th February 2023

Version

1.0

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 117	3.564				25°C
Mixture of alk	ylated carbomon	ocyclic polyaz	aalkanes, hydrogenat	ed		
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow		2.2				

#### 12.4. Mobility in soil

3-aminopropyldiethylamine

Parameter	Method	Value	Environment	Temperature	Value determination	
Log Koc		2.01			QSAR	
Formaldehyde, ol	Formaldehyde, oligomeric reaction products with phenol					
Parameter	Method	Value	Environment	Temperature	Value determination	
Log Koc	OECD 121	2.804		25°C		

The product shows low mobility in soil.

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

**12.7.** Other adverse effects Data not available.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

#### Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### **SECTION 14: Transport information**

## 14.1. UN number or ID number

- UN 2735 14.2. UN proper shipping name
- POLYAMINES, LIQUID, CORROSIVE, N.O.S.
- 14.3. Transport hazard class(es)
  - 8 Corrosive substances
- 14.4. Packing group
  - III substances presenting low danger
- 14.5. Environmental hazards Yes.
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER EPOLIS EP 601 składnik B

Creation date Revision date 09th February 2023

Version

1.0

evisic	on date	Version	1.0	
4.7.	Maritime transport in bulk according to IMC not relevant	) instruments		
	Additional information			
	Hazard identification No.	80		
	UN number	2735		
	Classification code	C7		
	Safety signs	8+hazardous for the environment		
		$\hat{\mathbf{A}}$		
	Road transport - ADR			
	Special provisions	274		
	Limited quantities	5 L		
	Excepted quantities	E1		
	Packaging			
	Packing instructions	P001, IBC03, LP01, R001		
	Mixed packing provisions	MP19		
	Portable tanks and bulk containers			
	Guidelines	Τ7		
	Special provisions	TP1, TP28		
	ADR tank			
	Tank code	L4BN		
	Vehicles for tank carriage	AT		
	Transport category	3		
	Tunnel restriction code	(E)		
	Special provision for			
	packages	V12		
	Railway transport - RID			
	Special provisions	274		
	Excepted quantities	E1		
	Packaging			
	Packing instructions	P001, IBC03, LP01, R001		
	Mixed packing provisions	MP19		
	Portable tanks and bulk containers			
	Guidelines	Τ7		
	Special provisions	TP1, TP28		
	RID Tanks			
	Tank code	L4BN		
	Transport category	0		
	Special provision for			
	packages	W 12		
	Air transport - ICAO/IATA			
	Packaging instructions for limited amount	Y841		
	Packaging instructions passenger	852		
	Cargo packaging instructions	856		
	Marine transport - IMDG			
	EmS (emergency plan)	F-A, S-B		
	MFAG	320		



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER EPOLIS EP 601 składnik B

Creation date Revision date 09th February 2023

Version

1.0

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Public health act 1961. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

#### **SECTION 16: Other information**

A list of standard risk phrase	es used in the safety data sheet
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Guidelines for safe handling	used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.
P391	Collect spillage.
Other important information	about human health protection
	ss specifically approved by the manufacturer/importer - used for purposes other than s responsible for adherence to all related health protection regulations.
Key to abbreviations and acr	onyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CEso	Concentration of a substance when it is affected 50% of the population
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EuPCS	European Product Categorisation System
ΙΑΤΑ	International Air Transport Association



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER EPOLIS EP 601 składnik B

eation date (	D9th February 2023
evision date	Version 1.0
IBC	International Code For The Construction And Equipment of Ships Carrying
IBC	Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
LL50	Lethal Loading for 50% of tested organisms
LOAEC	Lowest observed adverse effect concentration
log Kow	Octanol-water partition coefficient
LZO	Volatile organic compounds
MARPOL	International Convention for the Prevention of Pollution from Ships
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
NOELR	No Observed Effect Loading Rate
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UE	European Union
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
vPvB	Very Persistent and very Bioaccumulative
WE	Identification code for each substance listed in EINECS
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
Training guidelines	
	bout the recommended ways of use, mandatory protective equipment, first aid and prohibit oduct.
Recommended restric	tions of use
not available	
Information about da	ta sources used to compile the Safety Data Sheet
REGULATION (EC) No. REGULATION (EC) No.	1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amend 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data fi substance / mixture, if available - information from registration dossiers.

#### More information

Classification procedure - calculation method and based on test results.



according to Regulation (EC) No 1907/2006 (REACH) as amended

## NEXLER EPOLIS EP 601 składnik B

Creation date Revision date 09th February 2023

Version

1.0

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.