

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER AQUAMINERAL 2K składnik B

Creation date	21st November 2022	Version	1.0
Revision date			

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier
Substance / mixture NEXLER AQUAMINERAL 2K składnik B
UFI mixture
E84M-C04S-Y000-QH7M
Other mixture names
NEXLER AQUAMINERAL 2K component B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

The product is used for waterproofing terraces and balconies, it can be directly clad with ceramic tiles; for floor insulation.

Main intended use

PC-CON-5 Construction chemicals

Secondary uses

PC-CON-4 Mortars

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name	IZOHAN sp. z o.o.
Address	Łużycka 2, Gdynia, 81-963 Poland
Identification number (CRN)	191528483
VAT Reg No	PL5862073821
Phone	+48 58 781 45 85
E-mail	info@izohan.eu
Web address	www.izohan.eu

Competent person responsible for the safety data sheet

Name	IZOHAN sp. z o.o.
E-mail	info@izohan.eu

1.4. Emergency telephone number

National Health Service (NHS) 111
National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Irrit. 2, H315
Skin Sens. 1, H317
Eye Dam. 1, H318
STOT SE 3, H335

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. May cause an allergic skin reaction.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER AQUAMINERAL 2K składnik B

Creation date

21st November 2022

Revision date

Version

1.0

2.2. Label elements

Hazard pictogram



Signal word

Danger

Hazardous substances

Portland cement clinker
Dusts from the production of Portland cement

Hazard statements

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P264 Wash hands and exposed parts of the body thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 65997-15-1 EC: 266-043-4 Registration number: - [REACH art. 2 (7)(b)]	Portland cement clinker	23-26	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335	1, 2
CAS: 68475-76-3 EC: 270-659-9 Registration number: 01-2119486767-17	Dusts from the production of Portland cement	0,1-0,3	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335	2

Notes

- 1 A substance for which exposure limits are set.
- 2 Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.

Full text of all classifications and hazard statements is given in the section 16.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER AQUAMINERAL 2K składnik B

Creation date

21st November 2022

Revision date

Version

1.0

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Do not rub your eyes - it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling dust can cause corrosion of the breathing system. May cause respiratory irritation.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER AQUAMINERAL 2K składnik B

Creation date 21st November 2022
Revision date Version 1.0

6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale dust. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Keep container tightly closed. Protect against moisture - the product hardens irreversibly under the influence of moisture.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value	Note
Portland cement clinker (CAS: 65997-15-1)	WEL 8h	10 mg/m ³	inhalable dust
	WEL 8h	4 mg/m ³	respirable dust

DNEL

Dusts from the production of Portland cement					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	0.84 mg/m ³	Chronic effects local		
Workers	Inhalation	4 mg/m ³	Acute effects local		
Consumers	Inhalation	0.84 mg/m ³	Chronic effects local		
Consumers	Inhalation	4 mg/m ³	Acute effects local		

PNEC

Dusts from the production of Portland cement			
Route of exposure	Value	Value determination	Source
Drinking water	0.282 mg/l		
Marine water	0.028 mg/l		
Water (intermittent release)	0.282 mg/l		
Microorganisms in sewage treatment	6 mg/l		
Freshwater sediment	0.875 mg/kg of dry substance of sediment		
Sea sediments	0.088 mg/kg of dry substance of sediment		

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER AQUAMINERAL 2K składnik B

Creation date

21st November 2022

Revision date

Version

1.0

Dusts from the production of Portland cement

Route of exposure	Value	Value determination	Source
Soil (agricultural)	5 mg/kg of dry substance of soil		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	solid
Colour	grey
Odour	without fragrance
Melting point/freezing point	determination is not technically possible
Boiling point or initial boiling point and boiling range	determination is not technically possible
Flammability	not applicable
Lower and upper explosion limit	not applicable
Flash point	not applicable
Auto-ignition temperature	not applicable
Decomposition temperature	not applicable
pH	10.5<11.5 (10% solution)
Kinematic viscosity	applies to liquids
Solubility in water	almost insoluble
Partition coefficient n-octanol/water (log value)	does not apply to mixtures
Vapour pressure	not applicable
Density and/or relative density	
Density	2.0 g/cm ³
Relative vapour density	not applicable
Particle characteristics	not determined

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

When mixed with water, it hardens into a stable mass.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER AQUAMINERAL 2K składnik B

Creation date 21st November 2022
Revision date Version 1.0

10.2. Chemical stability

Cement reacts with water to form silicates and calcium hydroxide. Wet cement is alkaline and reacts with acids, ammonium salts, aluminum and other base metals.

10.3. Possibility of hazardous reactions

Adding powdered aluminum to wet cement mortar may generate hydrogen evolution.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. Avoid moisture - the product hardens.

10.5. Incompatible materials

Acids, ammonium salts, aluminum and other base metals, and strong oxidants.

10.6. Hazardous decomposition products

Not developed under normal uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Dusts from the production of Portland cement

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	>2000 mg/kg bw			
Dermal	LD ₅₀	>2000 mg/kg bw		Rat (<i>Rattus norvegicus</i>)	
Inhalation	LC ₅₀	>6040 mg/m ³	4 hours	Rat (<i>Rattus norvegicus</i>)	

Skin corrosion/irritation

Causes skin irritation.

Dusts from the production of Portland cement

Route of exposure	Result	Exposure time	Species
Dermal	Irritating		

Irritation

Dusts from the production of Portland cement

Route of exposure	Result	Exposure time	Species
Inhalation	Irritating		

Serious eye damage/irritation

Causes serious eye damage.

Dusts from the production of Portland cement

Route of exposure	Result	Exposure time	Species
Eye	Highly irritating		

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER AQUAMINERAL 2K składnik B

Creation date

21st November 2022

Revision date

Version

1.0

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Dusts from the production of Portland cement

Route of exposure	Result	Exposure time	Species	Sex
Dermal	Sensitizing			

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause respiratory irritation.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Repeated dose toxicity

Dusts from the production of Portland cement

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Inhalation	NOAEC	Systemic effects	OECD 413	61 mg/m ³	90 days	Rat (Rattus norvegicus)	F/M
Inhalation	LOAEC	Local effects	OECD 413	5.09 mg/m ³	90 days	Rat (Rattus norvegicus)	F/M

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

not available

Acute toxicity

Dusts from the production of Portland cement

Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD 202	100 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	
EC ₅₀	OECD 201	28.2 mg/l	72 hours	Algae (Desmodesmus subspicatus)	
EC ₅₀	OECD 209	596 mg/l	3 hours	Aquatic microorganisms	Activated sludge

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER AQUAMINERAL 2K składnik B

Creation date

21st November 2022

Revision date

Version

1.0

Dusts from the production of Portland cement

Parameter	Method	Value	Exposure time	Species	Environment
EC ₅₀	OECD 207	>1000 mg/kg of dry substance of soil	14 days	Invertebrates (Eisenia fetida)	
EC ₅₀	OECD 208	>1000 mg/kg of dry substance of soil	21 days	Higher plants (Avena sativa)	
EC ₅₀	OECD 216	>1000 mg/kg of dry substance of soil	28 days	Microorganisms	

Chronic toxicity

Dusts from the production of Portland cement

Parameter	Method	Value	Exposure time	Species	Environment
NOEL	OECD 211	50 mg/l	21 days	Aquatic invertebrates (Daphnia magna)	

12.2. Persistence and degradability

The product is not biodegradable to the extent significant for the natural environment.

12.3. Bioaccumulative potential

Bioaccumulation is not expected.

12.4. Mobility in soil

The product shows low mobility in soil.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER AQUAMINERAL 2K składnik B

Creation date 21st November 2022
Revision date Version 1.0

14.4. Packing group

not relevant

14.5. Environmental hazards

No.

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Public health act 1961. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Guidelines for safe handling used in the safety data sheet

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P264 Wash hands and exposed parts of the body thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road
BCF Bioconcentration Factor
CAS Chemical Abstracts Service
CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC Identification code for each substance listed in EINECS
EC₅₀ Concentration of a substance when it is affected 50% of the population
EINECS European Inventory of Existing Commercial Chemical Substances
EmS Emergency plan
EU European Union
EuPCS European Product Categorisation System
IATA International Air Transport Association

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER AQUAMINERAL 2K składnik B

Creation date 21st November 2022
Revision date Version 1.0

IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
log K _{ow}	Octanol-water partition coefficient
NOAEC	No observed adverse effect concentration
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Eye Dam.	Serious eye damage
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.