

according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER Uszczelniacz Dekarski Bitumiczny

Creation date 14th March 2023 Revision date 23rd January 2024

Version 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

..1. Product identifier NEXLER Uszczelniacz Dekarski Bitumiczny

Substance / mixture mixture

UFI JWV1-5060-M00U-MSC2

Other mixture names

NEXLER Bitumenes Tetőtömítő NEXLER Bituminous Roofing Sealant NEXLER Sigilant de Acoperiș Bituminos NEXLER Битумный Кровельный Герметик NEXLER Бітумний Покрівельний Ущільнювач

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Roofing sealant in a cartridge for repairing roofing felt, filling cavities, sealing joints between the roof and the wall, with the chimney, as well as gluing and sealing flashings, also on wet substrates.

Main intended use

PC-ADH-2 Adhesives and sealants - building and construction works (except cement based

adhesives)

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name NEXLER sp. z o.o.

Address Łużycka 6, Gdynia, 81-537

Poland

Identification number (CRN)191528483VAT Reg NoPL5862073821Phone+48 58 781 45 85E-mailinfo@nexler.comWeb addresswww.nexler.com

Competent person responsible for the safety data sheet

Name NEXLER sp. z o.o.
E-mail info@nexler.com

1.4. Emergency telephone number

National Health Service (NHS) 111

National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Flam. Liq. 3, H226

Most serious adverse physico-chemical effects

Flammable liquid and vapour.

2.2. Label elements

Hazard pictogram



Signal word

Warning

Hazard statements

H226 Flammable liquid and vapour.



1.1

according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER Uszczelniacz Dekarski Bitumiczny

Creation date 14th March 2023
Revision date 23rd January 2024 Version

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to according to the instructions of the manufacturer

or person authorized to dispose of waste.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
EC: 919-857-5 Registration number: 01-2119463258-33	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics		Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 EUH066	1

Notes

1 Substance of unknown or variable composition, complex reaction products or biological materials - UVCB.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Not expected.

If in eyes

Not expected.

If swallowed

Not expected.

nexler

1.1

according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER Uszczelniacz Dekarski Bitumiczny

Creation date 14th March 2023
Revision date 23rd January 2024 Version

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. No smoking. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep container tightly closed. Keep cool.

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER Uszczelniacz Dekarski Bitumiczny

Creation date 14th March 2023
Revision date 23rd January 2024 Version 1.1

DNEL

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics						
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source	
Workers	Inhalation	871 mg/m ³	Chronic effects systemic			
Workers	Dermal	77 mg/kg bw/day	Chronic effects systemic			
Consumers	Oral	46 mg/kg bw/day	Chronic effects systemic			
Consumers	Inhalation	185 mg/m ³	Chronic effects systemic			
Consumers	Dermal	46 mg/kg bw/day	Chronic effects systemic			

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly. Other protection: protective workwear.

>230 °C

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid
Colour black
Odour characteristic
Melting point/freezing point <-20 °C
Boiling point or initial boiling point and boiling range ≥150 °C

Flammability flammable liquid and vapor

Lower and upper explosion limit not determined Flash point >40 °C
Auto-ignition temperature not determined

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics,

< 2% aromatics

Decomposition temperature not applicable

pH non-soluble (in water)
Kinematic viscosity >20.5 mm²/s at 40 °C
Viscosity thixotropic behaviour

Solubility in water insoluble

Solubility in other solvents dissolves in most organic solvents

Partition coefficient n-octanol/water (log value) does not apply to mixtures

Vapour pressure not determined Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, 3 hPa at 20 °C

< 2% aromatics
Density and/or relative density

Density 1.40-1.50 g/cm³ at 22 °C

Relative vapour density >1

Particle characteristics applies to solids



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER Uszczelniacz Dekarski Bitumiczny

Creation date 14th March 2023
Revision date 23rd January 2024

Revision date 23rd January 2024 Version 1.1

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is not reactive.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	>5000 mg/kg bw		Rat (Rattus norvegicus)	F/M
Inhalation (vapor)	LC50	OECD 403	>5000 mg/m ³	8 hours	Rat (Rattus norvegicus)	М
Dermal	LD50	OECD 402	>2000 mg/kg bw	24 hours	Rabbit	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER Uszczelniacz Dekarski Bitumiczny

Creation date 14th March 2023 Revision date 23rd January 2024

Version 1.1

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Acute toxicity

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics						
Parameter	Method	Value	Exposure time	Species	Environmen t	
LL50	OECD 203	>1000 mg/l	96 hours	Fish (Oncorhynchus mykiss)		
LL50	OECD 202	>1000 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)		
EL ₅₀	OECD 201	>1000 mg/l	72 hours	Algae (Raphidocelis subcapitata)		
NOELR	OECD 201	3-100 mg/l	72 hours	Algae (Raphidocelis subcapitata)		
EL50		0.95 mg/l	48 hours	Aquatic microorganisms (Tetrahymena pyriformis)		

Chronic toxicity

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics						
Parameter	Value	Exposure time	Species	Environment		
NOELR	0.13 mg/l	28 days	Fish (Oncorhynchus mykiss)			
NOELR	0.23 mg/l	21 days	Aquatic invertebrates (Daphnia magna)			

12.2. Persistence and degradability

The product is partially biodegradable.

Biodegradability

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics						
Parameter	Value	Exposure time	Environment	Result		
	80 %	28 days		Easily biodegradable		

12.3. Bioaccumulative potential

Bioaccumulation is not expected.

12.4. Mobility in soil



1.1

according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER Uszczelniacz Dekarski Bitumiczny

Creation date 14th March 2023
Revision date 23rd January 2024 Version

The product is insoluble in water and does not show mobility in soil.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 1993

14.2. UN proper shipping name

FLAMMABLE LIQUID, N.O.S. (contains: C9-C11 hydrocarbons, <2% aromatics)

14.3. Transport hazard class(es)

3 Flammable liquids

14.4. Packing group

III

14.5. Environmental hazards

No.

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

NOTE: The product packed in receptacles with a capacity of not more than 450 liters is not subject to the provisions of ADR (2.2.3.1.5).

Hazard identification No.

UN number

Classification code

Safety signs

30 1993

F1



Tunnel restriction code

(D/E)



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER Uszczelniacz Dekarski Bitumiczny

14th March 2023 Creation date Revision date 23rd January 2024

Version

1.1

Marine transport - IMDG

EmS (emergency plan) F-E, S-E **MFAG** 310

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Clean Air Act 1993 as amended. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Public health act 1961. Environmental Protection Act 1990 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness. H336 Guidelines for safe handling used in the safety data sheet

Keep out of reach of children. P102

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to according to the instructions of the manufacturer

or person authorized to dispose of waste.

A list of additional standard phrases used in the safety data sheet

Repeated exposure may cause skin dryness or cracking. FUH066

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

European agreement concerning the international carriage of dangerous goods by ADR

road

BCF Bioconcentration Factor CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

FC Identification code for each substance listed in EINECS

EINECS European Inventory of Existing Commercial Chemical Substances

Effective Loading for 50% of the tested organisms EL50

EmS Emergency plan European Union FU

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization **IMDG** International Maritime Dangerous Goods IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients



according to Regulation (EC) No 1907/2006 (REACH) as amended

NEXLER Uszczelniacz Dekarski Bitumiczny

Creation date 14th March 2023
Revision date 23rd January 2024 Version 1.1

ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

LL50 Lethal Loading for 50% of tested organisms

log Kow Octanol-water partition coefficient

NOEL No observed effect level

NOELR No Observed Effect Loading Rate
OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Asp. Tox. Aspiration hazard Flam. Liq. Flammable liquid

STOT SE Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

This safety data sheet replaces version 1.0 dated 14.03.2023.

Updated sections: 1,3,8,13,15.

More information

Classification procedure - calculation method and based on tests of physicochemical properties.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.