

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinė danga Briko HD

Creation date	15th February 2022		
Revision date	22nd April 2025	Version	1.3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1. Product identifier** Hidroizoliacinė danga Briko HD

Substance / mixture mixture

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Mixture's intended use**

A semi-liquid insulating foil for outdoor waterproofing.

**Main intended use**

PC-CON-5 Construction chemicals

**Mixture uses advised against**

The product should not be used in ways other than those referred in Section 1.

**1.3. Details of the supplier of the safety data sheet**

**Distributor**

Name or trade name	UAB „Kesko Senukai Lithuania“
Address	Islandijos pl. 32B, Kaunas, 51500 Lithuania
Phone	8 700 11 119
Web address	www.senukai.lt

**Supplier**

Name or trade name	NEXLER sp. z o.o.
Address	Łużycka 6, Gdynia, 81-537 Poland
Identification number (CRN)	191528483
VAT Reg No	PL5862073821
Phone	+48 58 781 45 85
E-mail	info@nexler.com
Web address	www.nexler.com

**Email address for a competent person responsible for the safety data sheet**

Name	NEXLER sp. z o.o.
E-mail	info@nexler.com

**1.4. Emergency telephone number**

National Health Service (NHS) 111  
National poisoning information centre Scotland, NHS 24: 111

### SECTION 2: Hazards identification

**2.1. Classification of the substance or mixture**

**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

**2.2. Label elements**

**Precautionary statements**

P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container according to the instructions of the manufacturer or person authorized to dispose of waste.

**Supplemental information**

EUH208 Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

**2.3. Other hazards**

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinè danga Briko HD

Creation date 15th February 2022  
Revision date 22nd April 2025 Version 1.3

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 Registration number: 01-2119487136-33	potassium hydroxide	<0.025	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: 0.5 % ≤ C < 2 % Skin Corr. 1A, H314: C ≥ 5 % Skin Corr. 1B, H314: 2 % ≤ C < 5 % Eye Irrit. 2, H319: 0.5 % ≤ C < 2 %	1
Index: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9 Registration number: - [REACH art. 15 (2)]	1,2-benzisothiazol-3(2H)-one	<0.018	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411 Specific concentration limit: Skin Sens. 1, H317: C ≥ 0.05 %	
Index: 603-027-00-1 CAS: 107-21-1 EC: 203-473-3 Registration number: 01-2119456816-28	ethylene glycol	<0.01	Acute Tox. 4, H302 STOT RE 2, H373 (kidneys) (ingestion)	1
Index: 605-001-00-5 CAS: 50-00-0 EC: 200-001-8 Registration number: 01-2119488953-20	formaldehyde	<0.01	Acute Tox. 3, H301+H311 Skin Corr. 1B, H314 Skin Sens. 1, H317 Acute Tox. 2, H330 Muta. 2, H341 Carc. 1B, H350 Specific concentration limit: Skin Corr. 1B, H314: C ≥ 25 % Skin Irrit. 2, H315: 5 % ≤ C < 25 % Skin Sens. 1, H317: C ≥ 0.2 % Eye Irrit. 2, H319: 5 % ≤ C < 25 % STOT SE 3, H335: C ≥ 5 %	1, 2

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinè danga Briko HD

Creation date 15th February 2022  
Revision date 22nd April 2025 Version 1.3

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 613-167-00-5 CAS: 55965-84-9 EC: 911-418-6 Registration number: - [REACH art. 15 (2)]	reaction mass of: 5-chloro-2- methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2 -methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)	<0.0015	Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Eye Irrit. 2, H319: $0.06 \% \leq C < 0.6 \%$ Skin Sens. 1A, H317: $C \geq 0.0015 \%$ Skin Irrit. 2, H315: $0.06 \% \leq C < 0.6 \%$ Skin Corr. 1C, H314: $C \geq 0.6 \%$ Eye Dam. 1, H318: $C \geq 0.6 \%$	

### Notes

- 1 A substance for which exposure limits are set.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

#### If on skin

Remove contaminated clothes.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

#### If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Not expected.

#### If on skin

Not expected.

#### If in eyes

Not expected.

#### If swallowed

Not expected.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

#### Unsuitable extinguishing media

Not defined.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinė danga Briko HD

Creation date 15th February 2022  
Revision date 22nd April 2025 Version 1.3

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

After removal of the product, wash the contaminated site with plenty of water.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Storage temperature above + 5 ° C required.

### 7.3. Specific end use(s)

not available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### United Kingdom

#### EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value
potassium hydroxide (CAS: 1310-58-3)	WEL 15min	2 mg/m <sup>3</sup>
	WEL 8h	2,5 mg/m <sup>3</sup>
formaldehyde (CAS: 50-00-0)	WEL 8h	2 ppm
	WEL 15min	2,5 mg/m <sup>3</sup>
	WEL 15min	2 ppm

#### United Kingdom

#### EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value
ethylene glycol (CAS: 107-21-1)	WEL 8h	52 mg/m <sup>3</sup>
	WEL 8h	20 ppm
	WEL 15min	104 mg/m <sup>3</sup>
	WEL 15min	40 ppm

#### Notes

Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.  
Vapour.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinè danga Briko HD

Creation date 15th February 2022  
Revision date 22nd April 2025 Version 1.3

### United Kingdom

### EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value
ethylene glycol (CAS: 107-21-1)	WEL 8h	10 mg/m <sup>3</sup>

#### Notes

Particulate.

Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

### DNEL

1,2-benzisothiazol-3(2H)-one			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	6.81 mg/m <sup>3</sup>	Chronic effects systemic
Workers	Dermal	0.966 mg/kg bw/day	Chronic effects systemic
Consumers	Inhalation	1.2 mg/m <sup>3</sup>	Chronic effects systemic
Consumers	Dermal	0.345 mg/kg bw/day	Chronic effects systemic

ethylene glycol			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	35 mg/m <sup>3</sup>	Chronic effects local
Workers	Dermal	106 mg/kg bw/day	Chronic effects systemic
Consumers	Inhalation	7 mg/m <sup>3</sup>	Chronic effects local
Consumers	Dermal	53 mg/kg bw/day	Chronic effects systemic

formaldehyde			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	9 mg/m <sup>3</sup>	Chronic effects systemic
Workers	Inhalation	0.375 mg/m <sup>3</sup>	Chronic effects local
Workers	Inhalation	0.75 mg/m <sup>3</sup>	Acute effects local
Workers	Dermal	240 mg/kg bw/day	Chronic effects systemic
Workers	Dermal	0.037 mg/cm <sup>2</sup>	Chronic effects local
Consumers	Inhalation	3.2 mg/m <sup>3</sup>	Chronic effects systemic
Consumers	Inhalation	0.1 mg/m <sup>3</sup>	Chronic effects local
Consumers	Dermal	102 mg/kg bw/day	Chronic effects systemic
Consumers	Dermal	0.012 mg/cm <sup>2</sup>	Chronic effects local
Consumers	Oral	4.1 mg/kg bw/day	Chronic effects systemic

potassium hydroxide			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	1 mg/m <sup>3</sup>	Chronic effects local
Consumers	Inhalation	1 mg/m <sup>3</sup>	Chronic effects local

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinè danga Briko HD

Creation date 15th February 2022  
Revision date 22nd April 2025 Version 1.3

**reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)**

Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	0.02 mg/m <sup>3</sup>	Chronic effects local
Workers	Inhalation	0.04 mg/m <sup>3</sup>	Acute effects local
Consumers	Inhalation	0.02 mg/m <sup>3</sup>	Chronic effects local
Consumers	Inhalation	0.04 mg/m <sup>3</sup>	Acute effects local
Consumers	Oral	0.09 mg/kg bw/day	Chronic effects systemic
Consumers	Oral	0.11 mg/kg bw/day	Acute effects systemic

### PNEC

#### 1,2-benzisothiazol-3(2H)-one

Route of exposure	Value
Drinking water	4.03 µg/l
Water (intermittent release)	1.1 µg/l
Marine water	0.403 µg/l
Microorganisms in sewage treatment	1.03 mg/l
Freshwater sediment	0.0499 mg/kg of dry substance of sediment
Sea sediments	0.00499 mg/kg of dry substance of sediment
Soil (agricultural)	3 mg/kg of dry substance of soil

#### ethylene glycol

Route of exposure	Value
Drinking water	10 mg/l
Marine water	1 mg/l
Microorganisms in sewage treatment	199.5 mg/l
Freshwater sediment	37 mg/kg of dry substance of sediment
Sea sediments	3.7 mg/kg of dry substance of sediment
Soil (agricultural)	1.53 mg/kg of dry substance of soil
Water (intermittent release)	10 mg/l

#### formaldehyde

Route of exposure	Value
Drinking water	0.44 mg/l
Marine water	0.44 mg/l
Microorganisms in sewage treatment	0.19 mg/l
Freshwater sediment	2.3 mg/kg of dry substance of sediment
Sea sediments	2.3 mg/kg of dry substance of sediment
Soil (agricultural)	0.2 mg/kg of dry substance of soil
Water (intermittent release)	4.44 mg/l

**reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)**

Route of exposure	Value
Drinking water	3.39 µg/l
Marine water	3.39 µg/l
Microorganisms in sewage treatment	0.23 mg/l
Freshwater sediment	0.027 mg/kg of dry substance of sediment
Sea sediments	0.027 mg/kg of dry substance of sediment

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinè danga Briko HD

Creation date 15th February 2022  
Revision date 22nd April 2025 Version 1.3

**reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)**

Route of exposure	Value
Soil (agricultural)	0.01 mg/kg of dry substance of soil
Water (intermittent release)	3.39 µg/l

### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles.

#### Skin protection

Hand protection: Protective gloves resistant to the product. Other protection: protective workwear.

#### Respiratory protection

It is not needed.

#### Thermal hazard

Data not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	blue
Odour	characteristic
Melting point/freezing point	-1 °C
Boiling point or initial boiling point and boiling range	100 °C
Flammability	non-inflammable
Lower and upper explosion limit	not applicable
Flash point	not applicable
Auto-ignition temperature	not applicable
Decomposition temperature	not determined
pH	7.5-9 (undiluted)
Kinematic viscosity	not determined
Viscosity	thixotropic behaviour
Solubility in water	miscible with water
Partition coefficient n-octanol/water (log value)	does not apply to mixtures
Vapour pressure	23.4 hPa (water) at 20 °C
Density and/or relative density	
Density	1.49 g/cm <sup>3</sup> at 22 °C
Relative vapour density	<1
Particle characteristics	applies to solids

### 9.2. Other information

Not available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The mixture is not reactive.

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinè danga Briko HD

Creation date 15th February 2022  
Revision date 22nd April 2025 Version 1.3

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

#### Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met.

1,2-benzisothiazol-3(2H)-one						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 401	490 mg/kg bw		Rat (Rattus norvegicus)	F/M
Dermal	LD <sub>50</sub>	OECD 402	>2000 mg/kg bw		Rat (Rattus norvegicus)	F/M

ethylene glycol						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>		7712 mg/kg bw		Rat (Rattus norvegicus)	F/M
Inhalation (aerosols)	LC <sub>50</sub>		>2.5 mg/l of air	6 hours	Rat (Rattus norvegicus)	F/M
Dermal	LD <sub>50</sub>		>3500 mg/kg bw		Mouse	F/M

formaldehyde						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 401	460 mg/kg bw		Rat (Rattus norvegicus)	M
Inhalation (gases)	LC <sub>50</sub>	OECD 403	<463 ppm	4 hours	Rat (Rattus norvegicus)	F/M

potassium hydroxide						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 425	333 mg/kg bw		Rat (Rattus norvegicus)	M

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>		64 mg/kg bw		Rat (Rattus norvegicus)	M
Inhalation (aerosols)	LC <sub>50</sub>	OECD 403	0.171 mg/l of air	4 hours	Rat (Rattus norvegicus)	F/M
Dermal	LD <sub>50</sub>		87 mg/kg bw	24 hours	Rabbit	M



# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinè danga Briko HD

Creation date 15th February 2022  
Revision date 22nd April 2025 Version 1.3

### Skin corrosion/irritation

Based on the available data, the criteria for classification of the mixture are not met.

formaldehyde				
Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive	OECD 404	20 hours	Rabbit

potassium hydroxide				
Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive	OECD 404		Rabbit

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)				
Route of exposure	Result	Method	Exposure time	Species
Dermal	Corrosive	OECD 404		Rabbit

### Serious eye damage/irritation

Based on the available data, the criteria for classification of the mixture are not met.

1,2-benzisothiazol-3(2H)-one				
Route of exposure	Result	Method	Exposure time	Species
Eye	Highly irritating, Serious eye damage	EPA OPP 81-4	3 hours	Rabbit

potassium hydroxide				
Route of exposure	Result	Method	Exposure time	Species
Eye	Corrosive	OECD 405		Rabbit

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)				
Route of exposure	Result	Method	Exposure time	Species
Eye	Serious eye damage			Rabbit

### Respiratory or skin sensitisation

Based on the available data, the criteria for classification of the mixture are not met.

1,2-benzisothiazol-3(2H)-one					
Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing	EPA OPP 81-6		Guinea-pig (Cavia aperea f. porcellus)	F

formaldehyde					
Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing	OECD 429		Mouse	F

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)					
Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Sensitizing			Mouse	F

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliaciné danga Briko HD

Creation date 15th February 2022  
Revision date 22nd April 2025 Version 1.3

### Germ cell mutagenicity

Based on the available data, the criteria for classification of the mixture are not met.

formaldehyde					
Result	Method	Exposure time	Specific target organ	Species	Sex
Positive without metabolic activation, Positive with metabolic activation	OECD 471				
Positive without metabolic activation, Positive with metabolic activation	OECD 473		Ovary	Chinese hamster (Cricetulus barabensis)	F

### Carcinogenicity

Based on the available data, the criteria for classification of the mixture are not met.

### Reproductive toxicity

Based on the available data, the criteria for classification of the mixture are not met.

### Toxicity for specific target organ - single exposure

Based on the available data, the criteria for classification of the mixture are not met.

### Toxicity for specific target organ - repeated exposure

Based on the available data, the criteria for classification of the mixture are not met.

### Repeated dose toxicity

1,2-benzisothiazol-3(2H)-one							
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	EPA OPP 82-1	69 mg/kg bw/day	90 days	Rat (Rattus norvegicus)	F/M

ethylene glycol							
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOEL	Systemic effects	OECD 408	150 mg/kg bw/day	16 weeks	Rat (Rattus norvegicus)	M
Dermal	NOAEL	Systemic effects	OECD 410	2200 mg/kg bw/day	4 weeks	Dog	M

formaldehyde							
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	LOAEL	Systemic effects	OECD 453	82 mg/kg bw/day	2 years	Rat (Rattus norvegicus)	M
Inhalation	NOAEC	Systemic effects		1.2 mg/m <sup>3</sup>			

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)							
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	Systemic effects	OECD 409	22 mg/kg bw/day	13 weeks	Dog	F/M

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinè danga Briko HD

Creation date 15th February 2022

Revision date 22nd April 2025

Version

1.3

### reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Inhalation (aerosols)	NOAEC	Local effects, Systemic effects	OECD 413	0.34 mg/m <sup>3</sup>	90 days	Rat (Rattus norvegicus)	F/M
Dermal	NOAEL	Local effects, Systemic effects	EPA OPP 82-3	0.1 mg/kg bw/day	90 days	Rat (Rattus norvegicus)	F/M

#### Aspiration hazard

Based on the available data, the criteria for classification of the mixture are not met.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

##### Other information

Not available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

#### Acute toxicity

1,2-benzisothiazol-3(2H)-one					
Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>	OECD 203	2.15 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC <sub>50</sub>	OECD 202	2.9 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	
EC <sub>50</sub>	OECD 201	110 µg/l	72 hours	Algae (Raphidocelis subcapitata)	
NOEC	OECD 201	40.3 µg/l	72 hours	Algae (Raphidocelis subcapitata)	
NOEC	OECD 209	10.3 mg/l	3 hours	Aquatic microorganisms	Activated sludge
EC <sub>50</sub>	OECD 207	>410.6 mg/kg of dry substance of soil	14 days	Invertebrates (Eisenia fetida)	
EC <sub>50</sub>	OECD 216	>811.5 mg/kg of dry substance of soil	28 days	Microorganisms	Activated sludge

ethylene glycol					
Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		>72860 mg/l	96 hours	Fish (Pimephales promelas)	
NOEC	OECD 201	>100 mg/l	72 hours	Algae (Raphidocelis subcapitata)	

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliaciné danga Briko HD

Creation date 15th February 2022

Revision date 22nd April 2025

Version

1.3

### formaldehyde

Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		6.18 mg/l	96 hours	Fish (Morone saxatilis)	
LC <sub>50</sub>	OECD 212	6.9 mg/l	6 days	Fish (Danio rerio (embryos))	
EC <sub>50</sub>	OECD 202	5.8 mg/l	48 hours	Aquatic invertebrates (Daphnia pulex)	
ErC <sub>50</sub>	OECD 201	4.89 mg/l	72 hours	Algae (Desmodesmus subspicatus)	
EC <sub>50</sub>	OECD 209	19 mg/l	3 hours	Aquatic microorganisms	Activated sludge

### potassium hydroxide

Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		50-165 mg/l		Fish	

### reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)

Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>	EPA OPP 72-1	0.19 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC <sub>50</sub>	EPA OPP 72-2	0.16 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	
EC <sub>50</sub>	OECD 201	0.037 mg/l	48 hours	Algae (Skeletonema costatum)	
EC <sub>50</sub>	OECD 209	4.5 mg/l	3 hours	Aquatic microorganisms	Activated sludge
LC <sub>50</sub>	OECD 207	86.6 mg/kg of dry substance of soil	14 days	Invertebrates (Eisenia fetida)	

### Chronic toxicity

#### 1,2-benzisothiazol-3(2H)-one

Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD 207	234.5 mg/kg of dry substance of soil	14 days	Invertebrates (Eisenia fetida)	
NOEC	OECD 216	263.7 mg/kg of dry substance of soil	28 days	Microorganisms	Activated sludge

#### ethylene glycol

Parameter	Method	Value	Exposure time	Species	Environment
NOEC		8590 mg/l	7 days	Aquatic invertebrates (Ceriodaphnia dubia)	

### formaldehyde

Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD 215	≥48 mg/l	28 days	Fish (Oryzias latipes)	
NOEC	OECD 211	≥6.4 mg/l	21 days	Aquatic invertebrates (Daphnia magna)	

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliaciné danga Briko HD

Creation date 15th February 2022  
Revision date 22nd April 2025 Version 1.3

**reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)**

Parameter	Method	Value	Exposure time	Species	Environment
NOEC	OECD 210	0.02 mg/l	35 days	Fish (Danio rerio)	
NOEC	EPA OPP 72-4	0.1 mg/l	21 days	Aquatic invertebrates (Daphnia magna)	

### 12.2. Persistence and degradability

The product is not biodegradable to the extent significant for the natural environment.

#### Biodegradability

##### 1,2-benzisothiazol-3(2H)-one

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301C		63 days		Hardly biodegradable

##### ethylene glycol

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301A	90-100 %	10 days		Easily biodegradable

##### formaldehyde

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301A	99 %	28 days		Easily biodegradable

**reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)**

Parameter	Method	Value	Exposure time	Environment	Result
					Biodegradable

### 12.3. Bioaccumulative potential

Bioaccumulation is not expected.

##### 1,2-benzisothiazol-3(2H)-one

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow		0.7				20°C
BCF		6.62	56 days	Fish (Lepomis macrochirus)		

##### ethylene glycol

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow		-1.36				25°C

##### formaldehyde

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
BCF		<1				
Log Pow		0.35				20°C

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinè danga Briko HD

Creation date 15th February 2022  
Revision date 22nd April 2025 Version 1.3

**reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)**

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	OECD 107	0.75				24°C

### 12.4. Mobility in soil

The product is dilutable with water before drying. It does not show mobility in the soil.

#### 1,2-benzisothiazol-3(2H)-one

Parameter	Method	Value	Temperature
Log Koc	OECD 121	0.97	25°C

#### formaldehyde

Parameter	Method	Value	Temperature
Koc		15.9	

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Data not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Danger of environmental contamination, follow the applicable waste disposal regulations. Store unused product and contaminated packaging in closed containers for waste collection and hand over for disposal to a specialized company authorized to conduct such activity. Do not pour unused product into drains. It must not be disposed of together with municipal waste. Empty packaging can be used for energy in a waste incineration plant or collected in a landfill with an appropriate classification. Perfectly cleaned packaging can be recycled. The classification of waste may change depending on where it is generated.

#### Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## SECTION 14: Transport information

### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

No.

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinė danga Briko HD

Creation date	15th February 2022		
Revision date	22nd April 2025	Version	1.3

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Clean Air Act 1993 as amended. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Public health act 1961. Environmental Protection Act 1990 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

formaldehyde

Restriction	Conditions of restriction
28	<p>1. Shall not be placed on the market, or used,</p> <ul style="list-style-type: none"> <li>— as substances,</li> <li>— as constituents of other substances, or,</li> <li>— in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: <ul style="list-style-type: none"> <li>— either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,</li> <li>— the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.</li> </ul> </li> </ul> <p>Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:</p> <p>“Restricted to professional users”.</p> <p>2. By way of derogation, paragraph 1 shall not apply to:</p> <ul style="list-style-type: none"> <li>(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;</li> <li>(b) cosmetic products as defined by Directive 76/768/EEC;</li> <li>(c) the following fuels and oil products: <ul style="list-style-type: none"> <li>— motor fuels which are covered by Directive 98/70/EC,</li> <li>— mineral oil products intended for use as fuel in mobile or fixed combustion plants,</li> <li>— fuels sold in closed systems (e.g. liquid gas bottles);</li> </ul> </li> <li>(d) artists’ paints covered by Regulation (EC) No 1272/2008;</li> <li>(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.</li> <li>(f) devices covered by Regulation (EU) 2017/745.</li> </ul>

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinė danga Briko HD

Creation date 15th February 2022  
Revision date 22nd April 2025 Version 1.3

formaldehyde

Restriction	Conditions of restriction
72	<p>1. Shall not be placed on the market after 1 November 2020 in any of the following:</p> <ul style="list-style-type: none"> <li>(a) clothing or related accessories;</li> <li>(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;</li> <li>(c) footwear;</li> </ul> <p>if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12.</p> <p>2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter.</p> <p>3. Paragraph 1 shall not apply to:</p> <ul style="list-style-type: none"> <li>(a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide;</li> <li>(b) non-textile fasteners and non-textile decorative attachments;</li> <li>(c) second-hand clothing, related accessories, textiles other than clothing or footwear</li> <li>(d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.</li> </ul> <p>4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (**).</p> <p>5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.</p> <p>6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation.</p> <p>7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly.</p> <p>(*) Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51).</p> <p>(**) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).</p>



# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinè danga Briko HD

Creation date 15th February 2022  
Revision date 22nd April 2025 Version 1.3

formaldehyde

Restriction	Conditions of restriction
77	<p>1. Shall not be placed on the market in articles, after 6 August 2026, if, under the test conditions specified in Appendix 14, the concentration of formaldehyde released from those articles exceeds:</p> <p>(a) 0,062 mg/m<sup>3</sup> for furniture and wood-based articles;</p> <p>(b) 0,080 mg/m<sup>3</sup> for articles other than furniture and wood-based articles.</p> <p>The first subparagraph shall not apply to:</p> <p>(a) articles in which formaldehyde or formaldehyde releasing substances are exclusively naturally present in the materials from which the articles are produced;</p> <p>(b) articles that are exclusively for outdoor use under foreseeable conditions;</p> <p>(c) articles in constructions, that are exclusively used outside the building shell and vapour barrier and that do not emit formaldehyde into indoor air;</p> <p>(d) articles exclusively for industrial or professional use unless formaldehyde released from them leads to exposure of the general public under foreseeable conditions of use;</p> <p>(e) articles for which the restriction laid down in entry 72 applies;</p> <p>(f) articles that are biocidal products within the scope of Regulation (EU) No 528/2012 of the European Parliament and of the Council;</p> <p>(g) devices within the scope of Regulation (EU) 2017/745;</p> <p>(h) personal protective equipment within the scope of Regulation (EU) 2016/425;</p> <p>(i) articles intended to come into contact directly or indirectly with food within the scope of Regulation (EC) No 1935/2004;</p> <p>(j) second-hand articles.</p> <p>2. Shall not be placed on the market in road vehicles after 6 August 2027 if, under the test conditions specified in Appendix 14, the concentration of formaldehyde in the interior of those vehicles exceeds 0,062 mg/m<sup>3</sup>.</p> <p>The first subparagraph shall not apply to:</p> <p>(a) road vehicles exclusively for industrial or professional use unless the concentration of formaldehyde in the interior of those vehicles leads to exposure of the general public under foreseeable conditions of use;</p> <p>(b) second-hand vehicles.</p>

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

EUH071	Corrosive to the respiratory tract.
EUH208	Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H301+H311	Toxic if swallowed or in contact with skin.
H302	Harmful if swallowed.
H310+H330	Fatal in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H373	May cause damage to the kidneys through prolonged or repeated exposure if swallowed.
H400	Very toxic to aquatic life.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinė danga Briko HD

Creation date	15th February 2022	Version	1.3
Revision date	22nd April 2025		

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

### Guidelines for safe handling used in the safety data sheet

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to according to the instructions of the manufacturer or person authorized to dispose of waste.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

Acute Tox.	Acute toxicity
ADR	Agreement concerning the international carriage of dangerous goods by road
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
BCF	Bioconcentration Factor
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50 % of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
Met. Corr.	Corrosive to metals
Muta.	Germ cell mutagenicity
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Hidroizoliacinė danga Briko HD

Creation date	15th February 2022		
Revision date	22nd April 2025	Version	1.3

Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

This safety data sheet replaces version 1.2 dated 15.01.2024.

Updated sections: 2,3,8,11,12,15.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.